

PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	10
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	13
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	16
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	23
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	28
Section VII. Technical Specifications	89
Section VIII. Checklist of Technical and Financial Documents	Error! Bookmark not defined.

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
REGION VII – CENTRAL VISAYAS
Schools Division of Cebu City

INVITATION TO BID FOR
(Re-Bidding) Supply and Delivery of Learning Tools and
Equipment (LTE) for Science, Mathematics and Technical
Vocational Livelihood under SUB-ARO No. OSEC-7-22-0310
Project no.: DepEdCCD – 2023 -03

1. The *DepEd Cebu City Division*, through the *FY 2022 General Appropriation Act (GAA)* intends to apply the sum of One Million Six Hundred Thirty-Five Thousand Eight Hundred Forty-Four Pesos (*Php 1,635,844.00*) being the ABC to payments under the contract for ***(Re-Bidding) Supply and Delivery of Learning Tools and Equipment (LTE) for Science, Mathematics and Technical Vocational Livelihood under SUB-ARO No. OSEC-7-22-0310***. Bids received in excess of the ABC shall be automatically rejected at bid opening.

Lot	Project Description	ABC (PhP)
01	(Re-Bidding) Supply and Delivery of Science Learning Tools and Equipment	Php 545,271.17
02	(Re-Bidding) Supply and Delivery of Mathematics Learning Tools and Equipment	Php 543,627.50
03	(Re-Bidding) Supply and Delivery of TVL Learning Tools and Equipment	Php 545,281.33

2. The *DepEd Cebu City Division* now invites bids for the above Procurement Project. Delivery of the Goods required is Sixty (60) calendar days from receipt of Notice to Proceed and Purchase Order. Bidders should have completed, within *five (5) years* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from *DepEd Cebu City Division* and inspect the Bidding Documents at the address given below during *Mondays to Fridays from 8:00 am – 5:00 pm from January 27, 2023 to February 20, 2023*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on *January 27, 2023 to February 20, 2023 from Mondays to Fridays* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Five Hundred Pesos (Php 500.00) per lot***. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *presented in person*.
6. The *DepEd Cebu City Division* will hold a Pre-Bid Conference¹ on *February 6, 2023 at 11:00 am PhST* at *Zapatera Library, Gabaldon Building, Zapatera Elementary School, Sikatuna St. Cebu City*, which shall be open to prospective bidders. For those who opt to join virtually, a link shall be provided.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *February 20, 2023 at 11:00 am PhST*. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on *February 20, 2023 at 11:00 am PhST* at *Zapatera Library, Gabaldon Building, Zapatera Elementary School, Sikatuna St. Cebu City*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity. For those who cannot come or send a representative, link shall be provided.
10. *Prospective Bidders are strongly encouraged to order or download the electronic copy of the Bidding Documents from the PhilGeps website: www.philgeps.gov.ph, for them to be included in the Document Request List of the project. The Bidding Documents may be viewed also at the DepEd Cebu City Official Website, www.depedcebucity.com.*
11. The *DepEd Cebu City Division* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:
MARILYN E. OPEÑA/ DARYLL T. YBAÑEZ
DepEd Cebu City Division
Imus Ave., Day-as, Cebu City
daryll.triumfo@deped.gov.ph
Telephone no. 0995-3693124
Agency website: www.depedcebucity.com
13. You may visit the following websites:
For downloading of Bidding Documents: www.depedcebucity.com / philgeps.gov.ph

January 26, 2023

(Sgd.) LYRA L. ILLAGA, Dev EdD

BAC Chairman

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *DepEd Cebu City Division* wishes to receive Bids for the ***(Re-bidding) Supply and Delivery of Learning Tools and Equipment (LTE) for Science, Mathematics and Technical Vocational Livelihood under SUB-ARO No. OSEC-7-22-0310***, with identification number *DepEdCCD – 2023-03*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as “Project”) is composed of *only 4* lots, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for *FY 2022 General Appropriation Act (GAA)* in the amount of One Million Six Hundred Thirty-Five Thousand Eight Hundred Forty-Four Pesos (*Php 1,635,844.00*).

2.2. The source of funding is:

- a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and

obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. *[Select one, delete other/s]*
 - a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:
 - b. For the procurement of Non- Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: *[Select either failure or monopoly of bidding based on market research conducted]*
 - i. Completed at most two (2) similar contracts, the aggregate amount of which should be equivalent to at least (50%) of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- b. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five (5) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the

Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *One Hundred Twenty (120) Calendar Days from the date of submission of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one original and one additional copy of the first and second components of its Bid, without prejudice to the original provision therein.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time at its physical address as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ol style="list-style-type: none"> a. Contract/supply and delivery/purchase/of School Learning/Educational Tools/Equipment/Supplies <i>and other related activity generic to the purpose</i> b. completed within five (5) years prior to the deadline for the submission and receipt of bids.
12	The price of the Goods shall be quoted DDP <i>in the Philippines</i> .
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ol style="list-style-type: none"> a. The amount of not less than <u>2% per lot</u> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>5% per lot</u> if bid security is in Surety Bond. <hr/> <p>Lot 1</p> <ol style="list-style-type: none"> a. The amount of not less than <u>Php 10,905.42</u> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>Php 27,263.56</u> if bid security is in Surety Bond. <p>Lot 2</p> <ol style="list-style-type: none"> a. The amount of not less than <u>Php 10,872.55</u> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>Php 27,181.38</u> if bid security is in Surety Bond. <p>Lot 3</p> <ol style="list-style-type: none"> a. The amount of not less than <u>Php 10,905.63</u> if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <u>Php 27,269.07</u> if bid security is in Surety Bond.

19.3	<p><i>Project will be awarded by lot</i></p> <p><i>(Re-Bidding) Supply and Delivery of Learning Tools and Equipment (LTE) for Science, Mathematics and Technical Vocational Livelihood under SUB-ARO No. OSEC-7-22-0310 with an ABC for One Million Six Hundred Thirty-Five Thousand Eight Hundred Forty-Four Pesos (Php 1,635,844.00).</i></p>
20.2	<p><i>[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]</i></p>
21.2	<p><i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]</i></p>

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to the Contract are DDP delivered [<i>indicate place of destination</i>]. In accordance with INCOTERMS.”</p> <p>“The delivery terms applicable to this Contract are delivered <i>DepEd Cebu City</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>DepEd Cebu City Division</i>.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: <i>Select appropriate requirements and delete the rest.</i></p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	<ol style="list-style-type: none"> e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

f. *[Specify additional incidental service requirements, as needed.]*

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

	<p>Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<i>Partial Payment is not allowed</i>

Section VI. Schedule of Requirements

(Re-Bidding) Supply and Delivery of Science Learning Tools and Equipment

Lot 1

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

A. Junior High School

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	<p>Flask, Volumetric, borosilicate 250 ml</p> <p>Functional Specifications: Used to measure/prepare/contain precise volume of standard solutions at a certain temperature at precise dilution of solutions up to 250 mL</p> <p>Performance Specifications: Must be able measure/prepare/contain a precise volume of standard solutions at certain temperature and precise dilution of solutions up to 250 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape : A round or pear-shaped bulb, a long thin neck topped by snap cap and with flat bottom 3. Material of body: Borosilicate , clear, transparent and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Height: 225 mm b) Outside diameter : 78 mm (approx.) c) Size: 250 mL d) Tolerance: ± 0.12 mL 4. With heavy duty rim 5. Comes with snap cap <ol style="list-style-type: none"> a) Material of snap cap :High density plastic (polyethylene) b) With octagonal grip c) Snap-cap : No. 250 d) Color of snap cap: Blue 6. Must meet ASTM E- 694 for volumetric ware, ASTM E-542 for calibration of volumetric ware and ASTM E-288 for volumetric flasks. 7. Calibrated "to contain" (marked "TC" or "IN") 8. Manufacturer should be accredited by NIST standards or equivalent to the country of origin to certify that their items are calibrated. 9. Must be free from breakage, cracks, sharp rims and other defects 10. Packaging : Roll up glassware in newspaper and secure with piece of masking tape and place in a bubble pouch and individual packed in a sturdy box 11. Comes with a brand, with five (5) years existence in the glassware industry 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	Graduated Cylinder, borosilicate, 10 ml	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: Must be able to measure and to deliver the volume of liquids up to 10 mL capacity</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material: Borosilicate, clear and transparent bubble-free, glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter: 13-14 mm b) Height: 177-178 mm c) Thickness range: 1.3-1.4 mm d) Tolerance: ± 0.20 4. Capacity: 10 mL 5. Graduation Range: 1 to 10 mL 6. Graduation interval: 0.1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. Single metric scale, with plastic bumper guard 11. Glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glassware industry 				
3	<p>Graduated Cylinder, borosilicate, 100 ml</p> <p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications:</p> <ol style="list-style-type: none"> a) Must be able to measure and to deliver the volume of liquids up to 100 mL capacity b) Used as a container to determine the volume of irregularly shaped solids by water displacement <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material: Bubble-free, borosilicate, clear and transparent glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter: 29-31 mm b) Height: 254-256 mm c) Thickness range: 1.3-1.4 mm d) Tolerance: ± 0.60 mL 4. Capacity: 100 mL 5. Graduation range: 5 to 100 mL 6. Graduation Interval: 1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. With single graduated metric scale with plastic bumper guard 11. With glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glass industry 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
4	<p>pH Meter, hand-held</p> <p>i) Paper Size: A4 size, 80 gsm</p> <p>ii) Font: Times New Roman</p> <p>iii) Font size: 12</p> <p>iv) Orientation: Portrait</p> <p>v) Margins on all sides with 2 point width border line</p> <p>vi) Line with arrow head of 1.25 point with width shall point to the specific part being labeled</p> <p>16. Must be free from sharp edges</p> <p>17. Must have a brand</p>	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	<p>Thermometer, Laboratory</p>	22pcs	22pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to measure the temperature</p> <p>Performance Specifications: Must measure the temperature , -20° to 110°C</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Alcohol filled, partial immersion thermometer 2. Shape : A small sealed tube made of glass that has a small hollow bulb filled partly with ethanal and partly with nitrogen and ethan vapors.on one end and a thin capillary opening running through the length of its center 3. Material : Glass 4. Color: White 5. Non-toxic red-filled thermometer 6. Partial immersion type with immersion line indicator and ring top 7. With precision red alcohol-filled, reinforced bulbs, and with expansion chamber 8. With white back with non-roll sleeve 9. With clear and permanent markings: scale never washes out 10. Provided with non-roll plastic case 11. With continuous alcohol column 12. Dimensions: 13. Range: -20°C to 110°C 14. Division: 1°C 15. Length: 300 mm (minimum) 16. Accuracy: ± 1° C 17. Diameter: 5.8 to 6.2 mm 18. Immersion line : 76 mm 19. Manufacturer of the country of origin should issue certificate of calibration for every item. 20. Must be free from breakage , cracks, chipped and sharp edges and other defects 21. Comes with a brand 				
6	<p>Universal pH Paper, H 0-14, 100 strips/pack</p> <p>Functional Specifications: Used as an indicator to determine/measure the pH of substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an Indicator to effect a color change when it is dipped into the different substances to determine/measure the pH of each, through comparison with the pH color chart provided, which corresponds to:</p> <ol style="list-style-type: none"> a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14; c) For distilled water : pH 7 <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : <ol style="list-style-type: none"> a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand 	13packs	13packs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
7	<p>Beaker, borosilicate, 1000 ml</p> <p>Functional Specifications: Used to serve as container for mixing and for heating liquids.</p> <p>Performance Specifications: Must be able to serve as container for mixing and for heating liquids.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Griffin type, borosilicate, transparent, bubble-free glass 2. Shape: a cylindrical container with flat bottom 3. Thickness range: 1.5 mm to 2.0 mm 4. Permanent white graduations, with white enamel marking spot 5. Features an easy-pour spout 6. Capacity: 1000 ml; ± 10% enameled onto the glass 7. Single graduated metric scale 8. Graduation starts at 200 mL in 100 mL increments 9. Height range: 140 mm to 160 mm 10. Outside diameter: 100 mm to 110 mm 11. There must be no cracks and sharp parts 12. Safely packed in a compartmentalized box 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
8	<p>Dish, Petri (Pyrex)</p>	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to secure the specimen under study.</p> <p>Performance Specifications: Must be able to secure the specimen under study.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Reusable, borosilicate, circular glass with beaded edge; 2. Bubble-free, plain surface 3. Outside Diameter of Cover: 100 mm±2 mm; 4. Outside Diameter of Dish: 92 mm ± 2 mm; 5. Overall height with cover (as assembled): 20 mm ± 2 mm 6. Glass thickness range: 2 mm to 2.2 mm 7. There must be no cracks and sharp edges 8. Safely packed in a compartmentalized box 				
9	<p>Beaker, borosilicate, 250 ml</p> <p>Functional Specifications: Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Performance Specifications: Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type : Griffin, low form 2. Shape: Cylindrical container with straight sides, a flat bottom, and with a small spout (or "beak") to aid pouring 3. Material: Borosilicate, clear and transparent bubble-free glass with the following dimensions: a) Outside Diameter: 68 mm to 70mm b) Height: 90 mm to 92 mm c) Thickness: 1.5 mm to 2.0 mm 4. With permanent white enamel graduations of approximate volumes, inscriptions and markings enameled onto the glass 5. With large white marking spot 6. Features an easy-pour spout 7. "With double graduated metric scale " 8. Capacity: 250 mL ±5% etched onto the glass;" 9. With marking graduation to fill: starts at 25 mL in 25mL increments 10. With marking graduation to empty: starts at 0 mL in 25 mL increments 11 Graduation interval: 25 mL 12. Graduation range: 25 mL to 200 mL 13. Wrapped in paper, enclosed in bubble wrap and packed individually in compartmentalized box 14. Can withstand heating up to 200-230°C for normal, standard use service 15. Must be free from breakage, cracks, chipped rims and other defects 16. Comes with a brand of five (5) years existence in the glasswares industry 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
10	<p>Beaker, borosilicate, 500 ml</p> <p>Functional Specifications:</p> <ol style="list-style-type: none"> a) Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to 150° for normal, standard use service and b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Performance Specifications:</p> <ol style="list-style-type: none"> a) Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to 150°C for normal, standard use service and to serve as a water bath b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Berzellius, tall form 2. Shape: Cylindrical container with straight sides, a flat bottom, with small spout (or "beak") to aid pouring 3. Material : Borosilicate, clear, bubble free glass , Berzellius, tall for with the following dimensions: a) Outside Diameter Range :75 mm- 80 mm b) Height range: 136 mm -140 mm c) Thickness :1.5 mm to 2.0 mm 4. Capacity :500 mL ; ± 5% etched/embossed onto the glass 5. With permanent white enamel graduations of approximate volumes, inscriptions and 6. With large white marking spot 7. With easy pour spout 8. Double graduated metric scale 9. Marked to fill: Graduation starts at 50 mL in 50 mL increments 10. Marked to empty: Graduation starts at 0 mL in 50 mL increments 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap and packed individually in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and oth defects 14. Comes with a brand, with five (5) years existence in the glass ware industry 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
11	<p>Burner, Alcohol, glass, 150 ml Capacity</p>	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to produce hot, consistent open flame for slow/gentle heating of glasswares and substances</p> <p>Performance Specifications: Must be able to produce hot, consistent open flame a) for slow/gentle heating of glasswares and substances b) can withstand prolonged heating without breaking c) visually determine the identity of an unknown metal or metallic based on the characteristic color the chemical/salt emits on Bunsen flame to investigate reactions of ions and apply this qualitative analysis through an activity, on Flame Test d) bend a glass tubing e) heat, to sterilize, to accelerate, and to trigger chemical reaction f) for combustion purposes and techniques</p> <p>Design Specifications: 1. Shape : A globe-shaped body and flat base (bottom) threaded mouth 2. Material: Sturdy, heavy walled, clear, transparent, bubble-glass with the following dimensions: a) Outside Diameter : 80 mm to 85 mm b) Total height: 100 mm to 105 mm 3. Capacity : 150 ml 4. With wick holder permanently attached to a threaded base a) Material of wick holder and cover/caps : Nickel-plated brass b) Type of wick holder : Threaded 5. With one (1) pc cotton fiber/strand braided wick perfectly fitted the wick tube a) Material of wick : Cotton fiber/strand b) Type of wick: Braided c) Length: 7 inches (178 mm) min d) Diameter: 3/16 inches (5-6 mm) 6. With snuff/snap-on cover/cap 7. With ten (10) pc replacement braided cotton fiber/strand wicks 8. Wrapped in paper, enclosed in bubble wrap and packed compartmentalized box 9. Must be free from breakage, cracks, chipped rims and all defects 10. Comes with a brand</p>				
12	<p>Mortar and Pestle, porcelain, 150 ml</p> <p>Functional Specifications: Used to pulverize/mash/grind and to materials in a mortar using a pestle</p> <p>Performance Specifications: Must be able to pulverize/mash/gr and mixes materials in a mortar using a pestle to demonstrate h particle size affects solubility and the rate of chemical reaction. Decreasing the size of the particles increases the rate of dissolving c speeds up the rate of reaction because the surface area of reactant has been increased.</p> <p>Design Specifications: A. Mortar 1. Shape of mortar : Bowl shape, with wide mouth, and with deep molded, smooth rounded bottom 2. Material for mortar and pestle: Porcelain with the follow dimensions: a) Outside diameter : 130 mm ± 1 mm b) Depth : 65 mm c) Flat bottom : 87 mm 3. Capacity: 150 ml 4. With pouring lip 5. With unglazed grinding surface (interior) and uniformly glaz exterior B. Pestle: 6. Shape of pestle: Cylindrical with bulbous bottom with the follow dimensions: a) Length range: 133-135 mm and b) Diameter range : 28 - 30 mm dia at its widest point. 7. Material of pestle: A heavy bat-shaped porcelain 8. Uniformly glazed on its handle and rough on opposite end 9. The set is individually wrapped, enclosed in a bubble wrap a packed in a sturdy box 10. Must be free from breakage, cracks, chipped parts and all defects 11. Comes with a brand</p>	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
14	Test tube brush	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. 2. Material of bristles: Medium stiff nylon with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 17-19 mm b) Length: 96-98 mm c) Over-all length: 220-229 mm 3. Material of handle: Galvanized steel wire 4. Type of wire handle : Common loop twisted wire 5. With circular loop, for hanging 6. Packed in a resealable plastic bag 7. Must be free from sharp metal parts 8. Comes with a brand 				
15	<p>Test Tube, borosilicate, 16 mm x 150 mm Ion</p> <p>Functional Specifications: Used to contain/hold a small chemical reaction , to mix small quantities of solids and liquids, and to heat small quantities of substances</p> <p>Performance Specifications: Must be able to contain/hold a small chemical reaction and , mixes solids and liquids, heats small quantity of substances up to more than 100°C over a Bunsen burner's flame</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape : Fingerlike length of glass tubing, open at the top, usually with a rounded lip at the top, and a rounded 'U' shaped bottom 2. Material of test tube: Borosilicate , clear, transparent and bubble-free, glass, with rim with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 16 mm diameter b) Thickness :1.3 -1.4 mm c) Length: 150 mm long 3. Capacity : 20 mL 4. With heavy uniform wall thickness, excellent heat resistance 5. Test tubes must be reusable (not disposable) 6. With large, white enamel marking spot 7. With permanent graduation of approx. volume and inscriptions in high contrast white enamel. 8. Can withstand heating up to 150°C for normal, standard use service 9. Comes with a certification from the manufacturer that the test tube is reusable not disposable 10. Wrapped individually in tissue paper, enclosed in bubble wrap and packed in compartmentalized box 11. Must be free from breakage, cracks, chipped rims and other defects 12. Comes with a brand with five (5) years of existence in the glass wares industry 	15pcs	14pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
16	<p>Vial, screw-neck, 50 ml with screw-t</p> <p>Functional Specifications: Used to hold/contain/store/mix small quantities of samples/ solutions/ substances up to 50 mL.</p> <p>Performance Specifications: Must be able to hold/contain/store/mix samples/solutions/substances up to 50 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Wide mouth 2. Shape : Bottle-like shape with a threaded neck, screw cap polypropylene closure and with a flat bottom 3. Material : Borosilicate, clear, transparent, and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter : 25 mm to 30 mm b) Length: 100 mm to 108 mm 4. Capacity: 50 mL. With screw- type plastic cap 5. Shape of neck : Cylindrical, round 6. Neck finish: Continuous thread 7. Cap Color: Black/White 8. Cap Attached: No 9. Cap Material : Polypropylene (plastic) 10. Closure style : Solid top, screw thread cap 11. Neck size: 24-400 12. Cap liner: Foam lined 13. Packed individually in a compartmentalized box 14. Must be free from breakage, cracks , chipped rims and other defects 15. Comes with a brand 	50pcs	50pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
17	<p>Watch Glass, Ø 90 mm</p>	25pcs	25pcs	60 calendar days	DepEd Cebu City

	<p>Functional Specifications: Used to:</p> <ol style="list-style-type: none"> cover glasswares like beakers evaporates solvents in a sample and holds/contains liquids and solids prior to heating. <p>Performance Specifications: Must be able to</p> <ol style="list-style-type: none"> cover glasswares like beakers evaporate solvents in a sample and hold/contain liquids and solids prior to heating. <p>Design Specifications:</p> <ol style="list-style-type: none"> Shape: Circular concave Material : Borosilicate, clear and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> Diameter: 90 mm ± 1 mm Thickness range : 1.5 mm to 2 mm Fire-polished rims/edge. Individually wrapped in used newspaper, enclosed in a bubble wrap, and packed in a sturdy box Must be free from breakage, cracks, chipped edges and other defects Comes with a brand 			from the date of receipt of Notice to Proceed/ Purchase Order.	Division, New Imus, Brgy. Dayas, Cebu City
14	<p>Test tube brush</p> <p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. Material of bristles: Medium stiff nylon with the following dimensions: <ol style="list-style-type: none"> Diameter: 17-19 mm Length: 96-98 mm Over-all length: 220-229 mm Material of handle: Galvanized steel wire Type of wire handle : Common loop twisted wire With circular loop,for hanging Packed in a resealable plastic bag Must be free from sharp metal parts Comes with a brand 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
18	Lens Paper, 50's/pack	21packs	21packs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
19	<p>Filter Paper, crepe, 580mm x 580 mm sheet, Grade 0905</p> <p>Functional Specifications: Used to filter/separate mixtures solids from liquids</p> <p>Performance Specifications: Must be able to filter solids from liquids to demonstrate filtration, as one of the techniques in separating mixtures (solids from liquids)</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> Type: Technical use Shape of filter paper : Square Material: Cellulose with the following dimensions: <ol style="list-style-type: none"> Length: 580 mm Width : 580 mm Color: White to cream Grade: 0905 Surface: Creped Initial Filtration Speed: 20 sec (± 1 sec)/10 mL; Flow rate: High Wet strengthened Packed in brown filter paper tube Comes with a brand 	16sheets	16sheets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
20	Nichrome wire. 0.4, 100 ft (1 spool per package = 1.1 oz minimum with spool)	13spool	13spool	60 calendar days from the date of receipt of Notice to	DepEd Cebu City Division, New Imus, Brgy. Day-

	<p>Functional Specifications: Used as a wire loop and heating element on which a metal salt or solid ionic compound is made to adhere into it and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound</p> <p>Performance Specifications: Must be used as a wire loop on which a metal salt or solid ionic compound is made to adhere to, and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound in a laboratory activity, the Flame test</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Round wire 2. Material of wire: Nichrome-Alloy of nickel and chromium, Ni80 Cr20 with the following dimensions: <ol style="list-style-type: none"> a) AWG size: 26 b) Diameter: 0,4 mm c) Length : 100 ft 3. Form: Soft, rust-free wire 4. Color: Silvery grey 5. Resistance : 2,57 ohms/foot 6. Annealed soft 7. Perfectly tensioned, Zero elongation, scratches, or other flaws. 8. Comes in a spool 9. Packed in a resealable plastic pouch 10. Comes with a brand 			Proceed/ Purchase Order.	as, Cebu City
21	<p>Triangular File, fine, 6-inch Iron, with plastic handle</p> <p>Functional Specifications: Used to cut the glass tubing</p> <p>Performance Specifications: Must be able to cut the glass tubing</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type of file: Triangular 2. Shape: Triangular 3. Material: High carbon steel 4. Kind of file: Fine, smooth 5. Length of file: 6" (150-152.4 mm) long 6. Material of handle: Plastic 7. Packed in a resealable pouch 8. Comes with a brand 	21pcs	21pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
22	<p>Globe, Terrestrial</p> <p>Functional Specifications: Used to represent the earth in three dimensions and the locations and sizes of land masses and water bodies in scale accuracy</p> <p>Performance Specifications: Should be able to represent the earth in three dimensions and the locations and sizes of land masses and water bodies in scale accuracy</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Primarily used as a reference to geographical & political information Globe diameter; minimum of 12 inches. 2. Shows the following: <ol style="list-style-type: none"> (a) All continents, countries with their capitals, and important cities and places (b) Updated with newly established countries, or re-named countries and cities. (c) Illustrates the flow and directions of ocean currents (d) Lines of Latitudes (0°to 90°), graduated both in Northern and Southern Latitudes and Longitudes (0° to 180°), graduated both in Eastern and Western Longitudes (e) International Date Line, Arctic Circle, Tropic of Cancer, Tropic of Capricorn and Antarctic Circle (f) Lines of Equator and Prime Meridian (g) Names of mountain, mountain ranges, volcano, ocean floors, gulfs, seas and lakes (h) Names of continents, seas and country boundaries should be according to international standard. (i) Philippine territory emphasizing the "West Philippine Sea" as one of the Philippine territorial sea boundaries. (j) The Nine Dashed Line should not appear. 3. The globe which is made of plastic is mounted on a plastic meridian ring (C-shape) with movable magnifier. 4. The base stand is made of hard/tough plastic. 5. Must be branded 	21units	21units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
23	<p>Musical Instrument (Miniature Guitar)</p>	21pcs	21pcs	60 calendar days from the date of receipt of Notice to	DepEd Cebu City Division, New Imus, Brgy. Day-

	<p>Functional Specifications: Used to demonstrate musical application standing waves</p> <p>Performance Specifications: Should be able to demonstrate music application of standing waves</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Mini acoustic type, half-size guitar, any color, surface finish: varnish 2. Made of good quality wood without sign of warp 3. Minimum dimensions: Overall length: 33 inches, Width:12 inches, Depth: 3 1/2 inches 4. Standard guitar steel strings (Nos. 1-6), 18 fret minimum 		Proceed/ Purchase Order.	as, Cebu City
24	<p>Set of Tools: Ball Peen Hammer, handle length is 11-inch, 350g approx. weight, 1 pc/set</p> <p>Functional Specifications: Used to peen dent surfaces in metals</p> <p>Performance Specifications: Should be able to to peen dent surfaces in metals</p> <p>Design Specifications: Ball Peen Hammer, handle length 11 inches, 350 grams gross weight approx., 1 pc. /set</p> <p>Set of Tools: Long Nose Pliers, 6-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend tiny solid wire connectors</p> <p>Performance Specifications: Should be able to bend tiny solid wire connectors</p> <p>Design Specifications: Long Nose Pliers with side cutter, 6 inches long, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Mechanical Wire Cutter and Pliers, 6.5-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend large wires</p> <p>Performance Specifications: Should be able to bend large wires</p> <p>Design Specifications: Mechanical-Wire Cutter and Pliers, 6 1/2 inches, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Precision Screwdrivers Set, 6 pcs/set, with plastic casing, 1 set/set</p> <p>Functional Specifications: Used to drive precision screws</p> <p>Performance Specifications: Should be able to to drive precision screws</p> <p>Design Specifications: Precision Screwdrivers Set, 6 pc. (3 phillips, 3 flats)/set, with plastic casing, 1 set</p> <p>Set of Tools: Screwdriver, flat, 6-inch, 1 pc/set</p> <p>Functional Specifications: Used to drive flat head screws</p> <p>Performance Specifications: Should be able to drive flat head screws</p> <p>Design Specifications: Screwdriver flat, 3/16 inches tip width x 6 inches long, chrome vanadium material, 1 pc. /set;</p> <p>Set of Tools: Soldering Iron, 60 watts, 1 pc/set</p>	13sets Each	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to heat electrical contacts for permanent joints</p> <p>Performance Specifications: Should be able to heat electrical contacts for permanent joints</p> <p>Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc. /set;</p>				
	<p>Set of Tools: Soldering Lead, Ø1mm, Grade 60/40, Wt.: 1 lb/spool, 1 spool/set</p> <p>Functional Specifications: Used to provided permanent joint for different electrical components</p> <p>Performance Specifications: Used to provided permanent joint for different electrical components</p> <p>Design Specifications: Soldering Lead, Ø 1 mm, Grade 60/40, weight: 1 lb./spool, 1 spool/set</p>				
	<p>Set of Tools: Soldering Paste, 50 grams/can, 1 can/set</p> <p>Functional Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Performance Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Design Specifications: Soldering Paste, all purpose flux, non-corrosive, 50 grams/can, 1 can/set;</p>				
	<p>Set of Tools: Tweezers, stainless steel, with curved tips, 6.5-inch long, 1 pair/set</p> <p>Functional Specifications: Used to hold and pick tiny electronics components</p> <p>Performance Specifications: Used to hold and pick tiny electronics components</p> <p>Design Specifications: Tweezers, stainless steel, with curved tips, 6 1/2 inches long, 1 pair/set;</p>				
25	<p>Glass Cover Slips, 100's/box</p> <p>Functional Specifications: Used to secure the wet mount sam specimen.</p> <p>Performance Specifications: Must be able to secure the wet mount sample specimen.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Pre-cleaned cover glasses and not sticking from each other 2. Material: Transparent glass 3. Quantity: 100's/small plastic box 4. Dimension: 22 mm x 22 mm square 5. Thickness: 0.13 mm - 0.17 mm 6. There shall be no chipped edges 7. Safely packed in a plastic box 	26pcs	26pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
26	<p>Glass Slides, 72's/box</p>	26pcs	26pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to contain the specimen for examination under the microscope.</p> <p>Performance Specifications: Must be able to accommodate the specimen subject for examination under the microscope.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Clear, flat glass; free from moisture, dirt, and film; 2. No color, no frost and no chipped edges 3. Dimension: 75 mm (±1 mm) x 25 mm (± 1 mm); 4. Thickness: 1.1 mm (± 0.1 mm) 5. No sharp edges and pointed corners 6. Packed in a box containing 72 slides with thin paper sheets in between them 				
27	<p>Compass, Magnetic</p> <p>Functional Specifications: Used to find direction on the earth's surface by the alignment of the compass needle with the earth's magnetic field</p> <p>Performance Specifications: Should be able to find direction on the earth's surface by the alignment of the compass needle with the earth's magnetic field</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Outside Diameter: 48 mm to 52 mm 2. Needle mounted in an Aluminum case with clear, scratch-free plastic or glass face 3. Graduated dial marked in cardinal points (North, South, West, East, Northwest, Northeast, Southwest, and Southeast). 4. Must be branded 	26pcs	26pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
28	<p>Pipette, Beral, 1 ml</p> <p>Functional Specifications: Used to transfer/dispense liquid samples.</p> <p>Performance Specifications: Must be able to transfer/dispense liquid sample up to a volume of 1 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. One-piece pipette, made from flexible soft non-toxic plastic that has a protuberance on top that serves as liquid retention chamber 2. Capacity: 1 mL in 0.25 mL grad interval 3. No rubber head 4. Total length range: 140 mm - 150 mm 5. With molded graduations 	50pcs	50pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
29	<p>Gloves, Hand, super nitrile</p> <p>Functional Specifications: Used to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Performance Specifications: Must be able to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Slightly curved fingers and forward-facing thumb correspond to the natural position of the hand (hand-shaped) . 2. Material: Super nitrile, reusable with the following dimensions: <ol style="list-style-type: none"> a) Length of gloves : 13 inches (330.2 mm) min b) Thickness: 0.38 -0.52 mm (min) 3. Color : Green 4. Size: 8 5. Interior finish : Flocklined interior(acid/solvent resistant) 6. Exterior finish : Smooth 7. Cuff type: Rolled beaded 8. Latex free to suit those with latex allergies 9. Non-slip wear resistant high elasticity , waterproof 10. Puncture resistant 11. With detailed imprints on each glove, on the following: <ol style="list-style-type: none"> a) the glove size/s b) the name of manufacturer c) nitrile, flocklined d) individual manufacturing lot e) with pictograms for certification category requirements CE 0334 (EN 420, EN 388, EN 374) designed for protection against mechanical risks, chemical risks, and micro-organisms 12. Individually packed in resealable plastic bag 13. Comes with a brand 	30pcs	30pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

30	<p>Flashlight with incandescent bulb</p> <p>Functional Specifications: Used to provide illumination on the surface of a globe model</p> <p>Performance Specifications: Should be able to provide illumination on the surface of a globe model</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Powered by two (2) 1.5 volts size D dry cells; Capacity: 3 volts 2. 7" long minimum 3. slide switch 5. 35 feet beam distance 6. Body: high impact resin construction 7. Must be branded 	13pcs	13pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
31	<p>Lamp, Desk, Heavy Base</p> <p>Functional Specifications: Used to provide heat and illumination on specimen under study</p> <p>Performance Specifications: Should be able to provide heat and illumination on specimen under study</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Heavy base, able to stand by itself 2. 35 inches length minimum 3. Easily adjustable to direct the light wherever you need it the most 4. With On and Off Switch 5. Power source: AC 220 volts line; included with 60-100 Watts Yellow Light bulb 6. Capacity: 100 watts 7. Preferable ungrounded plug (If the plug is grounded, an adapter should include in the item.) 8. With English User's Manual that includes Operation Guide 9. Should be branded 	13pcs	13pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

B. Senior High School

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	Flask, Volumetric, borosilicate 250 ml	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL</p> <p>Performance Specifications: Must be able to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape : A round or pear-shaped bulb, a long thin neck topped by a snap cap and with flat bottom 3. Material of body: Borosilicate , clear, transparent and bubble-free, glass with the following dimensions: <ol style="list-style-type: none"> a) Height: 225 mm b) Outside diameter : 78 mm (approx.) c) Size: 250 mL d) Tolerance: ± 0.12 mL 4. With heavy duty rim 5. Comes with snap cap <ol style="list-style-type: none"> a) Material of snap cap :High density plastic (polyethylene) b) With octagonal grip c) Snap-cap : No. 250 d) Color of snap cap: Blue 6. Must meet ASTM E- 694 for volumetric ware, ASTM E-542 for calibration of volumetric ware and ASTM E-288 for volumetric flasks. 7. Calibrated "to contain" (marked "TC" or "IN") 8. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated. 9. Must be free from breakage, cracks, sharp rims and other defects 10. Packaging : Roll up glassware in newspaper and secure with a piece of masking tape and place in a bubble pouch and individually packed in a sturdy box 11. Comes with a brand, with five (5) years existence in the glasswares industry 				
2	<p>Graduated Cylinder, borosilicate, 10 ml</p> <p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: Must be able to measure and to deliver the volume of liquids up to 10 mL capacity</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2.Shape: Narrow cylindrical container with a small turned-out lip 3. Material: Borosilicate, clear and transparent bubble-free, glass with the following dimensions : <ol style="list-style-type: none"> a) Outside Diameter:13-14 mm b) Height: 177-178 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.20 4. Capacity: 10 mL 5. Graduation Range : 1 to 10 mL 6. Graduation interval : 0.1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. Single metric scale, with plastic bumper guard 11. Glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glasswares industry 	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
3	<p>Graduated Cylinder, borosilicate, 100 ml</p>	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: a) Must be able to measure and to deliver the volume of liquids up to 100 mL capacity b) Used as a container to determine the volume of irregularly shaped solids by water displacement</p> <p>Design Specifications: 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material : Bubble-free, borosilicate, clear and transparent glass with the following dimensions: a) Outside Diameter: 29-31 mm b) Height: 254-256 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.60 mL 4. Capacity: 100 mL 5. Graduation range: 5 to 100 mL 6. Graduation Interval : 1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. With single graduated metric scale with plastic bumper guard 11. With glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glass industry</p>				
4	<p>Thermometer, Laboratory type, Alcohol, -200C to 1100C</p> <p>Functional Specifications: Used to measure the temperature</p> <p>Performance Specifications: Must measure the temperature , -20° to 110°C</p> <p>Design Specifications: 1. Type: Alcohol filled, partial immersion thermometer 2. Shape : A small sealed tube made of glass that has a small hollow bulb filled partly with ethanol and partly with nitrogen and ethanol vapors, on one end and a thin capillary opening running through the length of its center 3. Material : Glass 4. Color: White 5. Non-toxic red-filled thermometer 6. Partial immersion type with immersion line indicator and ring top 7. With precision red alcohol-filled, reinforced bulbs, and with expansion chamber 8. With white back with non-roll sleeve 9. With clear and permanent markings; scale never washes out 10. Provided with non-roll plastic case 11. With continuous alcohol column 12. Dimensions: 13. Range: -20°C to 110°C 14. Division: 1°C 15. Length: 300 mm (minimum) 16. Accuracy: ± 1° C 17. Diameter: 5.8 to 6.2 mm 18. Immersion line : 76 mm 19. Manufacturer of the country of origin should issue certificate of calibration for every item. 20. Must be free from breakage , cracks, chipped and sharp edges and other defects 21. Comes with a brand</p>	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

5	<p>Universal H Paper, pH 0-14, 100 strips/pack</p> <p>Functional Specifications: Used as an indicator to determine/measure the pH of substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an indicator to effect a color change when it is dipped into the different substances to determine/measure the pH of each, through comparison with the pH color chart provided, which corresponds to: a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14. c) For distilled water : pH 7</p> <p>Design Specifications: 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand</p>	10packs	10packs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
6	<p>Filter Paper, crepe, 580mm x 580 mm sheet, Grade 0905</p> <p>Functional Specifications: Used to filter/separate mixtures solids from liquids</p> <p>Performance Specifications: Must be able to filter solids from liquids to demonstrate filtration, as one of the techniques in separating mixtures (solids from liquids)</p> <p>Design Specifications: 1. Type: Technical use 2. Shape of filter paper : Square 3. Material: Cellulose with the following dimensions: a) Length: 580 mm b) Width : 580 mm 4. Color: White to cream 5. Grade: 0905 6. Surface: Creped 7 Initial Filtration Speed: 20 sec (± 1 sec)/10 mL; Flow rate: High 8. Wet strengthened 9. Packed in brown filter paper tube 10. Comes with a brand</p>	100 sheets	100 sheets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
7	<p>Triangular File, fine, 6-inch long, with plastic handle</p> <p>Functional Specifications: Used to cut the glass tubing</p> <p>Performance Specifications: Must be able to cut the glass tubing</p> <p>Design Specifications: 1. Type of file: Triangular 2. Shape: Triangular 3. Material: High carbon steel 4. Kind of file: Fine, smooth 5. Length of file: 6" (150-152.4 mm) long 6. Material of handle: Plastic 7. Packed in a resealable pouch 8. Comes with a brand</p>	100pcs	100pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City

8	<p>Beaker, borosilicate, 250 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications: Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Performance Specifications: Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type : Griffin, low form 2. Shape: Cylindrical container with straight sides, a flat bottom, and with a small spout (or "beak") to aid pouring 3. Material: Borosilicate, clear and transparent bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter: 68 mm to 70mm b) Height: 90 mm to 92 mm c) Thickness: 1.5 mm to 2.0 mm 4. With permanent white enamel graduations of approximate volumes, inscriptions and markings enameled onto the glass 5. With large white marking spot 6. Features an easy-pour spout 7. "With double graduated metric scale " 8. Capacity: 250 mL ±5% etched onto the glass;" 9. With marking graduation to fill: starts at 25 mL in 25mL increments 10. With marking graduation to empty: starts at 0 mL in 25 mL increments 11 Graduation interval: 25 mL 12. Graduation range: 25 mL to 200 mL 13. Wrapped in paper, enclosed in bubble wrap and packed individually in compartmentalized box 14. Can withstand heating up to 200-230°C for normal, standard use service 15. Must be free from breakage, cracks, chipped rims and other defects 16. Comes with a brand of five (5) years existence in the glasswares industry </div>	100pcs	100pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
9	<p>Beaker, borosilicate, 500 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications:</p> <ol style="list-style-type: none"> a) Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to 150°C for normal, standard use service and b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Performance Specifications:</p> <ol style="list-style-type: none"> a) Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to 150°C for normal, standard use service and to serve as a water bath b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Berzellius, tall form 2. Shape: Cylindrical container with straight sides, a flat bottom, with a small spout (or "beak") to aid pouring 3. Material : Borosilicate, clear, bubble free glass , Berzellius, tall form with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter Range :75 mm- 80 mm b) Height range: 136 mm -140 mm c) Thickness :1.5 mm to 2.0 mm 4. Capacity :500 mL ; ± 5% etched/embossed onto the glass 5. With permanent white enamel graduations of approximate volumes, inscriptions and 6. With large white marking spot 7. With easy pour spout 8. Double graduated metric scale 9. Marked to fill: Graduation starts at 50 mL in 50 mL increments 10. Marked to empty: Graduation starts at 0 mL in 50 mL increments 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap and packed individually in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and other defects 14. Comes with a brand, with five (5) years existence in the glass wares industry </div>	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
10	Burner, Alcohol, lass, 150 ml Capacity	10pcs	10pcs	60 calendar	DepEd Cebu City

	<p>Functional Specifications: Used to produce hot, consistent open flame for slow/gentle heating of glasswares and substances</p> <p>Performance Specifications: Must be able to produce hot, consistent open flame a) for slow/gentle heating of glasswares and substances b) can withstand prolonged heating without breaking c) visually determine the identity of an unknown metal or metalloid ion based on the characteristic color the chemical/salt emits on the Bunsen flame to investigate reactions of ions and apply these in qualitative analysis through an activity, on Flame Test d) bend a glass tubing e) heat, to sterilize, to accelerate, and to trigger chemical reactions. f) for combustion purposes and techniques</p> <p>Design Specifications: 1. Shape : A globe-shaped body and flat base (bottom) with threaded mouth 2. Material: Sturdy, heavy walled, clear, transparent, bubble-free glass with the following dimensions a) Outside Diameter : 80 mm to 85 mm b) Total height: 100 mm to 105 mm 3. Capacity : 150 ml 4. With wick holder permanently attached to a threaded base a) Material of wick holder and cover/caps : Nickel-plated brass b) Type of wick holder : Threaded 5. With one (1) pc cotton fiber/strand braided wick perfectly fitted to the wick tube a) Material of wick : Cotton fiber/strand b) Type of wick: Braided c) Length: 7 inches (178 mm) min d) Diameter: 3/16 inches (5-6 mm) 6. With snuff/snap-on cover/cap 7. With ten (10) pc replacement braided cotton fiber/strand wicks 8. Wrapped in paper , enclosed in bubble wrap and packed in compartmentalized box 9. Must be free from breakage, cracks , chipped rims and other defects 10. Comes with a brand</p>			days from the date of receipt of Notice to Proceed/ Purchase Order.	Division, New Imus, Brgy. Dayas, Cebu City
11	<p>Dish, Evaporating, 75 ml</p> <p>Functional Specifications: Used to contain/hold substances and to heat chemical solutions gradually, driving off the water to leave residual chemical solute</p> <p>Performance Specifications: Must be able to contain/hold substances and to demonstrate evaporation, as one of the techniques in separating mixtures, by heating chemical solutions gradually, driving off the water to leave residual chemical solute</p> <p>Design Specifications: 1. Shape: Deep form, broad, and wider at the top than bottom and with round bottom with pouring lip/spout 2. Material : Porcelain, with the following dimensions: a) Diameter: 80-82 mm b) Height/depth : 30-34 mm high 3. Capacity: 75 ml 4. With pouring lip/spout 5. Can withstand temperatures up to 1150°C 6. Uniformly glazed inside (except for rim) and partly uniformly glazed outside except bottom surface. 7. Must be free from breakage, cracks, chipped rims and other defects 8. Wrapped in paper, and packed in a sturdy box 9. Comes with a brand</p>	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
12	<p>Flask, Erlenmeyer, borosilicate, narrow-mouth, 250 ml</p> <p>Functional Specifications: Used to : a) contain/hold a small chemical reaction, b) mix solids and liquids, c) heat substances over a Bunsen/alcohol burner's flame up to over 150 °C or d) collect them in a titration/distillation experiment</p> <p>Performance Specifications: Must be able to: a) contain/hold a small chemical reaction , b) mixes solids and liquids during chemical reaction, c) heats substances up to 150°C over a Bunsen burner's flame up to 250 mL, or d) serves as a reaction vessel in a titration experiment, and to collect distillate during distillation</p>	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City

	<p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape : A conical body, a cylindrical short neck , narrow mouth, with sloping sides, and with a flat bottom 2. Material : Clear, and transparent bubble-free, borosilicate,glass with the following dimensions: <ol style="list-style-type: none"> a) Outside diameter range :80 m -82 mm b) Height range: 130-132 mm c) Thickness range :1.5 to 2.0 mm d) Neck inside diameter range : 28 to 30 mm e) Tolerance : ±6% and other inscriptions enamelled onto the glass 3. Capacity: 250 mL capacity 4. Graduation range: 50 mL-200 mL 5. Graduation interval: 25 mL 6. Graduation starts at: 50 mL in 25 mL increments 7. With uniform wall thickness 8. With heavy duty beaded rim 9. With permanent durable white enamel graduations with large, white enamel marking spot 10. Can withstand heating up to 150°C for normal, standard use service 11. Wrapped in paper and individually packed in a compartmentalized box 12. Must be free from breakage, cracks, chipped rims and other defects 13. Comes with a brand with five (5) years of existence in the glass wares industry. 				
13	<p>Mortar and Pestle, porcelain, 150 ml</p> <p>Functional Specifications: Used to pulverize/mash/grind and to mix materials in a mortar using a pestle</p> <p>Performance Specifications: Must be able to pulverize/mash/grind and mixes materials in a mortar using a pestle to demonstrate how particle size affects solubility and the rate of chemical reaction. Decreasing the size of the particles increases the rate of dissolving and speeds up the rate of reaction because the surface area of the reactant has been increased.</p> <p>Design Specifications:</p> <p>A. Mortar</p> <ol style="list-style-type: none"> 1. Shape of mortar : Bowl shape, with wide mouth , and with deeply molded, smooth rounded bottom 2. Material for mortar and pestle: Porcelain with the following dimensions: <ol style="list-style-type: none"> a) Outside diameter : 130 mm ± 1 mm b) Depth : 65 mm c) Flat bottom : 87 mm 3. Capacity: 150 mL 4. With pouring lip 5. With unglazed grinding surface [interior] and uniformly glazed exterior <p>B. Pestle:</p> <ol style="list-style-type: none"> 6. Shape of pestle: Cylindrical awith bulbous bottom with the following dimensions: <ol style="list-style-type: none"> a) Length range: 133-135 mm and b) Diameter range : 28 - 30 mm dia at its widest point. 7. Material of pestle: A heavy bat-shaped porcelain 8. Uniformly glazed on its handle and rough on opposite end 9. The set is individually wrapped, enclosed in a bubble wrap and packed in a sturdy box 10. Must be free from breakage, cracks, chipped parts and other defects 11. Comes with a brand 	10pcs	10pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

14	<p>Rubber Stopper #6 for Erlenmeyer Flask narrow-mouth 250 ml, 2 holes</p> <p>Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Cylindrical with a tapered bottom end 2. Material : Premium grade SBR black rubber compound with the following dimensions: <ol style="list-style-type: none"> a) Height: 25 mm b) Top Ø: 32 mm c) Bottom Ø : 26 mm d) Hole Ø: 5 mm 3. Number of holes :With one (1) hole 4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm 5. Hardness : 40 ± 5 Duro 6. Packed in resealable plastic bag 7. Comes with a brand 	30pcs	30pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
----	---	-------	-------	---	---

15	<p>Test tube brush</p> <p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. 2. Material of bristles: Medium stiff nylon with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 17-19 mm b) Length: 96-98 mm c) Over-all length: 220-229 mm 3. Material of handle: Galvanized steel wire 4. Type of wire handle : Common loop twisted wire 5. With circular loop,for hanging 6. Packed in a reseable plastic bag 7. Must be free from sharp metal parts 8. Comes with a brand 	26pcs	26pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
16	<p>Test Tube, borosilicate, 16 mm x 150 mm Ion</p> <p>Functional Specifications: Used to contain/hold a small chemical reaction , to mix small quantities of solids and liquids, and to heat small quantities of substances</p> <p>Performance Specifications: Must be able to contain/hold a small chemical reaction and , mixes solids and liquids, heats small quantity of substances up to more than 100°C over a Bunsen burner's flame</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape : Fingerlike length of glass tubing, open at the top, usually with a rounded lip at the top, and a rounded 'U' shaped bottom 2. Material of test tube: Borosilicate , clear, transparent and bubble-free, glass, with rim with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 16 mm diameter b) Thickness :1.3 -1.4 mm c) Length: 150 mm long 3. Capacity : 20 mL 4. With heavy uniform wall thickness, excellent heat resistance 5. Test tubes must be reusable (not disposable) 6. With large, white enamel marking spot 7. With permanent graduation of approx. volume and inscriptions in high contrast white enamel. 8. Can withstand heating up to 150°C for normal, standard use service 9. Comes with a certification from the manufacturer that the test tube is reusable not disposable 10. Wrapped individually in tissue paper, enclosed in bubble wrap and packed in compartmentalized box 11. Must be free from breakage, cracks, chipped rims and other defects 12. Comes with a brand with five (5) years of existence in the glass wares industry 	50pcs	50pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
17	Vial, screw-neck, 50 ml with screw-type plastic cap)	26pcs	26pcs	60 calendar	DepEd Cebu City

	<p>Functional Specifications: Used to hold/contain/store/mix small quantities of samples/ solutions/ substances up to 50 mL</p> <p>Performance Specifications: Must be able to hold/contain/store/mix samples/solutions/substances up to 50 mL</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Wide mouth 2. Shape : Bottle-like shape with a threaded neck, screw cap polypropylene closure and with a flat bottom 3. Material : Borosilicate, clear, transparent, and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter : 25 mm to 30 mm b) Length: 100 mm to 108 mm 4. Capacity: 50 mL. With screw- type plastic cap 5. Shape of neck : Cylindrical, round 6. Neck finish: Continuous thread 7. Cap Color: Black/White 8. Cap Attached: No 9. Cap Material : Polypropylene (plastic) 10. Closure style : Solid top, screw thread cap 11. Neck size: 24-400 12. Cap liner: Foam lined 13. Packed individually in a compartmentalized box 14. Must be free from breakage, cracks , chipped rims and other defects 15. Comes with a brand 			days from the date of receipt of Notice to Proceed/ Purchase Order.	Division, New Imus, Brgy. Day-as, Cebu City
18	<p>Watch Glass, Ø 90 mm</p> <p>Functional Specifications: Used to:</p> <ol style="list-style-type: none"> a) cover glasswares like beakers b) evaporates solvents in a sample and c) holds/contains liquids and solids prior to heating. <p>Performance Specifications: Must be able to</p> <ol style="list-style-type: none"> a) cover glasswares like beakers b) evaporate solvents in a sample and c) hold/contain liquids and solids prior to heating. <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Circular concave 2. Material : Borosilicate, clear and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 90 mm ± 1 mm b) Thickness range : 1.5 mm to 2 mm 3. Fire-polished rims/edge. 4. Individually wrapped in used newspaper, enclosed in a bubble wrap, and packed in a sturdy box 5. Must be free from breakage, cracks, chipped edges and other defects 6. Comes with a brand 	26pcs	26pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
19	<p>Set of Tools: Ball Peen Hammer, handle length is 11-inch, 350g approx. weight, 1 pc/set</p> <p>Functional Specifications: Used to peen dent surfaces in metals</p> <p>Performance Specifications: Should be able to to peen dent surfaces in metals</p> <p>Design Specifications: Ball Peen Hammer, handle length 11 inches, 350 grams gross weight approx., 1 pc. /set</p>	13 sets each	13 sets each	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
	<p>Set of Tools: Long Nose Pliers, 6-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend tiny solid wire connectors</p> <p>Performance Specifications: Should be able to bend tiny solid wire connectors</p> <p>Design Specifications: Long Nose Pliers with side cutter, 6 inches long, chrome vanadium material, 1 pair/set</p>				
	<p>Set of Tools: Mechanical Wire Cutter and Pliers, 6.5-inch, 1 pair/set</p>				

<p>Functional Specifications: Used to bend large wires</p> <p>Performance Specifications: Should be able to bend large wires</p> <p>Design Specifications: Mechanical-Wire Cutter and Pliers, 6 1/2 inches, chrome vanadium material, 1 pair/set</p>					
<p>Set of Tools: Precision Screwdrivers Set, 6 pcs/set, with plastic casing, 1 set/set</p>					
<p>Functional Specifications: Used to drive precision screws</p> <p>Performance Specifications: Should be able to drive precision screws</p> <p>Design Specifications: Precision Screwdrivers Set, 6 pc. (3 phillips, 3 flats)/set, with plastic casing, 1 set</p>					
<p>Set of Tools: Screwdriver, flat, 6-inch, 1 pc/set</p>					
<p>Functional Specifications: Used to drive flat head screws</p> <p>Performance Specifications: Should be able to drive flat head screws</p> <p>Design Specifications: Screwdriver flat, 3/16 inches tip width x 6 inches long, chrome vanadium material, 1 pc./set;</p>					
<p>Set of Tools: Screwdriver, Phillips, 6-inch, 1 pc/set</p>					
<p>Functional Specifications: Used to drive phillips type screws</p> <p>Performance Specifications: Should be able to drive phillips type screws</p> <p>Design Specifications: Screwdriver, Phillips, Point size blade #3 x 6" long, chrome vanadium material, 1 pc/set;</p>					
<p>Set of Tools: Soldering Iron, 60 watts, 1 pc/set</p>					
<p>Functional Specifications: Used to heat electrical contacts for permanent joints</p> <p>Performance Specifications: Should be able to heat electrical contacts for permanent joints</p> <p>Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc./set;</p>					
<p>Set of Tools: Soldering Lead, Ø1mm, Grade 60/40, Wt.: 1 lb/spool, 1 spool/set</p>					
<p>Functional Specifications: Used to provided permanent joint for different electrical components</p> <p>Performance Specifications: Used to provided permanent joint for different electrical components</p> <p>Design Specifications: Soldering Lead, Ø 1 mm, Grade 60/40, weight: 1 lb./spool, 1 spool/set</p>					
<p>Set of Tools: Soldering Paste, 50 grams/can, 1 can/set</p>					
<p>Functional Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Performance Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Design Specifications: Soldering Paste, all purpose flux, non-corrosive, 50 grams/can, 1 can/set;</p>					
<p>Set of Tools: Tweezers, stainless steel, with curved tips, 6.5-inch long, 1 pair/set</p>					

	<p>Functional Specifications: Used to hold and pick tiny electronics components</p> <p>Performance Specifications: Used to hold and pick tiny electronics components</p> <p>Design Specifications: Tweezers, stainless steel, with curved tips, 6 1/2 inches long, 1 pair/set;</p>				
20	<p>Pipette, Beral, 1 ml</p> <p>Functional Specifications: Used to transfer/dispense liquid samples.</p> <p>Performance Specifications: Must be able to transfer/dispense liquid sample up to a volume of 1 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. One-piece pipette, made from flexible soft non-toxic plastic that has a protuberance on top that serves as liquid retention chamber 2. Capacity: 1 mL in 0.25 mL grad interval 3. No rubber head 4. Total length range: 140 mm - 150 mm 5. With molded graduations 	20pcs	20pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
21	<p>Gloves, Hand, super nitrile</p> <p>Functional Specifications: Used to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Performance Specifications: Must be able to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Slightly curved fingers and forward-facing thumb correspond to the natural position of the hand (hand-shaped) . 2. Material: Super nitrile, reusable with the following dimensions: <ol style="list-style-type: none"> a) Length of gloves : 13 inches (330.2 mm) min b) Thickness: 0.38 -0.52 mm (min) 3. Color : Green 4. Size: 8 5. Interior finish : Flocklined interior(acid/solvent resistant) 6. Exterior finish : Smooth 7. Cuff type: Rolled beaded 8. Latex free to suit those with latex allergies 9. Non-slip wear resistant high elasticity , waterproof 10. Puncture resistant 11. With detailed imprints on each glove, on the following: <ol style="list-style-type: none"> a) the glove size/s b) the name of manufacturer c) nitrile, flocklined d) individual manufacturing lot e) with pictograms for certification category requirements CE 0334 (EN 420, EN 388, EN 374) designed for protection against mechanical risks, chemical risks, and micro-organisms 12. Individually packed in resealable plastic bag 13. Comes with a brand 	20pairs	20pairs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Section VI. Schedule of Requirements **(Re-Bidding) Supply and Delivery of Math Learning Tools and Equipment** **Lot 2**

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	Meterstick, plastic 1. Material: Plastic; 2. Thickness: 6 mm (minimum); 3. Width: 24 mm (minimum); 4. Length: 1,000 mm; 5. The front is scaled in centimeters, numbered in every centimeter with 0.1 cm (or 1 mm) divisions; 6. The back is scaled in inches, numbered in every inch with 1/8 inch divisions; 7. The numbers and division lines are in dark color; 8. Must be straight and flat; and free from toxic materials; 9. Edges and Surfaces should be smooth and even; 10. Comes with plastic jacket; 11. Standard abbreviation of the measurement unit/s must be followed; and	123pcs	123pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	Protractor (for student) 1. Protractor, student-type, plastic, transparent, semi-circular, 180°; 2. Ø150mm (or 75mm radius), 1mm thick (minimum); 3. Angular graduations are in degrees, from 0° to 180°. With two (2) sets of numerals, one reading clockwise and the other reading counterclockwise; 4. Linear graduations are in millimeters, from 0 to 100mm; 5. With a hole at vertex point enough for a fine string to pass through it; 6. Plastic Surface Finish: Smooth, clear, and free from scratches; 7. It must be horizontally level when laid flat on a table - no warping; 8. Comes with a plastic case; and	585pcs	585pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
3	Ruler, Plastic, 12 inches or 30 cm 1. Ruler, plastic, transparent, smooth surface, and 1 mm thick (minimum); 2. Approximate Width x Length: 28 mm x 314 mm; 3. Graduations: Metric graduations on one side while English graduations on the other side: *Metric graduations are in centimeters, from 0 cm to 30 cm, with every cm subdivided by 10. *English graduations are in inches, from 0 inches to 12 inches, with every inch subdivided by 16. 4. Clear, readable black, non-groove permanent prints (will not fade and cannot be scratched off); 5. Bendable up to U-shape when held at both ends; and 6. The item shall be free from toxic materials.	585pcs	585pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

4	<p>Tape Measure, 1.5 meters</p> <ol style="list-style-type: none"> 1. Tape Measure, 12 mm width x 1.5 meter long 2. Made of flexible fiberglass fabric with metal end pieces 3. Color: White with black graduation markings 4. Graduation: in cm on one side and inches on the other side, smallest graduation in mm, on the opposite side in 1/16 of an inch 5. Comes with a plastic case. 	585pcs	585pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	<p>Calculator, Scientific</p> <ol style="list-style-type: none"> 1. Display: LCD, 2 line(s) X 10 characters (minimum), stably shows input-expressions/equation, calculation result, and various indicators; 2. Built-in functions not less than 240 inclusion of the following: <ol style="list-style-type: none"> a) Basic Calculations: arithmetic, fraction, percentage, degrees, minutes, seconds, radian (including conversion of the mentioned Basic Calculations); b) Memory calculation, Logarithm and Hyperbolic functions; c) Statistical functions (e.g.: Statistical relationships, standard deviation, Permutation, Combination, etc.); and d) Trigonometric functions: sin, cos, tan, sin-1, cos-1, tan-1; 3. Basic keys and function keys are labeled permanently (resistant to finger rub and light acid (vinegar) contamination) and operates as such correspondingly; 4. Power requirement: two way dual (battery, built-in solar system), the unit consistently operational after replacing the battery for three trials, its solar system powers the unit normally in a well lit room without the battery; 5. Brand must be established in providing quality products for five (5) years and up. 	195pcs	195pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	<p>Stopwatch, digital</p> <ol style="list-style-type: none"> 1. Digital type, water-resistant (5-bar) 2. Start, stop, and re-set operations 3. Display Number: 4mm W x 10mm H 4. Measure Unit: 1/100th of a second 5. Working Range: up to 23hr 59min 59sec 6. Individually and properly packed in a box. 7. Instruction Manual in English 8. Approximate W x H x T: 60mm x 67mm x 20mm 9. Ready to use and comes with extra batteries. 	55pcs	55pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Section VI. Schedule of Requirements

(Re-Bidding) Supply and Delivery of TVL Learning Tools and Equipment

Lot 3

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

A. Animal Production

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	syringe 5ml veterinary automatic continuous syringe for pig sheep goat chicken metal filling vaccine	4pcs	4pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	syringe 20 ml Stainless Steel Veterinary Vaccine Injection Device Pig cattle and sheep vaccination device	2pcs	2pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
3	syringe 0.1-2ML Veterinary Automatic injector Injector for chicken Animal Livestock Vaccine injector	2pcs	2pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
4	Stainless Steel Dispensing Needles 18G 12-25mm Dispensing Needle with Luer Lock/Veterinary Stainless	4 packs	4 packs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	Stainless Steel Dispensing Needles 22 Gauge Luer Lock Syringe Tips Glue Blunt All Metal Dispense Needle by Brostown (1 inch)	4 packs	4 packs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	antibacterial wound spray CETRIGEN antibacterial wound spray for animals 100 g	4 can	4 can	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
7	antiseptic betadine 120 ml	2 bottles	2 bottles	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
8	castration equipment Castration holder for piglet	4 pcs	4 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
9	slaughtering equipment stainless eviserating table for chicken and swine	2pcs	2pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

10	Forcep Adson forcep stainless still with teeth	8 pcs	8 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
11	Forcep Kelly Hemostatic Forceps Straight 14cm	4pcs	4pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
12	Needleholder HEGAR-OLSEN Needleholder with scissor, straight, 140 mm (5 1/2"), jaw with longitudinal groove, one ring angled, non-sterile, reusable	2pcs	2pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
13	Catgut Chromic Catgut Sutures absorbable 2-0	4 boxes	4 boxes	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
14	scapel handle scapel blade handle # 4	4 pcs	4 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
15	surgical blade FEATHER SURGICAL BLADE pieces stainless steel. size 10	4 boxes	4 boxes	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
16	Instrument Tray Stainless steels instrument tray with lid 355x254x50mm 26608	4 pcs	4 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
17	weighing scale Heavy duty Platform scale Industrial Electronic Weighing Scale 180KG	2pcs	2pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
18	Waterer Cup Waterer Bowl Chicken Poultry Water Drinker 6 Liters	12 pcs	12 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
19	Feeder Tube feeder chicken feeder 9 kg capacity	12pcs	12pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
20	Net POULTRY NET / POLYNET / 5-6FT x 30 METERS 1 bundle	2 bundles	2 bundles	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
21	Boots water proof rubber boots outdoor	24 pairs	24 pairs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

				Order.	
22	welding machine POWERHOUSE -200TECH Gasless MIG Inverter Flux Cored Welding Machine 200A	2 pcs	2 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
23	Shavel 68cm shovel	4 pcs	4 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
24	Hammer Lotusclaw hammer	4 pcs	4 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

B. Agricrop Production

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	Tolsen hand Trowel Tosen Hand Trowel (8x152mm) Garden Tools	96 pcs	96 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	Seedling Tray 128 round holes seedling tray	100 pcs	100 pcs	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
3	Seedling Bags Seedling bags in black color, gusseted. 10 pcs per pack, in three sizes and quality plastic materials	200 pack	200 pack	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
4	Yamasaki Nutrient Solution (A and B) Yamasaki hydroponics solution 500 ml Set/ hydroponic solution for hydroponics	40 sets	40 sets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	Coco peat Quality 3 kls. Organic Coco peat/Good drainage and aeration/soil	200 packs/3k ls	200 packs/3 kls	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	PVC Tube Rectangular Self Watering Planter Shelf Yo-Fun 108 holes hydroponics soilless cultivation Seed NFT System Seedlings Plant Kits	4 sets	4 sets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
7	1x Submersible Water Pump	4 pcs	4 pcs	60 calendar days	DepEd Cebu City Division,

	Submersible Aquarium Water Pump 45W Fish Tank Powerhead Fountain Hydroponics			from the date of receipt of Notice to Proceed/ Purchase Order.	New Imus, Brgy. Day-as, Cebu City
8	Greenhouse/Garden net 30 yards or(27 meters) garden net 4 ft. width	8 rolls	8 rolls	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
9	Hydroponic starter kit 1 pc katanim box, 8pcs. 80z styro cup with slits ,1 kg coco peat, 1 pc romaine seeds, 1 pc big wave lettuce seeds, Nutrihydro lettuce nutrient solution, tryout kit seedling tray	2 sets	2 sets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

C. EIM

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	Camera Wired Indoor/outdoor Night and Day Vandal Proof Dome Standard Zoom Camera 1/3 in. 1.3MP image sensor 2.8 up to 12 mm manual zoom Vandal/weather proof 36IR 90 ft. night visions Fully support 960H	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	Recorder 8CH H.265 5IN1 XVR 8MP •Support AHD/CVI/TVI/IP/Analog Camera Input • Up to HD 8MP and IP 8MP Resolution Recording • Support HD Output, VGA and CVBS Video Output • Support Max. 8CH HD or 32CH IP Camera Input • Support 2 SATA up to 16TB Capacity AUDIO INPUT/OUTPUT / DDNS / P2P	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
3	Monitor AOC 18.5 Wide LED Monitor	1unit	1unit	60 calendar days from the date of	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu

				receipt of Notice to Proceed/ Purchase Order.	City
4	Adapter AC/DC CCTV Adapter: 12V	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	Power Splitter CCTV 8 port DC Power Splitter	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	Fire Alarm Control Panel (FACP) 4 Zone Conventional Fire Alarm Control Panel (Arrow)	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
7	Smoke detector Ceiling Mounted Conventional Smoke Detector (Arrow)	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
8	Fire Alarm Bell 6" diameter 24Volts (Arrow)	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
9	Pipe Bender 1/2" Diameter	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
10	Pipe Bender 3/4" Diameter	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
11	Pipe Threader 1/2" Diameter, rigid pipe threader	1set	1set	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
12	GE Kilowatt Hour Meter 220 Volts, 60Hz Standard, Round	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
13	Portable Electric Drill Cordless Drill 24Volts	1unit	1unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
14	Wire Stripper Automatic Heavy Duty Eagle Wire Stripper	1pc	1pc	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
15	Multitester	1unit	1unit	60 calendar days from the date of	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu

Analog Multitester, YX 360TRF (Sanwa)			receipt of Notice to Proceed/ Purchase Order.	City
---------------------------------------	--	--	---	------

D. COOKERY NC II

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	<p>BLENDER, ELECTRIC</p> <p>Type: Blender Machine</p> <p>Body Shape: Round Jar</p> <p>Material Housing: Plastic (Polypropylene)</p> <p>Jar Height : 25 cm to 28 cm</p> <p>Jar Thickness: 4 mm to 8 mm</p> <p>Heat resistant Glass Jar with cover</p> <p>Source Voltage: 220 Volts / 240 Volts, 50 Hz / 60 Hz</p> <p>with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adaptor 10A/220V.</p> <p>Power Wattage: 300 to 700 watts</p> <p>Blade: Stainless steel, 3 to 4 metal blades</p> <p>Capacity: 1.5 liters to 2 liters</p> <p>With 5 to 10 push button speed setting with pulse control switch</p> <p>Preferably with packing case</p> <p>With English Manual that contain: Operation guide, maintenance and troubleshooting procedure</p> <p>With Service centers located in major cities in the Philippines.</p> <p>The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market.</p> <p>Warranty period of 1 year (parts and service)</p>	1 unit	1 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	<p>Boiler, Double</p> <p>Material: Stainless steel</p> <p>Thickness: 1/16 inch (1.5 mm) (minimum)</p> <p>Lid material: Glass</p> <p>Riveted handle on both side</p> <p>Diameter: 9 1/2 inches (minimum)</p> <p>Total Height: 9.4 inches (minimum)</p> <p>Inset Bottom Diameter: 9 inches (minimum)</p> <p>Inset Top Diameter: 9 inches (minimum)</p> <p>Capacity: 2 liters (minimum)</p> <p>Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid</p> <p>With Stainless steel handle and smooth surfaces with no sharp edges</p>	1 unit	1 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

3	<p>BRAISING PAN, MEDIUM Type: Braising Pan Body Shape: Round Material: Enameled cast iron and stainless steel Size: Diameter: 28 cm x Height: 10 cm (minimum) Capacity: 4 Liters (Approximate) With stainless steel cover, solid cast Stainless Steel side handles and riveted Handle on both side: Length: 10 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe Warranty period of 1 year (parts and service)</p>	2 unit	2 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
4	<p>CASSEROLE, MEDIUM Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 24 cm x Height -14 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe</p>	3 unit	3 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	<p>KNIFE, BONING Type: Flexible Boning Knife Body Shape: Ergonomic Material: High Carbon Steel Overall Length: 28 cm (minimum) Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip Cutting edge angle from tip to the heel is 13 to 14 degrees Handle Length: 12 cm (minimum) Handle Material: Hard plastic handle with rivets Preferably wiht packing case Dishwasher safe</p>	9	unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	<p>KNIFE, CHEF Type: Chef's Knife Body Shape: Flat Materials: Stainless steel Overall length: 30 cm (minimum) Blade Size: Length - 20 cm x Width-4 cm (minimum) Blade thickness: 2.5 mm (minimum) Cutting Edge: Straight, pointed end</p>	10 unit	10 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Handle: Triple Riveted Plastic (Polypropylene) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded.</p>				
7	<p>KNIFE, CLEAVER Type: Cleaver Knife Body Shape: Flat Blade Material: Forged Stainless steel Heavy duty Blade length: 17 cm (minimum) Overall length: 30 cm (minimum) Cutting Edge: Straight Handle Material: Ergonomic Wood Handle with triple rivets Blade thickness: 3 mm (minimum) Blade width: 12 cm (minimum) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded</p>	2 unit	2 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
8	<p>MEAT SLICER, SMALL Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adopter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded</p>	2 unit	2 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
9	<p>PRESSURE COOKER</p>	2 unit	2 unit	60 calendar	DepEd Cebu City

	<p>Type: Pressure Cooker Body Shape: Round Material: Polished aluminum Dimension: Diameter: 32 cm x Height: 25 cm (minimum) Capacity: 10 quarts (11.3 liters) Side handles for secure carrying Equipped with safety opening mechanism, spring safety valve, rubber seal ring Dishwasher safe Comes with an English manual that contain: Operation guide, safety guide, maintenance / troubleshooting procedure. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded.</p>			days from the date of receipt of Notice to Proceed/ Purchase Order.	Division, New Imus, Brgy. Day-as, Cebu City
10	<p>SHELVING, UTILITY Type: Utility Shelving Body Shape: Rectangular Shelves Material: Nickel Chrome and copper plating Dimensions (L x W x H): 30 inches x 14 inches x 60 inches (minimum) Shelf dimension: (L x W x D) 30 inches x 14 inches x 1 inch (minimum) Number of shelves: 5 shelves adjustable With four (4) Swivel Caster, 3 inches diameter, two which have locking brakes Collapsible and easy to assemble and dismantle Preferably with a packing case With English manual contain: Assembly instruction and list of parts Must be branded</p>	4 unit	4 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
11	<p>SIEVER, SMALL Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded</p>	7 unit	7 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
12	<p>WEIGHING SCALE, 5 Kilograms, Mechanical Type: Mechanical Weighing Scale Body Type: Circular Bowl Material: Stainless Steel bowl and metal body (coated)</p>	3 unit	3 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Mechanism Type: Spring Lever Capacity: 5 kg /11 lb. Sensitivity/Graduated by 10 gm Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Calibrate the scale using the adjustment knob Preferably with a packing case Delivery must include instruction manual written in good English With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded</p>			Order.	
13	<p>Refrigerator 5 cu.ft Two-Door Direct Cool Refrigerator Energy Efficient Compressor Consumes very minimal Electricity only 110 watts Reversible Door Light Bulb in Ref Section Adjustable Wire Shelves Large Freezer Space</p>	2 unit	2 unit	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

E. Food and Beverage Service NC II

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of Delivery
1	<p>Coffee Pot, 2 Pints Type: Manual drip Body shape: Round Material : Stainless Steel with cover Capacity : 2 pints Outside Diameter : 90 -110 mm Over-all Height : 200 - 230 mm Thickness : 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality</p>	10 units	10 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
2	<p>Container, Creamer. Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain Diameter : 50 - 65 mm Height : 80 - 105 mm Color : White Appearance: Glossy White Packed in carton box</p>	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	The item must have good quality				
3	Fork, Cocktail 1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design 2. Type : Rounded Tip Handle 3. Over-all Length : 110 - 165 mm 4. Width : 20 - 30 mm (minimum) 5. Handle Thickness : 2 mm to 4 mm 6. Handle Length : 75 - 90 mm 7. Small, 8. Color : Silver 9. The item must be branded and have good quality. 10. Packed in plastic pouch	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
4	Fork, Dessert Type : Dessert Fork Body shape: Fork shape, round tip Material/Appearance : Stainless Steel, highly Polished,with plain Design, Rounded tip Handle Length : 150 mm - 175 mm Width : 20 - 30 mm Handle Thickness : 1.5 mm - 3 mm Number of Tines : 4 Handle : 130 mm (minimum) Color : Silver Packed in plastic pouch The item must be of good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
5	Fork, Dinner Type: Dinner Fork Body shape: Fork shape Material / Appearance : Stainless Steel, highly Polished, with 4 tines Over - All Length : 120 - 175 mm Thickness of Handle : 2 - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
6	Fork, Fish Type : Fish Fork Body shape: Fork shape with round tip Material / Appearance : Stainless Steel, highly Polished, With plain Design Over-all Length : 180 - 215 mm Fork Width : 1.5 mm - 3 mm Fork Thickness : 1 mm - 2 mm Number of Tines : 4 Length Handle : 120 - 130 mm Handle Thickness : 2 mm - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
7	Fork, Oyster	75 units	75 units	60 calendar	DepEd Cebu City

	Type: Oyster Fork Body shape: Fork shape Material: Stainless Steel, with high polish appearance, and with plain design Length: 90 - 120 mm Thickness: 1 mm - 3 mm Silver Color with three short wide curved tines Packed in plastic pouch The item must be of good quality			days from the date of receipt of Notice to Proceed/ Purchase Order.	Division, New Imus, Brgy. Dayas, Cebu City
8	Fork, Salad Type: Salad Fork Body shape: Fork shape Material/Appearance: Stainless Steel, highly polished, with 4 tines Length: 150 mm - 175 mm Thickness of Handle : 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
9	Glass, Champagne Flute Type : Flute Glass Body shape: Round Material: Clear Crystal Glass Dimension : Height: 20 -24 cm, Top diameter: 50 -70 mm, Bottom diameter: 60 - 80 mm Capacity: 250 mL. (minimum) Thickness: 1.5 - 3 mm Packed in carton box The item must have good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
10	Glass, Collins Type: Tumbler Body shape: Round Material : Clear Glass Capacity : 10 oz to 14 oz Thickness : 1.5 -3 mm (minimum) Packed in carton box The item must have good quality	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City
11	Ice Bucket ,2 liters with Tongs and stand Type: Steel Type Body shape: Circular Set includes: A. Ice bucket Material : Stainless Steel Diameter : 140 - 180 mm Height : 140 - 170 mm Thickness of bucket : 0.7 - 2 mm Capacity : 2 liters (minimum) The item must have good quality B. Ice Tongs	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Dayas, Cebu City

	<p>Material: Stainless Steel Dimension: Over-All Length: 150 -170 mm Thickness : 0.5 mm – 0.7 mm The item must be of good quality Packed in carton box</p>				
12	<p>Knife, Butter 1. Material : Stainless Steel w/ highly Polished Appearance 2. Over-all Length : 140 mm - 150 mm 3. Handle Thickness : 3 mm - 5 mm 4. With Dull Edge and Rounded Tip 5. The item must have good quality. 6. Packed in carton box</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
13	<p>Knife, Dinner Type: Dinner Knife Body shape: Flat with round tip Material / Appearance : Stainless Steel Blade Highly Polished Handle Material : Stainless Steel Overall Length : 160 - 190 mm Blade Thickness : 2 - 4 mm Handle Thickness : 3 - 6 mm Serrated Blade with Rounded Tip Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
14	<p>Knife, Fish Type : Fish Knife Body shape: Flat with pointed tip Material / Appearance : Stainless Steel, highly Polished w/ plain design Overall Length : 200 - 220 mm Width Blade : 20 - 25 mm Thickness of Blade : 2 mm - 4 mm Thickness of Handle: 3 mm - 6 mm Wide blade, dull edge, tip made with a notched point Color : Silver Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
15	<p>Knife, Salad Type: Salad Knife Body shape: Semi rectangular blade with pointed tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Overall Length: 145 -160 mm Blade Thickness: 2 mm to 4 mm</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Handle Thickness: 4 mm to 6 mm Handle Material: Stainless Steel Rounded tip handle Packed in carton box The item must have good quality</p>				
16	<p>Knife, Steak Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
17	<p>Napkin Holder Type: Steel Type Body shape: Rectangular Material : Stainless Steel with Highly Polished Appearance Dimension : Width : 70 - 90 mm x Length : 150 - 170 mm , Thickness : 0.7 mm -2 mm Packed in plastic pouch The item must have good quality</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
18	<p>Plate, Dessert, 7"to 8" Type: Plain Type Body shape: Circular Material: Porcelain Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates Color : White Inner Diameter: 145 to 165 mm Thickness : 3 to 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	75 sets	75 sets	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
19	<p>Plate, Dinner, 10" Type: Plain Type Body shape: Circular Material: Porcelain with no Design Color: White Inner Diameter : 200 mm - 215 mm Outer Diameter : 250 - 260 mm Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
20	<p>Plate, Fish, 8" to 9" Type: Plain Type</p>	75 sets	75 sets	60 calendar days from the	DepEd Cebu City Division, New

	<p>Body shape: Circular Material : Porcelain with no Design Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches Color : White Inner Diameter : 165 mm - 190 mm (minimum) Thickness : 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>			date of receipt of Notice to Proceed/ Purchase Order.	Imus, Brgy. Day-as, Cebu City
21	<p>Salad Plates 7" to 8" Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
22	<p>Service Forks Type : Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
23	<p>Service Tray Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size : 14 inches x 18 inches X 1 inch (minimum) Color : Any Packed in plastic pouch The item must have good quality</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
24	<p>Show/Service/ Base Plates 11" to 14" Type: Plain Type Body shape: Round Material: Porcelain with no design</p>	75 sets	75 sets	60 calendar days from the date of receipt of Notice to Proceed/	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Supply must be a set consisting (1) of each:</p> <ul style="list-style-type: none"> - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates <p>Color: White Diameter, Inner : 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>			Purchase Order.	
25	<p>Side Plates or Bread Plates 6"</p> <p>Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness : 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
26	<p>Side Towels</p> <p>Type: Chef's towel Body shape: Rectangular Material: Oxford Polyester soft cloth Over-all Length : 640 - 680 mm Over-all Width : 420 -460 mm Color : Plain White Packed in plastic pouch The item must have good quality</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
27	<p>Spoon, Dessert</p> <p>Type : Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length : 175 to 190 mm Thickness : 2 mm - 3 mm Shorter handle : 120 -130 mm Color : Silver Packed in plastic pouch The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
28	<p>Spoons, Service</p> <p>Type : Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality</p>				
29	<p>Spoons, Soup (Cream and Consume) Type: Soup Spoon Body shape: Round Material/Appearance : Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length : 165 mm – 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle : 110 mm - 170 mm Thickness : 1.5 mm - 3 mm Color : Silver Packed in plastic pouch The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
30	<p>Sugar Container Type: Glass Type Body shape: Round Material: Glass with brass lid (or equivalent) Diameter: 70 -80 mm Height: 130 -140 mm Capacity: 12 oz. Packed in carton box The item must have good quality</p>	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
31	<p>Table, Round (8's) Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame Size: 154cm x 74cm x4.5cm (minimum) Good for 8 to 10 seater capacity Tube Size : 28 mm diameter x 1 mm thickness Packed in a carton box The item must have good quality</p>	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
32	<p>Table, Square/Rectangular (4's or 6's) Type: Foldable Plastic Body shape: Square/Rectangle Materia: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality</p>	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
33	<p>TONG, 8 INCHES Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel</p>	25 units	25 units	60 calendar days from the date of receipt of Notice to Proceed/	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	<p>Size: 8 inches</p> <p>Stainless-steel arms with soft, comfortable grips</p> <p>Nylon heads safe for nonstick cookware</p> <p>Heat-resistant up to 400 degrees Fahrenheit</p> <p>Tongs lock closed for storage</p> <p>Preferably with a packing case</p> <p>Food Grade and Dishwasher-safe</p> <p>Must be branded</p>			Purchase Order.	
34	<p>Tray, Bill Folders/ Change</p> <p>1. Material : Heavy Duty Plastic (ABS) or its Equivalent</p> <p>2. Height : 190 - 220 mm</p> <p>3. Width : 120 -140 mm</p> <p>4. Thickness : 2 mm to 3 mm (minimum)</p> <p>5. Color : Black</p> <p>6. With Check and pen holder</p> <p>7. The item must have good quality</p> <p>8. Packed in plastic pouch</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
35	<p>Tray, Round (Bar)</p> <p>Type: Plastic</p> <p>Body shape: Round</p> <p>Material: (PE/ABS) Plastic rubberized surface, non-slip/grip tight</p> <p>Over-all Diameter: 345 -360 mm (minimum)</p> <p>Thickness: 2 - 4 mm (minimum)</p> <p>Color: Black</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
36	<p>Water Goblet</p> <p>Type: Water Goblet</p> <p>Body shape: Balloon-shaped bowl</p> <p>Material: Crystal Clear</p> <p>Glass Over-all Length: 200 -220 mm</p> <p>Capacity: 270 ml to 300 ml</p> <p>Rim diameter - 55 -65 mm</p> <p>Thickness: 1 mm to 3 mm</p> <p>Stem length : 75 -85 mm</p> <p>Stem diameter : 6 -8 mm</p> <p>Base thickness : 3 -4 mm</p> <p>Base diameter : 7 -80 mm</p> <p>Packed in carton box</p> <p>The item must have good quality</p>	75 units	75 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City
37	<p>Water Pitcher</p> <p>Type: Steel Type</p> <p>Body shape: Circular</p> <p>Material: Stainless Steel, highly polished appearance</p> <p>Height: 170 mm to 220 mm</p> <p>Top Diameter: 110 -120 mm (approximate)</p> <p>Capacity: 1 - 1.5 liter</p>	50 units	50 units	60 calendar days from the date of receipt of Notice to Proceed/ Purchase Order.	DepEd Cebu City Division, New Imus, Brgy. Day-as, Cebu City

	With pour spout Dishwasher safe Packed in plastic pouch The item must have good quality				
--	--	--	--	--	--

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where

unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Section VII - Technical Specifications (Re-Bidding) Supply and Delivery of Science Learning Tools and Equipment

Lot 1

A. Junior High School

Item No.	Description	Quantity	Statement of Compliance
1	<p>Flask, Volumetric, borosilicate 250 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications: Used to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL.</p> <p>Performance Specifications: Must be able to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape : A round or pear-shaped bulb, a long thin neck topped by a snap cap and with flat bottom 3. Material of body: Borosilicate , clear, transparent and bubble-free, glass with the following dimensions: <ol style="list-style-type: none"> a) Height: 225 mm b) Outside diameter : 78 mm (approx.) c) Size: 250 mL d) Tolerance: ± 0.12 mL 4. With heavy duty rim 5. Comes with snap cap <ol style="list-style-type: none"> a) Material of snap cap :High density plastic (polyethylene) b) With octagonal grip c) Snap-cap : No. 250 d) Color of snap cap: Blue 6. Must meet ASTM E- 694 for volumetric ware, ASTM E-542 for calibration of volumetric ware and ASTM E-288 for volumetric flasks. 7. Calibrated "to contain" (marked "TC" or "IN") 8. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated. 9. Must be free from breakage, cracks, sharp rims and other defects 10. Packaging : Roll up glassware in newspaper and secure with a piece of masking tape and place in a bubble pouch and individually packed in a sturdy box 11. Comes with a brand, with five (5) years existence in the glasswares industry. </div>	21pcs	
2	<p>Graduated Cylinder, borosilicate, 10 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: Must be able to measure and to deliver the volume of liquids up to 10 mL capacity</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material: Borosilicate, clear and transparent bubble-free, glass with the following dimensions : <ol style="list-style-type: none"> a) Outside Diameter:13-14 mm b) Height: 177-178 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.20 4. Capacity: 10 mL 5. Graduation Range : 1 to 10 mL 6. Graduation interval : 0.1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. Single metric scale, with plastic bumper guard 11. Glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glasswares industry. </div>	21pcs	
3	Graduated Cylinder, borosilicate, 100 ml	21pcs	

	<p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: a) Must be able to measure and to deliver the volume of liquids up to 100 mL capacity b) Used as a container to determine the volume of irregularly shaped solids by water displacement</p> <p>Design Specifications: 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material : Bubble-free, borosilicate, clear and transparent glass with the following dimensions: a) Outside Diameter: 29-31 mm b) Height: 254-256 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.60 mL 4. Capacity: 100 mL 5. Graduation range: 5 to 100 mL 6. Graduation Interval : 1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. With single graduated metric scale with plastic bumper guard 11. With glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glass industry</p>			
4	<p>pH Meter, hand-held</p> <p>i) Paper Size: A4 size , 80 gsm ii) Font: Times New Roman iii) Font size: 12 iv) Orientation: Portrait v) Margins on all sides with 2 point width border line vi) Line with arrow head of 1.25 point with width shall point to the specific part being labeled 16. Must be free from sharp edges 17. Must have a brand</p>		21pcs	
5	<p>Thermometer, Laboratory</p> <p>Functional Specifications: Used to measure the temperature</p> <p>Performance Specifications: Must measure the temperature , -20° to 110°C</p> <p>Design Specifications: 1. Type: Alcohol filled, partial immersion thermometer 2. Shape : A small sealed tube made of glass that has a small hollow bulb filled partly with ethanol and partly with nitrogen and ethanol vapors, on one end and a thin capillary opening running through the length of its center 3. Material : Glass 4. Color: White 5. Non-toxic red-filled thermometer 6. Partial immersion type with immersion line indicator and ring top 7. With precision red alcohol-filled, reinforced bulbs, and with expansion chamber 8. With white back with non-roll sleeve 9. With clear and permanent markings: scale never washes out 10. Provided with non-roll plastic case 11. With continuous alcohol column 12. Dimensions: 13. Range: -20°C to 110°C 14. Division: 1°C 15. Length: 300 mm (minimum) 16. Accuracy: ± 1° C 17. Diameter: 5.8 to 6.2 mm 18. Immersion line : 76 mm 19. Manufacturer of the country of origin should issue certificate of calibration for every item. 20. Must be free from breakage , cracks, chipped and sharp edges and other defects 21. Comes with a brand</p>		22pcs	
6	<p>Universal pH Paper, H 0-14, 100 strips/pack</p>		13packs	

	<p>Functional Specifications: Used as an indicator to determine/measure the pH of substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an indicator to effect a color change when it is dipped into the different substances to determine/measure the pH of each, through comparison with the pH color chart provided, which corresponds to:</p> <p>a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14, c) For distilled water : pH 7</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand 			
7	<p>Beaker, borosilicate, 1000 ml</p> <p>Functional Specifications: Used to serve as container for mixing and for heating liquids.</p> <p>Performance Specifications: Must be able to serve as container for mixing and for heating liquids.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Griffin type, borosilicate, transparent, bubble-free glass 2. Shape: a cylindrical container with flat bottom 3. Thickness range: 1.5 mm to 2.0 mm 4. Permanent white graduations, with white enamel marking spot 5. Features an easy-pour spout 6. Capacity: 1000 mL ± 10% enameled onto the glass 7. Single graduated metric scale 8. Graduation starts at 200 mL in 100 mL increments 9. Height range: 140 mm to 160 mm 10. Outside diameter: 100 mm to 110 mm 11. There must be no cracks and sharp parts 12. Safely packed in a compartmentalized box 		21pcs	
8	<p>Dish, Petri (Pyrex)</p> <p>Functional Specifications: Used to secure the specimen under study.</p> <p>Performance Specifications: Must be able to secure the specimen under study.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Reusable, borosilicate, circular glass with beaded edge; 2. Bubble-free, plain surface 3. Outside Diameter of Cover: 100 mm ± 2 mm; 4. Outside Diameter of Dish: 92 mm ± 2 mm; 5. Overall height with cover (as assembled): 20 mm ± 2 mm 6. Glass thickness range: 2 mm to 2.2 mm 7. There must be no cracks and sharp edges 8. Safely packed in a compartmentalized box 		21pcs	
9	<p>Beaker, borosilicate, 250 ml</p> <p>Functional Specifications: Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to more than 150°C for normal, standard use service.</p> <p>Performance Specifications: Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type : Griffin, low form 2. Shape: Cylindrical container with straight sides, a flat bottom, and with a small spout (or "beak") to aid pouring 3. Material: Borosilicate, clear and transparent bubble-free glass with the following dimensions: a) Outside Diameter: 68 mm to 70mm b) Height: 90 mm to 92 mm c) Thickness: 1.5 mm to 2.0 mm 4. With permanent white enamel graduations of approximate volumes, inscriptions and markings enameled onto the glass 5. With large white marking spot 6. Features an easy-pour spout 7. "With double graduated metric scale" 8. Capacity: 250 mL ± 5% etched onto the glass;" 9. With marking graduation to fill: starts at 25 mL in 25mL increments 10. With marking graduation to empty: starts at 0 mL in 25 mL increments 11 Graduation interval: 25 mL 12. Graduation range: 25 mL to 200 mL 13. Wrapped in paper, enclosed in bubble wrap and packed individually in compartmentalized box 14. Can withstand heating up to 200-230°C for normal, standard use service 15. Must be free from breakage, cracks, chipped rims and other defects 16. Comes with a brand of five (5) years existence in the glasswares industry 		21pcs	

10	<p>Beaker, borosilicate, 500 ml</p> <p>Functional Specifications: a) Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to 150°C for normal, standard use service and b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition.</p> <p>Performance Specifications: a) Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to 150°C for normal, standard use service and to serve as a water bath b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition.</p> <p>Design Specifications: 1. Type: Borzilius, tall form 2. Shape: Cylindrical container with straight sides, a flat bottom, with a small spout (or "beak") to aid pouring 3. Material : Borosilicate, clear, bubble free glass , Borzilius, tall form with the following dimensions: a) Outside Diameter Range :75 mm- 80 mm b) Height range: 136 mm -140 mm c) Thickness :1.5 mm to 2.0 mm 4. Capacity :500 mL ; ± 5% etched/embossed onto the glass 5. With permanent white enamel graduations of approximate volumes, inscriptions and 6. With large white marking spot 7. With easy pour spout 8. Double graduated metric scale 9. Marked to fill: Graduation starts at 50 mL in 50 mL increments 10. Marked to empty: Graduation starts at 0 mL in 50 mL increments 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap and packed individually in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and other defects 14. Comes with a brand, with five (5) years existence in the glass wares industry</p>	21pcs	
11	<p>Burner, Alcohol, glass, 150 ml Capacity</p> <p>Functional Specifications: Used to produce hot, consistent open flame for slow/gentle heating of glasswares and substances</p> <p>Performance Specifications: Must be able to produce hot, consistent open flame a) for slow/gentle heating of glasswares and substances b) can withstand prolonged heating without breaking c) visually determine the identity of an unknown metal or metalloid ion based on the characteristic color the chemical/salt emits on the Bunsen flame to investigate reactions of ions and apply these in qualitative analysis through an activity, on Flame Test d) bend a glass tubing e) heat, to sterilize, to accelerate, and to trigger chemical reactions, f) for combustion purposes and techniques</p> <p>Design Specifications: 1. Shape : A globe-shaped body and flat base (bottom) with threaded mouth 2. Material: Sturdy, heavy walled, clear, transparent, bubble-free glass with the following dimensions a) Outside Diameter : 80 mm to 85 mm b) Total height: 100 mm to 105 mm 3. Capacity : 150 mL 4. With wick holder permanently attached to a threaded base a) Material of wick holder and cover/caps : Nickel- plated brass b) Type of wick holder : Threaded 5. With one (1) pc cotton fiber/strand braided wick perfectly fitted to the wick tube a) Material of wick : Cotton fiber/strand b) Type of wick: Braided c) Length: 7 inches (178 mm) min d) Diameter: 3/16 inches (5-6 mm) 6. With snuff/snap-on cover/cap 7. With ten (10) pc replacement braided cotton fiber/strand wicks 8. Wrapped in paper , enclosed in bubble wrap and packed in compartmentalized box 9. Must be free from breakage, cracks , chipped rims and other defects 10. Comes with a brand</p>	21pcs	
12	<p>Mortar and Pestle, porcelain, 150 ml</p> <p>Functional Specifications: Used to pulverize/mash/grind and to mix materials in a mortar using a pestle</p> <p>Performance Specifications: Must be able to pulverize/mash/grind and mixes materials in a mortar using a pestle to demonstrate how particle size affects solubility and the rate of chemical reaction. Decreasing the size of the particles increases the rate of dissolving and speeds up the rate of reaction because the surface area of the reactant has been increased.</p> <p>Design Specifications: A. Mortar 1. Shape of mortar : Bowl shape, with wide mouth , and with deeply molded, smooth rounded bottom 2. Material for mortar and pestle: Porcelain with the following dimensions: a) Outside diameter : 130 mm ± 1 mm b) Depth : 65 mm c) Flat bottom : 87 mm 3. Capacity: 150 mL 4. With pouring lip 5. With unglazed grinding surface (interior) and uniformly glazed exterior B. Pestle: 6. Shape of pestle: Cylindrical with bulbous bottom with the following dimensions: a) Length range: 133-135 mm and b) Diameter range : 28 - 30 mm dia at its widest point. 7. Material of pestle: A heavy bat-shaped porcelain 8. Uniformly glazed on its handle and rough on opposite end 9. The set is individually wrapped, enclosed in a bubble wrap and packed in a sturdy box 10. Must be free from breakage, cracks, chipped parts and other defects 11. Comes with a brand</p>	21pcs	

14	<p>Test tube brush</p> <p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. 2. Material of bristles: Medium stiff nylon with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 17-19 mm b) Length: 96-98 mm c) Over-all length: 220-229 mm 3. Material of handle: Galvanized steel wire 4. Type of wire handle : Common loop twisted wire 5. With circular loop,for hanging 6. Packed in a reseable plastic bag 7. Must be free from sharp metal parts 8. Comes with a brand 	21pcs	
15	<p>Test Tube, borosilicate, 16 mm x 150 mm Ion</p> <p>Functional Specifications: Used to contain/hold a small chemical reaction , to mix small quantities of solids and liquids, and to heat small quantities of substances</p> <p>Performance Specifications: Must be able to contain/hold a small chemical reaction and , mixes solids and liquids, heats small quantity of substances up to more than 100°C over a Bunsen burner's flame</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape : Fingerlike length of glass tubing, open at the top, usually with a rounded lip at the top, and a rounded 'U' shaped bottom 2. Material of test tube: Borosilicate , clear, transparent and bubble-free, glass, with rim with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 16 mm diameter b) Thickness :1.3 -1.4 mm c) Length: 150 mm long 3. Capacity : 20 mL 4. With heavy uniform wall thickness, excellent heat resistance 5. Test tubes must be reusable (not disposable) 6. With large, white enamel marking spot 7. With permanent graduation of approx. volume and inscriptions in high contrast white enamel. 8. Can withstand heating up to 150°C for normal, standard use service 9. Comes with a certification from the manufacturer that the test tube is reusable not disposable 10. Wrapped individually in tissue paper, enclosed in bubble wrap and packed in compartmentalized box 11. Must be free from breakage, cracks, chipped rims and other defects 12. Comes with a brand with five (5) years of existence in the glass wares industry 	15pcs	
16	<p>Vial, screw-neck, 50 ml with screw-t</p> <p>Functional Specifications: Used to hold/contain/store/mix small quantities of samples/ solutions/ substances up to 50 mL</p> <p>Performance Specifications: Must be able to hold/contain/store/mix samples/solutions/substances up to 50 mL</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Wide mouth 2. Shape : Bottle-like shape with a threaded neck, screw cap polypropylene closure and with a flat bottom 3. Material : Borosilicate,clear, transparent, and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter : 25 mm to 30 mm b) Length: 100 mm to 108 mm 4. Capacity: 50 mLWith screw- type plastic cap 5. Shape of neck : Cylindrical, round 6. Neck finish: Continuous thread 7. Cap Color: Black/White 8. Cap Attached: No 9. Cap Material : Polypropylene (plastic) 10. Closure style : Solid top, screw thread cap 11. Neck size: 24-400 12. Cap liner: Foam lined 13. Packed individually in a compartmentalized box 14. Must be free from breakage, cracks , chipped rims and other defects 15. Comes with a brand 	50pcs	

17	<p>Watch Glass, Ø 90 mm</p> <p>Functional Specifications: Used to: a) cover glasswares like beakers b) evaporates solvents in a sample and c) holds/contains liquids and solids prior to heating.</p> <p>Performance Specifications: Must be able to a) cover glasswares like beakers b) evaporate solvents in a sample and c) hold/contain liquids and solids prior to heating.</p> <p>Design Specifications: 1. Shape: Circular concave 2. Material : Borosilicate, clear and bubble-free glass with the following dimensions: a) Diameter: 90 mm ± 1 mm b) Thickness range : 1.5 mm to 2 mm 3. Fire-polished rims/edge. 4. Individually wrapped in used newspaper, enclosed in a bubble wrap, and packed in a sturdy box 5. Must be free from breakage, cracks, chipped edges and other defects 6. Comes with a brand</p>	25pcs	
14	<p>Test tube brush</p> <p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications: 1. Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. 2. Material of bristles: Medium stiff nylon with the following dimensions: a) Diameter: 17-19 mm b) Length: 96-98 mm c) Over-all length: 220-229 mm 3. Material of handle: Galvanized steel wire 4. Type of wire handle : Common loop twisted wire 5. With circular loop for hanging 6. Packed in a resealable plastic bag 7. Must be free from sharp metal parts 8. Comes with a brand</p>	21pcs	
18	<p>Lens Paper, 50's/pack</p>	21packs	
19	<p>Filter Paper, crepe, 580mm x 580 mm sheet, Grade 0905</p> <p>Functional Specifications: Used to filter/separate mixtures solids from liquids</p> <p>Performance Specifications: Must be able to filter solids from liquids to demonstrate filtration, as one of the techniques in separating mixtures (solids from liquids)</p> <p>Design Specifications: 1. Type: Technical use 2. Shape of filter paper : Square 3. Material: Cellulose with the following dimensions: a) Length: 580 mm b) Width : 580 mm 4. Color: White to cream 5. Grade: 0905 6. Surface: Creped 7 Initial Filtration Speed: 20 sec (± 1 sec)/10 mL; Flow rate: High 8. Wet strengthened 9. Packed in brown filter paper tube 10. Comes with a brand</p>	16sheets	
20	<p>Nichrome wire. 0.4, 100 ft (1 spool per package = 1.1 oz minimum with spool)</p>	13spool	

	<p>Functional Specifications: Used as a wire loop and heating element on which a metal salt or solid ionic compound is made to adhere into it and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound</p> <p>Performance Specifications: Must be used as a wire loop on which a metal salt or solid ionic compound is made to adhere to, and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound in a laboratory activity, the Flame test</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Round wire 2. Material of wire: Nichrome-Alloy of nickel and chromium, N80 Cr20 with the following dimensions: <ol style="list-style-type: none"> a) AWG size: 26 b) Diameter: 0.4 mm c) Length : 100 ft 3. Form: Soft, rust-free wire 4. Color: Silvery grey 5. Resistance : 2.57 ohms/foot 6. Annealed soft 7. Perfectly tensioned. Zero elongation, scratches, or other flaws. 8. Comes in a spool 9. Packed in a resealable plastic pouch 10. Comes with a brand 		
21	<p>Triangular File, fine, 6-inch Iron, with plastic handle</p> <p>Functional Specifications: Used to cut the glass tubing</p> <p>Performance Specifications: Must be able to cut the glass tubing</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type of file: Triangular 2. Shape: Triangular 3. Material: High carbon steel 4. Kind of file: Fine, smooth 5. Length of file: 6" (150-152.4 mm) long 6. Material of handle: Plastic 7. Packed in a resealable pouch 8. Comes with a brand 	21pcs	
22	<p>Globe, Terrestrial</p> <p>Functional Specifications: Used to represent the earth in three dimensions and the locations and sizes of land masses and water bodies in scale accuracy</p> <p>Performance Specifications: Should be able to represent the earth in three dimensions and the locations and sizes of land masses and water bodies in scale accuracy</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Primarily used as a reference to geographical & political information Globe diameter; minimum of 12 inches. 2. Shows the following: <ol style="list-style-type: none"> (a) All continents, countries with their capitals, and important cities and places (b) Updated with newly established countries, or re-named countries and cities. (c) Illustrates the flow and directions of ocean currents (d) Lines of Latitudes (0° to 90°), graduated both in Northern and Southern Latitudes and Longitudes (0° to 180°), graduated both in Eastern and Western Longitudes (e) International Date Line, Arctic Circle, Tropic of Cancer, Tropic of Capricorn and Antarctic Circle (f) Lines of Equator and Prime Meridian (g) Names of mountain, mountain ranges, volcano, ocean floors, gulfs, seas and lakes (h) Names of continents, seas and country boundaries should be according to international standard. (i) Philippine territory emphasizing the "West Philippine Sea" as one of the Philippine territorial sea boundaries. (j) The Nine Dashed Line should not appear. 3. The globe which is made of plastic is mounted on a plastic meridian ring (C-shape) with movable magnifier. 4. The base stand is made of hard/tough plastic. 5. Must be branded 	21units	
23	<p>Musical Instrument (Miniature Guitar)</p>	21pcs	

	<p>Functional Specifications: Used to demonstrate musical application of standing waves</p> <p>Performance Specifications: Should be able to demonstrate musical application of standing waves</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Mini acoustic type, half-size guitar, any color, surface finish: varnish 2. Made of good quality wood without sign of warp 3. Minimum dimensions: Overall length: 33 inches, Width:12 inches, Depth: 3 1/2 inches 4. Standard guitar steel strings (Nos. 1-6), 18 fret minimum 		
24	<p>Set of Tools: Ball Peen Hammer, handle length is 11-inch, 350g approx. weight, 1 pc/set</p> <p>Functional Specifications: Used to peen dent surfaces in metals</p> <p>Performance Specifications: Should be able to to peen dent surfaces in metals</p> <p>Design Specifications: Ball Peen Hammer, handle length 11 inches, 350 grams gross weight approx., 1 pc. /set</p> <p>Set of Tools: Long Nose Pliers, 6-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend tiny solid wire connectors</p> <p>Performance Specifications: Should be able to bend tiny solid wire connectors</p> <p>Design Specifications: Long Nose Pliers with side cutter, 6 inches long, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Mechanical Wire Cutter and Pliers, 6.5-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend large wires</p> <p>Performance Specifications: Should be able to bend large wires</p> <p>Design Specifications: Mechanical-Wire Cutter and Pliers, 6 1/2 inches, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Precision Screwdrivers Set, 6 pcs/set, with plastic casing, 1 set/set</p> <p>Functional Specifications: Used to drive precision screws</p> <p>Performance Specifications: Should be able to to drive precision screws</p> <p>Design Specifications: Precision Screwdrivers Set, 6 pc. (3 phillips, 3 flats)/set, with plastic casing, 1 set</p> <p>Set of Tools: Screwdriver, flat, 6-inch, 1 pc/set</p> <p>Functional Specifications: Used to drive flat head screws</p> <p>Performance Specifications: Should be able to drive flat head screws</p> <p>Design Specifications: Screwdriver flat, 3/16 inches tip width x 6 inches long, chrome vanadium material, 1 pc. /set;</p>	13sets each	

	<p>Set of Tools: Soldering Iron, 60 watts, 1 pc/set</p> <p>Functional Specifications: Used to heat electrical contacts for permanent joints</p> <p>Performance Specifications: Should be able to heat electrical contacts for permanent joints</p> <p>Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc./set;</p>		
	<p>Set of Tools: Soldering Lead, Ø1mm, Grade 60/40, Wt.: 1 lb/spool, 1 spool/set</p> <p>Functional Specifications: Used to provided permanent joint for different electrical components</p> <p>Performance Specifications: Used to provided permanent joint for different electrical components</p> <p>Design Specifications: Soldering Lead, Ø 1 mm, Grade 60/40, weight: 1 lb./spool, 1 spool/set</p>		
	<p>Set of Tools: Soldering Paste, 50 grams/can, 1 can/set</p> <p>Functional Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Performance Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Design Specifications: Soldering Paste, all purpose flux, non-corrosive, 50 grams/can, 1 can/set;</p>		
	<p>Set of Tools: Tweezers, stainless steel, with curved tips, 6.5-inch long, 1 pair/set</p> <p>Functional Specifications: Used to hold and pick tiny electronics components</p> <p>Performance Specifications: Used to hold and pick tiny electronics components</p> <p>Design Specifications: Tweezers, stainless steel, with curved tips, 6 1/2 inches long, 1 pair/set;</p>		
25	<p>Glass Cover Slips, 100's/box</p> <p>Functional Specifications: Used to secure the wet mount sample specimen.</p> <p>Performance Specifications: Must be able to secure the wet mounted sample specimen.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Pre-cleaned cover glasses and not sticking from each other 2. Material: Transparent glass 3. Quantity: 100's/small plastic box 4. Dimension: 22 mm x 22 mm square 5. Thickness: 0.13 mm - 0.17 mm 6. There shall be no chipped edges 7. Safely packed in a plastic box 	26pcs	
26	<p>Glass Slides, 72's/box</p>	26pcs	

	<p>Functional Specifications: Used to contain the specimen for examination under the microscope.</p> <p>Performance Specifications: Must be able to accommodate the specimen subject for examination under the microscope.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Clear, flat glass; free from moisture, dirt, and film; 2. No color, no frost and no chipped edges 3. Dimension: 75 mm (±1 mm) x 25 mm (± 1 mm); 4. Thickness: 1.1 mm (± 0.1 mm) 5. No sharp edges and pointed corners 6. Packed in a box containing 72 slides with thin paper sheets in between them 		
27	<p>Compass, Magnetic</p> <p>Functional Specifications: Used to find direction on the earth's surface by the alignment of the compass needle with the earth's magnetic field</p> <p>Performance Specifications: Should be able to find direction on the earth's surface by the alignment of the compass needle with the earth's magnetic field</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Outside Diameter: 48 mm to 52 mm 2. Needle mounted in an Aluminum case with clear, scratch-free plastic or glass face 3. Graduated dial marked in cardinal points (North, South, West, East, Northwest, Northeast, Southwest, and Southeast). 4. Must be branded 	26pcs	
28	<p>Pipette, Beral, 1 ml</p> <p>Functional Specifications: Used to transfer/dispense liquid samples.</p> <p>Performance Specifications: Must be able to transfer/dispense liquid sample up to a volume of 1 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. One-piece pipette, made from flexible soft non-toxic plastic that has a protuberance on top that serves as liquid retention chamber 2. Capacity: 1 mL in 0.25 mL grad interval 3. No rubber head 4. Total length range: 140 mm - 150 mm 5. With molded graduations 	50pcs	
29	<p>Gloves, Hand, super nitrile</p> <p>Functional Specifications: Used to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Performance Specifications: Must be able to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Slightly curved fingers and forward-facing thumb correspond to the natural position of the hand (hand-shaped) . 2. Material: Super nitrile, reusable with the following dimensions: <ol style="list-style-type: none"> a) Length of gloves : 13 inches (330.2 mm) min b) Thickness: 0.38 -0.52 mm (min) 3. Color : Green 4. Size: 8 5. Interior finish : Flocklined interior(acid/solvent resistant) 6. Exterior finish : Smooth 7. Cuff type: Rolled beaded 8. Latex free to suit those with latex allergies 9. Non-slip wear resistant high elasticity , waterproof 10. Puncture resistant 11. With detailed imprints on each glove, on the following: <ol style="list-style-type: none"> a) the glove size/s b) the name of manufacturer c) nitrile, flocklined d) individual manufacturing lot e) with pictograms for certification category requirements CE 0334 (EN 420, EN 388, EN 374) designed for protection against mechanical risks, chemical risks, and micro-organisms 12. Individually packed in resealable plastic bag 13. Comes with a brand 	30pcs	

30	<p>Flashlight with incandescent bulb</p> <p>Functional Specifications: Used to provide illumination on the surface of a globe model</p> <p>Performance Specifications: Should be able to provide illumination on the surface of a globe model</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Powered by two (2) 1.5 volts size D dry cells; Capacity: 3 volts 2. 7" long minimum 3. slide switch 5. 35 feet beam distance 6. Body: high impact resin construction 7. Must be branded 	13pcs	
31	<p>Lamp, Desk, Heavy Base</p> <p>Functional Specifications: Used to provide heat and illumination on specimen under study</p> <p>Performance Specifications: Should be able to provide heat and illumination on specimen under study</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Heavy base, able to stand by itself 2. 35 inches length minimum 3. Easily adjustable to direct the light wherever you need it the most 4. With On and Off Switch 5. Power source: AC 220 volts line; included with 60-100 Watts Yellow Light bulb 6. Capacity: 100 watts 7. Preferable ungrounded plug (if the plug is grounded, an adapter should include in the item.) 8. With English User's Manual that includes Operation Guide 9. Should be branded 	13pcs	

B. Senior High School

Item No.	Description	Quantity	Statement of Compliance
1	Flask, Volumetric, borosilicate 250 ml	10pcs	

	<p>Functional Specifications: Used to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL.</p> <p>Performance Specifications: Must be able to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape : A round or pear-shaped bulb, a long thin neck topped by a snap cap and with flat bottom 3. Material of body: Borosilicate , clear, transparent and bubble-free, glass with the following dimensions: <ol style="list-style-type: none"> a) Height: 225 mm b) Outside diameter : 78 mm (approx.) c) Size: 250 mL d) Tolerance: ± 0.12 mL 4. With heavy duty rim 5. Comes with snap cap <ol style="list-style-type: none"> a) Material of snap cap :High density plastic (polyethylene) b) With octagonal grip c) Snap-cap : No. 250 d) Color of snap cap: Blue 6. Must meet ASTM E- 694 for volumetric ware, ASTM E-542 for calibration of volumetric ware and ASTM E-288 for volumetric flasks. 7. Calibrated "to contain" (marked "TC" or "IN") 8. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated. 9. Must be free from breakage, cracks, sharp rims and other defects 10. Packaging : Roll up glassware in newspaper and secure with a piece of masking tape and place in a bubble pouch and individually packed in a sturdy box 11. Comes with a brand, with five (5) years existence in the glasswares industry. 		
2	<p>Graduated Cylinder, borosilicate, 10 ml</p> <p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: Must be able to measure and to deliver the volume of liquids up to 10 mL capacity</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material: Borosilicate, clear and transparent bubble-free, glass with the following dimensions : <ol style="list-style-type: none"> a) Outside Diameter:13-14 mm b) Height: 177-178 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.20 4. Capacity: 10 mL 5. Graduation Range : 1 to 10 mL 6. Graduation interval : 0.1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. Single metric scale, with plastic bumper guard 11. Glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glasswares industry. 	10pcs	

3	<p>Graduated Cylinder, borosilicate, 100 ml</p> <p>Functional Specifications: Used to measure and to deliver the volume of liquids</p> <p>Performance Specifications: a) Must be able to measure and to deliver the volume of liquids up to 100 mL capacity b) Used as a container to determine the volume of irregularly shaped solids by water displacement</p> <p>Design Specifications: 1. Type: Class A 2. Shape: Narrow cylindrical container with a small turned-out lip 3. Material : Bubble-free, borosilicate, clear and transparent glass with the following dimensions: a) Outside Diameter: 29-31 mm b) Height: 254-256 mm c) Thickness range :1.3-1.4 mm d) Tolerance: ± 0.60 mL 4. Capacity: 100 mL 5. Graduation range: 5 to 100 mL 6. Graduation Interval : 1 mL 7. Calibrated to deliver (TD) 8. All markings are in permanent white enamel 9. With pouring spout 10. With single graduated metric scale with plastic bumper guard 11. With glass hexagonal base (non-detachable) 12. Manufacturer of the country of origin should issue certificate of calibration for every item. 13. Placed in bubble wrap, and packed individually in a compartmentalized box 14. Must be free from breakage, cracks and sharp rim 15. Comes with a brand, with five (5) years existence in the glass industry</p>	10pcs	
4	<p>Thermometer, Laboratory type, Alcohol, -200C to 1100C</p> <p>Functional Specifications: Used to measure the temperature</p> <p>Performance Specifications: Must measure the temperature , -20° to 110°C</p> <p>Design Specifications: 1. Type: Alcohol filled, partial immersion thermometer 2. Shape : A small sealed tube made of glass that has a small hollow bulb filled partly with ethanol and partly with nitrogen and ethanol vapors, on one end and a thin capillary opening running through the length of its center 3. Material : Glass 4. Color: White 5. Non-toxic red-filled thermometer 6. Partial immersion type with immersion line indicator and ring top 7. With precision red alcohol-filled, reinforced bulbs, and with expansion chamber 8. With white back with non-roll sleeve 9. With clear and permanent markings; scale never washes out 10. Provided with non-roll plastic case 11. With continuous alcohol column 12. Dimensions: 13. Range: -20°C to 110°C 14. Division: 1°C 15. Length: 300 mm (minimum) 16. Accuracy: $\pm 1^\circ$ C 17. Diameter: 5.8 to 6.2 mm 18. Immersion line : 76 mm 19. Manufacturer of the country of origin should issue certificate of calibration for every item. 20. Must be free from breakage , cracks, chipped and sharp edges nd other defects 21. Comes with a brand</p>	10pcs	

5	<p>Universal H Paper, pH 0-14, 100 strips/pack</p> <p>Functional Specifications: Used as an indicator to determine/measure the pH of substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an indicator to effect a color change when it is dipped into the different substances to determine/measure the pH of each, through comparison with the pH color chart provided, which corresponds to: a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14. c) For distilled water : pH 7</p> <p>Design Specifications: 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand</p>	10packs	
6	<p>Filter Paper, crepe, 580mm x 580 mm sheet, Grade 0905</p> <p>Functional Specifications: Used to filter/separate mixtures solids from liquids</p> <p>Performance Specifications: Must be able to filter solids from liquids to demonstrate filtration, as one of the techniques in separating mixtures (solids from liquids)</p> <p>Design Specifications: 1. Type: Technical use 2. Shape of filter paper : Square 3. Material: Cellulose with the following dimensions: a) Length: 580 mm b) Width : 580 mm 4. Color: White to cream 5. Grade: 0905 6. Surface: Creped 7 Initial Filtration Speed: 20 sec (± 1 sec)/10 mL; Flow rate: High 8. Wet strengthened 9. Packed in brown filter paper tube 10. Comes with a brand</p>	100 sheets	
7	<p>Triangular File, fine, 6-inch long, with plastic handle</p> <p>Functional Specifications: Used to cut the glass tubing</p> <p>Performance Specifications: Must be able to cut the glass tubing</p> <p>Design Specifications: 1. Type of file: Triangular 2. Shape: Triangular 3. Material: High carbon steel 4. Kind of file: Fine, smooth 5. Length of file: 6" (150-152.4 mm) long 6. Material of handle: Plastic 7. Packed in a resealable pouch 8. Comes with a brand</p>	100pcs	

8	<p>Beaker, borosilicate, 250 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications: Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Performance Specifications: Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type : Griffin, low form 2. Shape: Cylindrical container with straight sides, a flat bottom, and with a small spout (or "beak") to aid pouring 3. Material: Borosilicate, clear and transparent bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter: 68 mm to 70mm b) Height: 90 mm to 92 mm c) Thickness: 1.5 mm to 2.0 mm 4. With permanent white enamel graduations of approximate volumes, inscriptions and markings enameled onto the glass 5. With large white marking spot 6. Features an easy-pour spout 7. "With double graduated metric scale " 8. Capacity: 250 mL ±5% etched onto the glass;" 9. With marking graduation to fill: starts at 25 mL in 25mL increments 10. With marking graduation to empty: starts at 0 mL in 25 mL increments 11 Graduation interval: 25 mL 12. Graduation range: 25 mL to 200 mL 13. Wrapped in paper, enclosed in bubble wrap and packed individually in compartmentalized box 14. Can withstand heating up to 200-230°C for normal, standard use service 15. Must be free from breakage, cracks, chipped rims and other defects 16. Comes with a brand of five (5) years existence in the glasswares industry </div>	100pcs	
9	<p>Beaker, borosilicate, 500 ml</p> <div style="border: 1px solid black; padding: 5px;"> <p>Functional Specifications:</p> <ol style="list-style-type: none"> a) Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to 150°C for normal, standard use service and b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Performance Specifications:</p> <ol style="list-style-type: none"> a) Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to 150°C for normal, standard use service and to serve as a water bath b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Berzellius, tall form 2. Shape: Cylindrical container with straight sides, a flat bottom, with a small spout (or "beak") to aid pouring 3. Material : Borosilicate, clear, bubble free glass , Berzellius, tall form with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter Range :75 mm- 80 mm b) Height range: 136 mm -140 mm c) Thickness :1.5 mm to 2.0 mm 4. Capacity :500 mL ; ± 5% etched/embossed onto the glass 5. With permanent white enamel graduations of approximate volumes, inscriptions and 6. With large white marking spot 7. With easy pour spout 8. Double graduated metric scale 9. Marked to fill: Graduation starts at 50 mL in 50 mL increments 10. Marked to empty: Graduation starts at 0 mL in 50 mL increments 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap and packed individually in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and other defects 14. Comes with a brand, with five (5) years existence in the glass wares industry </div>	10pcs	

10	<p>Burner, Alcohol, lass, 150 ml Capacity</p> <p>Functional Specifications: Used to produce hot, consistent open flame for slow/gentle heating of glasswares and substances</p> <p>Performance Specifications: Must be able to produce hot, consistent open flame a) for slow/gentle heating of glasswares and substances b) can withstand prolonged heating without breaking c) visually determine the identity of an unknown metal or metalloïd ion based on the characteristic color the chemical/salt emits on the Bunsen flame to investigate reactions of ions and apply these in qualitative analysis through an activity, on Flame Test d) bend a glass tubing e) heat, to sterilize, to accelerate, and to trigger chemical reactions. f) for combustion purposes and techniques</p> <p>Design Specifications: 1. Shape : A globe-shaped body and flat base (bottom) with threaded mouth 2. Material: Sturdy, heavy walled, clear, transparent, bubble-free glass with the following dimensions a) Outside Diameter : 80 mm to 85 mm b) Total height: 100 mm to 105 mm 3. Capacity : 150 ml 4. With wick holder permanently attached to a threaded base a) Material of wick holder and cover/caps : Nickel-plated brass b) Type of wick holder : Threaded 5. With one (1) pc cotton fiber/strand braided wick perfectly fitted to the wick tube a) Material of wick : Cotton fiber/strand b) Type of wick: Braided c) Length: 7 inches (178 mm) min d) Diameter: 3/16 inches (5-6 mm) 6. With snuff/snap-on cover/cap 7. With ten (10) pc replacement braided cotton fiber/strand wicks 8. Wrapped in paper , enclosed in bubble wrap and packed in compartmentalized box 9. Must be free from breakage, cracks , chipped rims and other defects 10. Comes with a brand</p>	10pcs	
11	<p>Dish, Evaporating, 75 ml</p> <p>Functional Specifications: Used to contain/hold substances and to heat chemical solutions gradually, driving off the water to leave residual chemical solute</p> <p>Performance Specifications: Must be able to contain/hold substances and to demonstrate evaporation, as one of the techniques in separating mixtures, by heating chemical solutions gradually, driving off the water to leave residual chemical solute</p> <p>Design Specifications: 1. Shape: Deep form, broad, and wider at the top than bottom and with round bottom with pouring lip/spout 2. Material : Porcelain, with the following dimensions: a) Diameter: 80-82 mm b) Height/depth : 30-34 mm high 3. Capacity: 75 ml 4. With pouring lip/spout 5. Can withstand temperatures up to 1150°C 6. Uniformly glazed inside (except for rim) and partly uniformly glazed outside except bottom surface. 7. Must be free from breakage, cracks, chipped rims and other defects 8. Wrapped in paper, and packed in a sturdy box 9. Comes with a brand</p>	10pcs	

12	<p>Flask, Erlenmeyer, borosilicate, narrow-mouth, 250 ml</p> <hr/> <p>Functional Specifications: Used to :</p> <p>a) contain/hold a small chemical reaction, b) mix solids and liquids, c) heat substances over a Bunsen/alcohol burner's flame up to over 150 °C or d) collect them in a titration/distillation experiment</p> <p>Performance Specifications: Must be able to:</p> <p>a) contain/hold a small chemical reaction , b) mixes solids and liquids during chemical reaction, c) heats substances up to 150°C over a Bunsen burner's flame up to 250 mL, or d) serves as a reaction vessel in a titration experiment, and to collect distillate during distillation</p> <hr/> <p>Design Specifications:</p> <p>1. Shape : A conical body, a cylindrical short neck , narrow mouth, with sloping sides, and with a flat bottom</p> <p>2. Material : Clear, and transparent bubble-free, borosilicate,glass with the following dimensions:</p> <p>a) Outside diameter range :80 m -82 mm b) Height range: 130-132 mm c) Thickness range :1.5 to 2.0 mm d) Neck inside diameter range : 28 to 30 mm e) Tolerance : ±6% and other inscriptions enamelled onto the glass</p> <p>3. Capacity: 250 mL capacity 4. Graduation range: 50 mL-200 mL 5. Graduation interval: 25 mL 6. Graduation starts at: 50 mL in 25 mL increments 7. With uniform wall thickness 8. With heavy duty beaded rim 9. With permanent durable white enamel graduations with large, white enamel marking spot 10. Can withstand heating up to 150°C for normal, standard use service 11. Wrapped in paper and individually packed in a compartmentalized box 12. Must be free from breakage, cracks, chipped rims and other defects 13. Comes with a brand with five (5) years of existence in the glass wares industry</p>	10pcs	
----	--	-------	--

13	<p>Mortar and Pestle, porcelain, 150 ml</p> <p>Functional Specifications: Used to pulverize/mash/grind and to mix materials in a mortar using a pestle</p> <p>Performance Specifications: Must be able to pulverize/mash/grind and mixes materials in a mortar using a pestle to demonstrate how particle size affects solubility and the rate of chemical reaction. Decreasing the size of the particles increases the rate of dissolving and speeds up the rate of reaction because the surface area of the reactant has been increased.</p> <p>Design Specifications:</p> <p>A. Mortar</p> <ol style="list-style-type: none"> 1. Shape of mortar : Bowl shape, with wide mouth , and with deeply molded, smooth rounded bottom 2. Material for mortar and pestle: Porcelain with the following dimensions: <ol style="list-style-type: none"> a) Outside diameter : 130 mm ± 1 mm b) Depth : 65 mm c) Flat bottom : 87 mm 3. Capacity: 150 mL 4. With pouring lip 5. With unglazed grinding surface [interior] and uniformly glazed exterior <p>B. Pestle:</p> <ol style="list-style-type: none"> 6. Shape of pestle: Cylindrical awith bulbous bottom with the following dimensions: <ol style="list-style-type: none"> a) Length range: 133-135 mm and b) Diameter range : 28 - 30 mm dia at its widest point. 7. Material of pestle: A heavy bat-shaped porcelain 8. Uniformly glazed on its handle and rough on opposite end 9. The set is individually wrapped, enclosed in a bubble wrap and packed in a sturdy box 10. Must be free from breakage, cracks, chipped parts and other defects 11. Comes with a brand 	10pcs	
14	<p>Rubber Stopper #6 for Erlenmeyer Flask narrow-mouth 250 ml, 2 holes</p> <p>Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with one 1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction .to prevent leaks, hazards and contamination.</p> <p>Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance .with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Cylindrical with a tapered bottom end 2. Material : Premium grade SBR black rubber compound with the following dimensions: <ol style="list-style-type: none"> a) Height: 25 mm b) Top Ø: 32 mm c)Bottom Ø : 26 mm d) Hole Ø: 5 mm 3. Number of holes :With one (1) hole 4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm 5. Hardness : 40 ± 5 Duro 6. Packed in resealable plastic bag 7. Comes with a brand 	30pcs	

15	<p>Test tube brush</p> <p>Functional Specifications: Used to clean test tubes and other small sized glasswares</p> <p>Performance Specifications: Must be able to clean test tubes and other small-sized glasswares with densely filled radial tip and head brush to make complete contact with walls, corners and bottom.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape of bristles: Radial tufted tip bristles and brush head to make complete contact with walls, corners and bottom. 2. Material of bristles: Medium stiff nylon with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 17-19 mm b) Length: 96-98 mm c) Over-all length: 220-229 mm 3. Material of handle: Galvanized steel wire 4. Type of wire handle : Common loop twisted wire 5. With circular loop,for hanging 6. Packed in a resealable plastic bag 7. Must be free from sharp metal parts 8. Comes with a brand 	26pcs	
16	<p>Test Tube, borosilicate, 16 mm x 150 mm Ion</p> <p>Functional Specifications: Used to contain/hold a small chemical reaction , to mix small quantities of solids and liquids, and to heat small quantities of substances</p> <p>Performance Specifications: Must be able to contain/hold a small chemical reaction and , mixes solids and liquids, heats small quantity of substances up to more than 100°C over a Bunsen burner's flame</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape : Fingerlike length of glass tubing, open at the top, usually with a rounded lip at the top, and a rounded 'U' shaped bottom 2. Material of test tube: Borosilicate , clear, transparent and bubble-free, glass, with rim with the following dimensions: <ol style="list-style-type: none"> a) Diameter: 16 mm diameter b) Thickness : 1.3 -1.4 mm c) Length: 150 mm long 3. Capacity : 20 mL 4. With heavy uniform wall thickness, excellent heat resistance 5. Test tubes must be reusable (not disposable) 6. With large, white enamel marking spot 7. With permanent graduation of approx. volume and inscriptions in high contrast white enamel. 8. Can withstand heating up to 150°C for normal, standard use service 9. Comes with a certification from the manufacturer that the test tube is reusable not disposable 10. Wrapped individually in tissue paper, enclosed in bubble wrap and packed in compartmentalized box 11. Must be free from breakage, cracks, chipped rims and other defects 12. Comes with a brand with five (5) years of existence in the glass wares industry 	50pcs	
17	<p>Vial, screw-neck, 50 ml with screw-type plastic cap)</p> <p>Functional Specifications: Used to hold/contain/store/mix small quantities of samples/ solutions/ substances up to 50 mL</p> <p>Performance Specifications: Must be able to hold/contain/store/mix samples/solutions/substances up to 50 mL</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Wide mouth 2. Shape : Bottle-like shape with a threaded neck, screw cap polypropylene closure and with a flat bottom 3. Material : Borosilicate,clear, transparent, and bubble-free glass with the following dimensions: <ol style="list-style-type: none"> a) Outside Diameter : 25 mm to 30 mm b) Length: 100 mm to 108 mm 4. Capacity: 50 mL,With screw- type plastic cap 5. Shape of neck : Cylindrical, round 6. Neck finish: Continuous thread 7. Cap Color: Black/White 8. Cap Attached: No 9. Cap Material : Polypropylene (plastic) 10. Closure style : Solid top, screw thread cap 11. Neck size: 24-400 12. Cap liner: Foam lined 13. Packed individually in a compartmentalized box 14. Must be free from breakage, cracks , chipped rims and other defects 15. Comes with a brand 	26pcs	

18	<p>Watch Glass, Ø 90 mm</p> <p>Functional Specifications: Used to: a) cover glasswares like beakers b) evaporates solvents in a sample and c) holds/contains liquids and solids prior to heating.</p> <p>Performance Specifications: Must be able to a) cover glasswares like beakers b) evaporate solvents in a sample and c) hold/contain liquids and solids prior to heating.</p> <p>Design Specifications: 1. Shape: Circular concave 2. Material : Borosilicate, clear and bubble-free glass with the following dimensions: a) Diameter: 90 mm ± 1 mm b) Thickness range : 1.5 mm to 2 mm 3. Fire-polished rims/edge. 4. Individually wrapped in used newspaper, enclosed in a bubble wrap, and packed in a sturdy box 5. Must be free from breakage, cracks, chipped edges and other defects 6. Comes with a brand</p>	26pcs	
19	<p>Set of Tools: Ball Peen Hammer, handle length is 11-inch, 350g approx. weight, 1 pc/set</p> <p>Functional Specifications: Used to peen dent surfaces in metals</p> <p>Performance Specifications: Should be able to to peen dent surfaces in metals</p> <p>Design Specifications: Ball Peen Hammer, handle length 11 inches, 350 grams gross weight approx., 1 pc. /set</p> <p>Set of Tools: Long Nose Pliers, 6-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend tiny solid wire connectors</p> <p>Performance Specifications: Should be able to bend tiny solid wire connectors</p> <p>Design Specifications: Long Nose Pliers with side cutter, 6 inches long, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Mechanical Wire Cutter and Pliers, 6.5-inch, 1 pair/set</p> <p>Functional Specifications: Used to bend large wires</p> <p>Performance Specifications: Should be able to bend large wires</p> <p>Design Specifications: Mechanical-Wire Cutter and Pliers, 6 1/2 inches, chrome vanadium material, 1 pair/set</p> <p>Set of Tools: Precision Screwdrivers Set, 6 pcs/set, with plastic casing, 1 set/set</p> <p>Functional Specifications: Used to drive precision screws</p> <p>Performance Specifications: Should be able to to drive precision screws</p> <p>Design Specifications: Precision Screwdrivers Set, 6 pc. (3 phillips, 3 flats)/set, with plastic casing, 1 set</p> <p>Set of Tools: Screwdriver, flat, 6-inch, 1 pc/set</p> <p>Functional Specifications: Used to drive flat head screws</p> <p>Performance Specifications: Should be able to drive flat head screws</p> <p>Design Specifications: Screwdriver flat, 3/16 inches tip width x 6 inches long, chrome vanadium material, 1 pc. /set:</p>	13 sets each	

<p>Set of Tools: Screwdriver, Phillips, 6-inch, 1 pc/set</p> <p>Functional Specifications: Used to drive philips type screws</p> <p>Performance Specifications: Should be able to drive philips type screws</p> <p>Design Specifications: Screwdriver, Phillips, Point size blade #3 x 6" long, chrome vanadium material, 1 pc/set;</p>		
<p>Set of Tools: Soldering Iron, 60 watts, 1 pc/set</p> <p>Functional Specifications: Used to heat electrical contacts for permanent joints</p> <p>Performance Specifications: Should be able to heat electrical contacts for permanent joints</p> <p>Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc. /set;</p>		
<p>Set of Tools: Soldering Lead, Ø1mm, Grade 60/40, Wt.: 1 lb/spool, 1 spool/set</p> <p>Functional Specifications: Used to provided permanent joint for different electrical components</p> <p>Performance Specifications: Used to provided permanent joint for different electrical components</p> <p>Design Specifications: Soldering Lead. Ø 1 mm, Grade 60/40, weight: 1 lb./spool, 1 spool/set</p>		
<p>Set of Tools: Soldering Paste, 50 grams/can, 1 can/set</p> <p>Functional Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Performance Specifications: Used to provide better adhesion of solder lead to electrical joints</p> <p>Design Specifications: Soldering Paste, all purpose flux, non-corrosive, 50 grams/can, 1 can/set;</p>		
<p>Set of Tools: Tweezers, stainless steel, with curved tips, 6.5-inch long, 1 pair/set</p> <p>Functional Specifications: Used to hold and pick tiny electronics components</p> <p>Performance Specifications: Used to hold and pick tiny electronics components</p> <p>Design Specifications: Tweezers, stainless steel, with curved tips, 6 1/2 inches long, 1 pair/set;</p>		

20	<p>Pipette, Beral, 1 ml</p> <p>Functional Specifications: Used to transfer/dispense liquid samples.</p> <p>Performance Specifications: Must be able to transfer/dispense liquid sample up to a volume of 1 mL.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. One-piece pipette, made from flexible soft non-toxic plastic that has a protuberance on top that serves as liquid retention chamber 2. Capacity: 1 mL in 0.25 mL grad interval 3. No rubber head 4. Total length range: 140 mm - 150 mm 5. With molded graduations 	20pcs	
21	<p>Gloves, Hand, super nitrile</p> <p>Functional Specifications: Used to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Performance Specifications: Must be able to protect hands against mechanical risks, microorganisms, chemical burns and splashes</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape: Slightly curved fingers and forward-facing thumb correspond to the natural position of the hand (hand-shaped) . 2. Material: Super nitrile, reusable with the following dimensions: <ol style="list-style-type: none"> a) Length of gloves : 13 inches (330.2 mm) min b) Thickness: 0.38 -0.52 mm (min) 3. Color : Green 4. Size: 8 5. Interior finish : Flocklined interior(acid/solvent resistant) 6. Exterior finish : Smooth 7. Cuff type: Rolled beaded 8. Latex free to suit those with latex allergies 9. Non-slip wear resistant high elasticity , waterproof 10. Puncture resistant 11. With detailed imprints on each glove, on the following: <ol style="list-style-type: none"> a) the glove size/s b) the name of manufacturer c) nitrile, flocklined d) individual manufacturing lot e) with pictograms for certification category requirements CE 0334 (EN 420, EN 388, EN 374) designed for protection against mechanical risks, chemical risks, and micro-organisms 12. Individually packed in resealable plastic bag 13. Comes with a brand 	20pairs	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepED Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.

Name of Company/Bidder

Signature over Printed Name of Bidder

Date

Technical Specifications
(Re-Bidding) Supply and Delivery of Mathematics Learning Tools
and Equipment
Lot 2

Item No.	Description	Quantity	Statement of Compliant
1	<p>Meterstick, plastic</p> <ol style="list-style-type: none"> 1. Material: Plastic; 2. Thickness: 6 mm (minimum); 3. Width: 24 mm (minimum); 4. Length: 1,000 mm; 5. The front is scaled in centimeters, numbered in every centimeter with 0.1 cm (or 1 mm) divisions; 6. The back is scaled in inches, numbered in every inch with 1/8 inch divisions; 7. The numbers and division lines are in dark color; 8. Must be straight and flat; and free from toxic materials; 9. Edges and Surfaces should be smooth and even; 10. Comes with plastic jacket; 11. Standard abbreviation of the measurement unit/s must be followed; and 	123pcs	
2	<p>Protractor (for student)</p> <ol style="list-style-type: none"> 1. Protractor, student-type, plastic, transparent, semi-circular, 180°; 2. Ø150mm (or 75mm radius), 1mm thick (minimum); 3. Angular graduations are in degrees, from 0° to 180°. With two (2) sets of numerals, one reading clockwise and the other reading counterclockwise; 4. Linear graduations are in millimeters, from 0 to 100mm; 5. With a hole at vertex point enough for a fine string to pass through it; 6. Plastic Surface Finish: Smooth, clear, and free from scratches; 7. It must be horizontally level when laid flat on a table - no warping; 3. Comes with a plastic case; and 	585pcs	
3	<p>Ruler, Plastic, 12 inches or 30 cm</p> <ol style="list-style-type: none"> 1. Ruler, plastic, transparent, smooth surface, and 1 mm thick (minimum); 2. Approximate Width x Length: 28 mm x 314 mm; 3. Graduations: Metric graduations on one side while English graduations on the other side: <ul style="list-style-type: none"> *Metric graduations are in centimeters, from 0 cm to 30 cm, with every cm subdivided by 10. *English graduations are in inches, from 0 inches to 12 inches, with every inch subdivided by 16. 4. Clear, readable black, non-groove permanent prints (will not fade and cannot be scratched off); 5. Bendable up to U-shape when held at both ends; and 6. The item shall be free from toxic materials. 	585pcs	

4	<p>Tape Measure, 1.5 meters</p> <ol style="list-style-type: none"> 1. Tape Measure, 12 mm width x 1.5 meter long 2. Made of flexible fiberglass fabric with metal end pieces 3. Color: White with black graduation markings 4. Graduation: in cm on one side and inches on the other side, smallest graduation in mm, on the opposite side in 1/16 of an inch 5. Comes with a plastic case. 	585pcs	
5	<p>Calculator, Scientific</p> <ol style="list-style-type: none"> 1. Display: LCD, 2 line(s) X 10 characters (minimum), stably shows input-expressions/equation, calculation result, and various indicators; 2. Built-in functions not less than 240 inclusion of the following: <ol style="list-style-type: none"> a) Basic Calculations: arithmetic, fraction, percentage, degrees, minutes, seconds, radian (including conversion of the mentioned Basic Calculations); b) Memory calculation, Logarithm and Hyperbolic functions; c) Statistical functions (e.g.: Statistical relationships, standard deviation, Permutation, Combination, etc.); and d) Trigonometric functions: sin, cos, tan, sin-1, cos-1, tan-1; 3. Basic keys and function keys are labeled permanently (resistant to finger rub and light acid (vinegar) contamination) and operates as such correspondingly; 4. Power requirement: two way dual (battery, built-in solar system), the unit consistently operational after replacing the battery for three trials, its solar system powers the unit normally in a well lit room without the battery; 5. Brand must be established in providing quality products for five (5) years and up. 	195pcs	
6	<p>Stopwatch, digital</p> <ol style="list-style-type: none"> 1. Digital type, water-resistant (5-bar) 2. Start, stop, and re-set operations 3. Display Number: 4mm W x 10mm H 4. Measure Unit: 1/100th of a second 5. Working Range: up to 23hr 59min 59sec 6. Individually and properly packed in a box. 7. Instruction Manual in English 8. Approximate W x H x T: 60mm x 67mm x 20mm 9. Ready to use and comes with extra batteries. 	55pcs	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepED Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.

Name of Company/Bidder

Signature over Printed Name of Bidder

Date

Technical Specifications
(Re-Bidding) Supply and Delivery of TVL Learning Tools and
Equipment
Lot 3

A. Animal Production

Item No.	Description	Quantity	Statement of Compliant
1	syringe 5ml veterinary automatic continuous syringe for pig sheep goat chicken metal filling vaccine	4pcs	
2	syringe 20 ml Stainless Steel Veterinary Vaccine Injection Device Pig cattle and sheep vaccination device	2pcs	
3	syringe 0.1-2ML Veterinary Automatic injector Injector for chicken Animal Livestock Vaccine injector	2pcs	
4	Stainless Steel Dispensing Needles 18G 12-25mm Dispensing Needle with Luer Lock/Veterinary Stainless	4 packs	
5	Stainless Steel Dispensing Needles 22 Gauge Luer Lock Syringe Tips Glue Blunt All Metal Dispense Needle by Brostown (1 inch)	4 packs	
6	antibacterial wound spray CETRIGEN antibacterial wound spray for animals 100 g	4 can	
7	antiseptic betadine 120 ml	2 bottles	
8	castration equipment Castration holder for piglet	4 pcs	
9	slaughtering equipment stainless eviserating table for chicken and swine	2pcs	
10	Forcep Adson forcep stainless still with teeth	8 pcs	
11	Forcep Kelly Hemostatic Forceps Straight 14cm	4pcs	
12	Needleholder HEGAR-OLSEN Needleholder with scissor, straight, 140 mm (5 1/2"), jaw with longitudinal groove, one ring angled, non-sterile, reusable	2pcs	
13	Catgut Chromic Catgut Sutures absorbable 2-0	4 boxes	
14	scapel handle scapel blade handle # 4	4 pcs	
15	surgical blade FEATHER SURGICAL BLADE pieces stainless steel. size 10	4 boxes	
16	Instrument Tray Stainless steels instrument tray with lid 355x254x50mm 26608	4 pcs	
17	weighing scale Heavy duty Platform scale Industrial Electronic Weighing Scale	2pcs	

	180KG		
18	Waterer Cup Waterer Bowl Chicken Poultry Water Drinker 6 Liters	12 pcs	
19	Feeder Tube feeder chicken feeder 9 kg capacity	12pcs	
20	Net POULTRY NET / POLYNET / 5-6FT x 30 METERS 1 bundle	2 bundles	
21	Boots water proof rubber boots outdoor	24 pairs	
22	welding machine POWERHOUSE -200TECH Gasless MIG Inverter Flux Cored Welding Machine 200A	2 pcs	
23	Shavel 68cm shovel	4 pcs	
24	Hammer Lotusclaw hammer	4pcs	

B. Agricrop Production

Item No.	Description	Quantity	Statement of Compliant
1	Tolsen hand Trowel Tosen Hand Trowel (8x152mm) Garden Tools	96 pcs	
2	Seedling Tray 128 round holes seedling tray	100 pcs	
3	Seedling Bags Seedling bags in black color, gusseted. 10 pcs per pack, in three sizes and quality plastic materials	200 pack	
4	Yamasaki Nutrient Solution (A and B) Yamasaki hydroponics solution 500 ml Set/ hydroponic solution for hydroponics	40 sets	
5	Coco peat Quality 3 kls. Organic Coco peat/Good drainage and aeration/soil	200 packs/3kls	
6	PVC Tube Rectangular Self Watering Planter Shelf Yo-Fun 108 holes hydroponics soilless cultivation Seed NFT System Seedlings Plant Kits	4 sets	
7	1x Submersible Water Pump Submersible Aquarium Water Pump 45W Fish Tank Powerhead Fountain Hydroponics	4 pcs	
8	Greenhouse/Garden net 30 yards or(27 meters) garden net 4 ft. width	8 rolls	
9	Hydroponic starter kit 1 pc katanim box, 8pcs. 80z styro cup with slits ,1 kg coco peat, 1 pc romaine seeds, 1 pc big wave lettuce seeds, Nutrihydro lettuce nutrient solution, tryout kit seedling tray	2 sets	

C. EIM

Item	Description	Quantity	Statement of Compliant
------	-------------	----------	------------------------

No.			
1	Camera Wired Indoor/outdoor Night and Day Vandal Proof Dome Standard Zoom Camera 1/3 in. 1.3MP image sensor 2.8 up to 12 mm manual zoom Vandal/weather proof 36IR 90 ft. night visions Fully support 960H	1unit	
2	Recorder 8CH H.265 5IN1 XVR 8MP •Support AHD/CVI/TVI/IP/Analog Camera Input • Up to HD 8MP and IP 8MP Resolution Recording • Support HD Output, VGA and CVBS Video Output • Support Max. 8CH HD or 32CH IP Camera Input • Support 2 SATA up to 16TB Capacity AUDIO INPUT/OUTPUT / DDNS / P2P	1unit	
3	Monitor AOC 18.5 Wide LED Monitor	1unit	
4	Adapter AC/DC CCTV Adapter: 12V	1unit	
5	Power Splitter CCTV 8 port DC Power Splitter	1unit	
6	Fire Alarm Control Panel (FACP) 4 Zone Conventional Fire Alarm Control Panel (Arrow)	1set	
7	Smoke detector Ceiling Mounted Conventional Smoke Detector (Arrow)	1set	
8	Fire Alarm Bell 6" diameter 24Volts (Arrow)	1set	
9	Pipe Bender 1/2" Diameter	1set	
10	Pipe Bender 3/4" Diameter	1set	
11	Pipe Threader 1/2" Diameter, rigid pipe threader	1set	
12	GE Kilowatt Hour Meter 220 Volts, 60Hz Standard, Round	1unit	
13	Portable Electric Drill Cordless Drill 24Volts	1unit	
14	Wire Stripper Automatic Heavy Duty Eagle Wire Stripper	1pc	
15	Multi-tester Analog Multitester, YX 360TRF (Sanwa)	1unit	

D. Cookery NCH

Item No.	Description	Quantity	Statement of Compliant
1	<p>BLENDER, ELECTRIC Type: Blender Machine Body Shape: Round Jar Material Housing: Plastic (Polypropylene) Jar Height : 25 cm to 28 cm Jar Thickness: 4 mm to 8 mm Heat resistant Glass Jar with cover Source Voltage: 220 Volts / 240 Volts,50 Hz / 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adopter 10A/220V. Power Wattage: 300 to 700 watts Blade: Stainless steel, 3 to 4 metal blades Capacity: 1.5 liters to 2 liters With 5 to 10 push button speed setting with pulse control switch Preferably with packing case With English Manual that contain: Operation guide, maintenance and troubleshooting procedure With Service centers located in major cities in the Philippines. The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or Japan market. Warranty period of 1 year (parts and service)</p>	1 unit	
2	<p>Boiler, Double Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Riveted handle on both side Diameter: 9 1/2 inches (minimum) Total Height: 9.4 inches (minimum) Inset Bottom Diameter: 9 inches (minimum) Inset Top Diameter: 9 inches (minimum) Capacity: 2 liters (minimum) Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid With Stainless steel handle and smooth surfaces with no sharp edges</p>	1 unit	
3	<p>BRAISING PAN, MEDIUM Type: Braising Pan Body Shape: Round Material: Enameled cast iron and stainless steel Size: Diameter: 28 cm x Height: 10 cm (minimum) Capacity: 4 Liters (Approximate) With stainless steel cover, solid cast Stainless Steel side</p>	2 unit	

	<p>handles and riveted Handle on both side: Length: 10 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-safe Warranty period of 1 year (parts and service)</p>		
4	<p>CASSEROLE, MEDIUM Type: Casserole Pot Body Shape: Round Material: Stainless steel, 0.7 mm thick Dimension: Diameter- 24 cm x Height -14 cm (minimum) Tempered glass lid Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Preferably with packing case Dishwasher safe</p>	3 unit	
5	<p>KNIFE, BONING Type: Flexible Boning Knife Body Shape: Ergonomic Material: High Carbon Steel Overall Length: 28 cm (minimum) Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip Cutting edge angle from tip to the heel is 13 to 14 degrees Handle Length: 12 cm (minimum) Handle Material: Hard plastic handle with rivets Preferably wiht packing case Dishwasher safe</p>	9	
6	<p>KNIFE, CHEF Type: Chef's Knife Body Shape: Flat Materials: Stainless steel Overall length: 30 cm (minimum) Blade Size: Length - 20 cm x Width-4 cm (minimum) Blade thickness: 2.5 mm (minimum) Cutting Edge: Straight, pointed end Handle: Triple Riveted Plastic (Polypropylene) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded.</p>	10 unit	
7	<p>KNIFE, CLEAVER Type: Cleaver Knife Body Shape: Flat Blade Material: Forged Stainless steel Heavy duty Blade length: 17 cm (minimum) Overall length: 30 cm (minimum)</p>	2 unit	

	<p>Cutting Edge: Straight Handle Material: Ergonomic Wood Handle with triple rivets Blade thickness: 3 mm (minimum) Blade width: 12 cm (minimum) Preferably with packing case The plastic material used must be non-toxic Dishwasher safe Must be branded</p>		
8	<p>MEAT SLICER, SMALL Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height-38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adopter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts. With Service centers located in major cities in the Philippines. Warranty period of 1 year (parts and service) Must be branded</p>	2 unit	
9	<p>PRESSURE COOKER Type: Pressure Cooker Body Shape: Round Material: Polished aluminum Dimension: Diameter: 32 cm x Height: 25 cm (minimum) Capacity: 10 quarts (11.3 liters) Side handles for secure carrying Equipped with safety opening mechanism, spring safety valve, rubber seal ring Dishwasher safe Comes with an English manual that contain: Operation guide, safety guide, maintenance / troubleshooting procedure. With Service centers located in major cities in the Philippines.</p>	2 unit	

	Warranty period of 1 year (parts and service) Must be branded.		
10	SHELVING, UTILITY Type: Utility Shelving Body Shape: Rectangular Shelves Material: Nickel Chrome and copper plating Dimensions (L x W x H): 30 inches x 14 inches x 60 inches (minimum) Shelf dimension: (L x W x D) 30 inches x 14 inches x 1 inch (minimum) Number of shelves: 5 shelves adjustable With four (4) Swivel Caster, 3 inches diameter, two which have locking brakes Collapsible and easy to assemble and dismantle Preferably with a packing case With English manual contain: Assembly instruction and list of parts Must be branded	4 unit	
11	SIEVER, SMALL Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded	7 unit	
12	WEIGHING SCALE, 5 Kilograms, Mechanical Type: Mechanical Weighing Scale Body Type: Circular Bowl Material: Stainless Steel bowl and metal body (coated) Mechanism Type: Spring Lever Capacity: 5 kg /11 lb. Sensitivity/Graduated by 10 gm Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Calibrate the scale using the adjustment knob Preferably with a packing case Delivery must include instruction manual written in good English With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded	3 unit	
13	Refrigerator 5 cu.ft Two-Door Direct Cool Refrigerator	2 unit	

	Energy Efficient Compressor Consumes very minimal Electricity only 110 watts Reversible Door Light Bulb in Ref Section Adjustable Wire Shelves Large Freezer Space		
--	---	--	--

E. Food and Beverages NC II

Item No.	Description	Quantity	Statement of Compliant
1	Coffee Pot, 2 Pints Type: Manual drip Body shape: Round Material : Stainless Steel with cover Capacity : 2 pints Outside Diameter : 90 -110 mm Over-all Height : 200 - 230 mm Thickness : 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality	10 units	
2	Container, Creamer. Design: Type: Porcelain with spout Body shape: Circular Material: Porcelain Diameter : 50 - 65 mm Height : 80 - 105 mm Color : White Appearance: Glossy White Packed in carton box The item must have good quality	25 units	
3	Fork, Cocktail 1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design 2. Type : Rounded Tip Handle 3. Over-all Length : 110 - 165 mm 4. Width : 20 - 30 mm (minimum) 5. Handle Thickness : 2 mm to 4 mm 6. Handle Length : 75 - 90 mm 7. Small, 8. Color : Silver 9. The item must be branded and have good quality. 10. Packed in plastic pouch	75 units	
4	Fork, Dessert Type : Dessert Fork Body shape: Fork shape, round tip Material/Appearance : Stainless Steel, highly	75 units	

	<p>Polished,with plain Design, Rounded tip Handle Length : 150 mm - 175 mmWidth : 20 - 30 mmHandle Thickness : 1.5 mm - 3 mm Number of Tines : 4 Handle : 130 mm (minimum) Color : Silver Packed in plastic pouch The item must be of good quality</p>		
5	<p>Fork, Dinner Type: Dinner Fork Body shape: Fork shape Material / Appearance : Stainless Steel, highly Polished, with 4 tines Over - All Length : 120 - 175 mm Thickness of Handle : 2 - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality</p>	75 units	
6	<p>Fork, Fish Type : Fish Fork Body shape: Fork shape with round tip Material / Appearance : Stainless Steel, highly Polished, With plain Design Over-all Length : 180 - 215 mm Fork Width : 1.5 mm - 3 mm Fork Thickness : 1 mm - 2 mm Number of Tines : 4 Length Handle : 120 - 130 mmHandle Thickness : 2 mm - 3 mm Color : Silver Packed in plastic pouch The item must be of good quality</p>	75 units	
7	<p>Fork, Oyster Type: Oyster Fork Body shape: Fork shape Material: Stainless Steel, with high polish appearance, and with plain design Length: 90 - 120 mm Thickness: 1 mm - 3 mm Silver Color with three short wide curved tines Packed in plastic pouch The item must be of good quality</p>	75 units	
8	<p>Fork, Salad Type: Salad Fork Body shape: Fork shape Material/Appearance: Stainless Steel, highly polished, with 4 tines Length: 150 mm - 175 mm</p>	75 units	

	<p>Thickness of Handle : 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality</p>		
9	<p>Glass, Champagne Flute Type : Flute Glass Body shape: Round Material: Clear Crystal Glass Dimension : Height: 20 -24 cm, Top diameter: 50 -70 mm, Bottom diameter: 60 - 80 mm Capacity: 250 mL. (minimum) Thickness: 1.5 - 3 mm Packed in carton box The item must have good quality</p>	75 units	
10	<p>Glass, Collins Type: Tumbler Body shape: Round Material : Clear Glass Capacity : 10 oz to 14 oz Thickness : 1.5 -3 mm (minimum) Packed in carton box The item must have good quality</p>	75 units	
11	<p>Ice Bucket ,2 liters with Tongs and stand Type: Steel Type Body shape: Circular Set includes: A. Ice bucket Material : Stainless Steel Diameter : 140 - 180 mm Height : 140 - 170 mm Thickness of bucket : 0.7 - 2 mm Capacity : 2 liters (minimum) The item must have good quality B. Ice Tongs Material: Stainless Steel Dimension: Over-All Length: 150 -170 mm Thickness : 0.5 mm – 0.7 mm The item must be of good quality Packed in carton box</p>	25 units	
12	<p>Knife, Butter 2. Material : Stainless Steel w/ highly Polished Appearance 2. Over-all Length : 140 mm - 150 mm 3. Handle Thickness : 3 mm - 5 mm 4. With Dull Edge and Rounded Tip 5. The item must have good quality. 6. Packed in carton box</p>	75 units	
13	<p>Knife, Dinner Type: Dinner Knife</p>	75 units	

	<p>Body shape: Flat with round tip Material / Appearance : Stainless Steel Blade Highly Polished Handle Material : Stainless Steel Overall Length : 160 - 190 mm Blade Thickness : 2 - 4 mm Handle Thickness : 3 - 6 mm Serrated Blade with Rounded Tip Packed in carton box The item must have good quality</p>		
14	<p>Knife, Fish Type : Fish Knife Body shape: Flat with pointed tip Material / Appearance : Stainless Steel, highly Polished w/ plain design Overall Length : 200 - 220 mm Width Blade : 20 - 25 mm Thickness of Blade : 2 mm - 4 mm Thickness of Handle: 3 mm - 6 mm Wide blade, dull edge, tip made with a notched point Color : Silver Packed in carton box The item must have good quality</p>	75 units	
15	<p>Knife, Salad Type: Salad Knife Body shape: Semi rectangular blade with pointed tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Overall Length: 145 -160 mm Blade Thickness: 2 mm to 4 mm Handle Thickness: 4 mm to 6 mm Handle Material: Stainless Steel Rounded tip handle Packed in carton box The item must have good quality</p>	75 units	
16	<p>Knife, Steak Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality</p>	75 units	
17	<p>Napkin Holder Type: Steel Type Body shape: Rectangular Material : Stainless Steel with Highly Polished Appearance</p>	50 units	

	<p>Dimension : Width : 70 - 90 mm x Length : 150 - 170 mm , Thickness : 0.7 mm -2 mm</p> <p>Packed in plastic pouch</p> <p>The item must have good quality</p>		
18	<p>Plate, Dessert, 7"to 8"</p> <p>Type: Plain Type</p> <p>Body shape: Circular</p> <p>Material: Porcelain</p> <p>Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates</p> <p>Color : White</p> <p>Inner Diameter: 145 to 165 mm</p> <p>Thickness : 3 to 6 mm</p> <p>Smooth and Glossy Surfaces</p> <p>Packed in carton box</p> <p>The item must have good quality</p>	75 sets	
19	<p>Plate, Dinner, 10"</p> <p>Type: Plain Type</p> <p>Body shape: Circular</p> <p>Material: Porcelain with no Design</p> <p>Color: White</p> <p>Inner Diameter : 200 mm - 215 mm</p> <p>Outer Diameter : 250 - 260 mm</p> <p>Thickness : 3 mm - 6 mm</p> <p>Smooth and Glossy Surfaces</p> <p>Packed in carton box</p> <p>The item must have good quality</p>	75 units	
20	<p>Plate, Fish, 8" to 9"</p> <p>Type: Plain Type</p> <p>Body shape: Circular</p> <p>Material : Porcelain with no Design</p> <p>Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches</p> <p>Color : White</p> <p>Inner Diameter : 165 mm - 190 mm (minimum)</p> <p>Thickness : 3 mm - 6 mm</p> <p>Smooth and Glossy Surfaces</p> <p>Packed in carton box</p> <p>The item must have good quality</p>	75 sets	
21	<p>Salad Plates 7" to 8"</p> <p>Type: Plain Type</p> <p>Body shape: Circular</p> <p>Material: Porcelain with no design</p> <p>Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates</p> <p>Color: White</p> <p>Diameter (Inner): 150 mm - 165 mm</p> <p>Thickness: 3 mm - 6 mm</p>	75 units	

	Smooth and Glossy Surfaces Packed in carton box The item must have good quality		
22	Service Forks Type : Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.	50 units	
23	Service Tray Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size : 14 inches x 18 inches X 1 inch (minimum) Color : Any Packed in plastic pouch The item must have good quality	50 units	
24	Show/Service/ Base Plates 11" to 14" Type: Plain Type Body shape: Round Material: Porcelain with no design Supply must be a set consisting (1) of each: - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates Color: White Diameter, Inner : 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	75 sets	
25	Side Plates or Bread Plates 6" Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness : 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	75 units	
26	Side Towels Type: Chef's towel	50 units	

	<p>Body shape: Rectangular Material: Oxford Polyester soft cloth Over-all Length : 640 - 680 mm Over-all Width : 420 -460 mm Color : Plain White Packed in plastic pouch The item must have good quality</p>		
27	<p>Spoon, Dessert Type : Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length : 175 to 190 mm Thickness : 2 mm - 3 mm Shorter handle : 120 -130 mm Color : Silver Packed in plastic pouch The item must have good quality</p>	75 units	
28	<p>Spoons, Service Type : Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality</p>	75 units	
29	<p>Spoons, Soup (Cream and Consume) Type: Soup Spoon Body shape: Round Material/Appearance : Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length : 165 mm – 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle : 110 mm - 170 mm Thickness : 1.5 mm - 3 mm Color : Silver Packed in plastic pouch The item must have good quality</p>	75 units	
30	<p>Sugar Container Type: Glass Type Body shape: Round Material: Glass with brass lid (or equivalent) Diameter: 70 -80 mm Height: 130 -140 mm Capacity: 12 oz. Packed in carton box</p>	25 units	

	The item must have good quality		
31	Table, Round (8's) Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame Size: 154cm x 74cm x4.5cm (minimum) Good for 8 to 10 seater capacity Tube Size : 28 mm diameter x 1 mm thickness Packed in a carton box The item must have good quality	25 units	
32	Table, Square/Rectangular (4's or 6's) Type: Foldable Plastic Body shape: Square/Rectangle Materia: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality	25 units	
33	TONG, 8 INCHES Type: Tong, 8 inches Body Shape: Standard Material: Stainless Steel Size: 8 inches Stainless-steel arms with soft, comfortable grips Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case Food Grade and Dishwasher-safe Must be branded	25 units	
34	Tray, Bill Folders/ Change 1. Material : Heavy Duty Plastic (ABS) or its Equivalent 2. Height : 190 - 220 mm 3. Width : 120 -140 mm 4. Thickness : 2 mm to 3 mm (minimum) 5. Color : Black 6. With Check and pen holder 7. The item must have good quality 8. Packed in plastic pouch	50 units	
35	Tray, Round (Bar) Type: Plastic Body shape: Round Material: (PE/ABS) Plastic rubberized surface, non-slip/grip tight Over-all Diameter: 345 -360 mm (minimum) Thickness: 2 - 4 mm (minimum) Color: Black	50 units	

	Packed in plastic pouch The item must have good quality		
36	Water Goblet Type: Water Goblet Body shape: Balloon-shaped bowl Material: Crystal Clear Glass Over-all Length: 200 -220 mm Capacity: 270 ml to 300 ml Rim diameter - 55 -65 mm Thickness: 1 mm to 3 mm Stem length : 75 -85 mm Stem diameter : 6 -8 mm Base thickness : 3 -4 mm Base diameter : 7 -80 mm Packed in carton box The item must have good quality	75 units	
37	Water Pitcher Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Height: 170 mm to 220 mm Top Diameter: 110 -120 mm (approximate) Capacity: 1 - 1.5 liter With pour spout Dishwasher safe Packed in plastic pouch The item must have good quality	50 units	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepED Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.

Name of Company/Bidder

Signature over Printed Name of Bidder

Date

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; (new and revised/updated as per GPBB Resolution No. 15 s. 2021)

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid
- a. copies of the corresponding notices of award and/or notices to proceed and/or contracts/purchase order; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- a. Must indicate a single contract, similar to the contract to be bid, in an amount equivalent to at least twenty five percent (25%) of the ABC to be bid pursuant to Section III, BDS Clause 5.4; or
- b. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least twenty-five percent (25%) in the case of Expendable Supplies of the ABC for this Project; and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- c. Submit also the following inside this envelope:
- c. 1 copy of the corresponding notice of award or notice to proceed/purchase order/ contract; and
- c. 2 end user's acceptance or official receipt(s) or sales invoice issued for the contract.
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
- (e) *Conformity with the Technical Specifications (Section VII), and *Conformity with the Schedule of Requirements (Section VI)
- (f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (f) Original of duly signed and accomplished Financial Bid Form; **and**
- (g) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (h) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (i) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Sample Form or Template of the following documents is provided in Section VIII of this bidding documents, to wit:

- Bid Form;
- Bid Securing Declaration;
- Price Schedule for Goods offered from within the Philippines;
- Price Schedule for Goods offered from Abroad;
- Contract Agreement Form for the Procurement of Goods;
- Omnibus Sworn Statement
- Performance Securing Declaration;

APPENDIX "1"

Bid Form for the Procurement of Goods

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Bid Securing Declaration Form

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION
Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)

CONTRACT AGREEMENT

THIS AGREEMENT made the ____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures in specified currency*] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
 - iii. Performance Security;
 - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
 - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**
3. In consideration for the sum of [*total contract price in words and figures*] or such other sums as may be ascertained, [*Named of the bidder*] agrees to [*state the object of the contract*] in accordance with his/her/its Bid.

4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

[Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity]

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)

CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or

the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufactureur/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

*[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant*

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Bank Guarantee Form for Advance Payment

To: *[name and address of PROCURING ENTITY]*
[name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause **Error! Reference source not found.** of the General Conditions of Contract to provide for advance payment, *[name and address of Supplier]* (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of *[amount of guarantee in figures and words]*.

We, the *[bank or financial institution]*, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding *[amount of guarantee in figures and words]*.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until *[date]*.

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

New and revised/updated Philgeps Certificate of Registration as per GPBB Resolution No. 15 s. 2021

Republic of the Philippines
Department of Budget and Management
PROCUREMENT SERVICE

**CERTIFICATE OF PHILGEPS REGISTRATION
(Platinum Membership)**

THIS IS TO CERTIFY THAT

Valenzuela City , Metro Manila , NCR , Philippines

is registered in the **Philippine Government Electronic Procurement System (PhilGEPS)** on 21-Mar-2002 pursuant to Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act.

This further certifies that _____ has submitted the required eligibility documents in the PhilGEPS Supplier Registry as listed in Annex A, which document is attached hereto and made an integral part hereof.

For the purpose of updating this Certificate, all Class "A" eligibility documents covered by Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184 supporting the veracity, authenticity and validity of this Certificate shall remain current and updated. The failure by the prospective Bidder to update this Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of its validity until such time that all of the expired Class "A" eligibility documents has been updated.

By submitting this Certificate, the Bidder certifies:

1. the authenticity, genuineness, validity, and completeness of the copy of the original eligibility documents submitted;
2. the veracity of the statements and information contained therein;
3. that the Certificate is not a guaranty that the named registrant will be declared eligible without first being determined to be such for that particular bidding, nor is it an evidence that the Bidder has passed the post-qualification stage; and
4. that any finding of concealment, falsification, or misrepresentation of any of the eligibility documents submitted, or the contents thereof shall be a ground for disqualification from further participation in the bidding process, without prejudice to the imposition of appropriate administrative, civil and criminal penalty in accordance with the laws.

This Certificate is valid until 29-Jul-2022

Issued this 25th day of June 2021.

This is a system generated certificate. No signature is required.

Documentary Stamp Tax Paid Php 30.00
Certificate Reference No:
Amended Date as of January 22, 2022 11:47 AM



REMINDERS ¹

- *The PhilGEPS office shall not determine the eligibility of merchants. The PhilGEPS office's evaluation of the eligibility requirements shall be for the sole purpose of determining the approval or disapproval of the merchant's application for registration.*
- *A merchant's registration and membership in the GOP-OMR is neither contract-specific nor understood to be tantamount to a finding of eligibility. Neither shall the merchant's successful registration in the GOP-OMR be relied upon to claim eligibility for the purpose of participation in any public bidding.*
- *The determination of the eligibility of merchants, whether registered with the GOP-OMR or not, shall remain with the Bids and Awards Committee (BAC). The BAC's determination of validity of the eligibility requirements shall be conclusive to enable the merchant to participate in the public bidding process.*

Certificate Reference No: _____
Amended Date as of January 22, 2022 11:47 AM

Page 2 of 3

¹Refer to Section 4 of the Guidelines for the Use of the Government of the Philippines - Official Merchant's Registry

List of Eligibility Documents

of

SEC Certificate	Registration Date : 20-Oct-1995 SEC Certificate Number : A000000004
Mayors Permit	Expiration Date : 31-Dec-2022 Permit Number : 00013542 Place of Issue : VALENZUELA CITY Issued By / Signatory : Issuance Date : 12-Jan-2022
Tax Clearance	Expiration Date : 21-Jun-2022 TCC Number : 00-21-R0314-2021-01 Issued By / Signatory : Issuance date : 21-Jun-2021
Audited Financial Statement	Date of Filing : 02-Jun-2021 Current Asset : Total Asset : Current Liabilities : Total Liabilities : Name of Auditor : BIR RDO Code : 024
PCAB License	Expiration Date : - Issued By / Signatory : Issuance Date : - License Number : License First Issue Date : - Principal Classification : Category :



