PHILIPPINE BIDDING DOCUMENTS

Procurement of GOODS

Government of the Republic of the Philippines

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	ı I. Invitation to Bid	7
Section	ı II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	12
5.	Eligible Bidders	13
6.	Origin of Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	14
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	15
12.	Bid Prices	15
13.	Bid and Payment Currencies	16
14.	Bid Security	16
15.	Sealing and Marking of Bids	16
16.	Deadline for Submission of Bids	16
17.	Opening and Preliminary Examination of Bids	16
18.	Domestic Preference	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post-Qualification	18
21.	Signing of the Contract	18
Section	ı III. Bid Data Sheet	19
Section	ı IV. General Conditions of Contract	22
1.	Scope of Contract	23
2.	Advance Payment and Terms of Payment	23
3.	Performance Security	23
4.	Inspection and Tests	23
5.	Warranty	24
6.	Liability of the Supplier	24
Section	1 V. Special Conditions of Contract	25
Section	NI. Schedule of Requirements	30
	vII. Technical Specifications	
	VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

 \mathbf{Bid} – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP - Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines

Department of Education

REGION VII – CENTRAL VISAYAS Schools Division of Cebu City

INVITATION TO BID FOR

Supply and Delivery of Technical Vocational-Livelihood (TVL) Equipment Packages for Public Senior High Schools of Schools Division of Cebu City Project no.: DepEdCCD - 2025 -01

1. The DepEd Cebu City Division, through the FY 2024 General Appropriation Act (GAA) intends to apply the sum of Thirteen Million Six Hundred Sixty-Five Thousand Nine Hundred Sixty-One Pesos (Php 13,665,961.00) being the ABC to payments under the contract for Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City. Bids received in excess of the ABC shall be automatically rejected at bid opening.

Lot	Project Description	ABC (Php)
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
1	Equipment Packages for Public Senior High School of Schools	Php 2,078,808.00
	Division of Cebu City – Bread and Pastry Production NC II	
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
2	Equipment Packages for Public Senior High School of Schools	Php 3,514,910.00
	Division of Cebu City - Cookery NC II	
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
3	Equipment Packages for Public Senior High School of Schools	Php 3,998,715.00
	Division of Cebu City – Food and Beverage Services NC II	•
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
4	Equipment Packages for Public Senior High School of Schools	Php 1,048,710.00
	Division of Cebu City – Front Office Services NC II	-
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
5	Equipment Packages for Public Senior High School of Schools	Php 646,340.00
	Division of Cebu City – Hairdressing NC II	•
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
6	Equipment Packages for Public Senior High School of Schools	Php 1,958,712.00
	Division of Cebu City – Housekeeping NC II	•
	Supply and Delivery of Technical Vocational – Livelihood (TVL)	
7	Equipment Packages for Public Senior High School of Schools	Dha 410 766 00
'	Division of Cebu City – Local Guiding Services NC II and	Php 419,766.00
	Wellness Massage NC II	

2. The *DepEd Cebu City Division* now invites bids for the above Procurement Project. Delivery of the Goods required as stated in Section VI. Schedule of Requirements. Bidders should have completed, within *five* (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *DepEd Cebu City Division* and inspect the Bidding Documents at the address given below during *Mondays to Fridays from 8:00 am 5:00 pm from January 12, 2025 to February 3, 2025.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on January 12, 2025 to February 3, 2025 from Mondays to Fridays from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php5,000.00) for Lots 1, 2, 3, 4 & 6 and Five Hundred Pesos (P500.00) for Lots 5 & 7, Bidding Fee is per lot.
- 6. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *presented in person*.
- 7. The *DepEd Cebu City Division* will hold a Pre-Bid Conference¹ on *January 21, 2025* at 9:00 am PhST at 5th Floor Conference Hall, DepEd Cebu City Division, Imus Road Brgy. Day-as Cebu City, which shall be opened to prospective bidders.
- 8. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *February 3, 2025 at 09:00 am PhST*. Late bids shall not be accepted.
- 9. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 10. Bid opening shall be on *February 3, 2025 at 9:00 am PhST* at 5th Floor Conference Hall, DepEd Cebu City Division, Imus Road Brgy. Day-as Cebu City. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 11. Prospective Bidders are strongly encouraged to order or download the electronic copy of the Bidding Documents from the PhilGeps website: www.philgeps.gov.ph, for them to be included in the Document Request List of the project. The Bidding Documents may be viewed also at the DepEd Cebu City Official Website, www.depedcebucity.com.
- 12. The *DepEd Cebu City Division* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

9

13. For further information, please refer to:

MRS. DARYLL T. YBAÑEZ
DepEd Cebu City Division
Imus Ave., Day-as, Cebu City
daryll.triumfo@deped.gov.ph
Telephone no. 0995-3693124

Agency website: www.depedcebucity.com

14. You may visit the following websites:

For downloading of Bidding Documents: www.depedcebucity.com / philgeps.gov.ph

January 10, 2024

Sgd: LYRA L. ILLAGA, DevEd,EdD

BAC Chairman

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *DepEd Cebu City Division* wishes to receive Bids for the *Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City*, with identification number *DepEdCCD – 2025-01*.

[Note: The Project Identification Number is assigned by the Procuring Entity based on its own coding scheme and is not the same as the PhilGEPS reference number, which is generated after the posting of the bid opportunity on the PhilGEPS website.]

The Procurement Project (referred to herein as "Project") is composed of 7 lots, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for through the FY 2024 General Appropriation Act (GAA) in the amount of Thirteen Million Six Hundred Sixty-Five Thousand Nine Hundred Sixty-One Pesos (Php 13,665,961.00).
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.
- a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]
 - i. Completed at most two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five* (5) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must

be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *One Hundred Twenty (120) Calendar Days upon submission of its bid.* Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one original copy and one additional copy of the first and second components of its Bid, without prejudice to the original provision therein.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing,

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
 - Option 1 One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	 a. Supply and Delivery of Learning Tools and Equipment/Supplies and other related activity generic to the purpose. b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.
12	The price of the Goods shall be quoted DDP in the Philippines.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: Lot 1 a. The amount of not less than Php 41,576.16 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 103,940.40 if bid security is in Surety Bond. Lot 2 a. The amount of not less than Php 70,298.20 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 175,745.50 if bid security is in Surety Bond. Lot 3 a. The amount of not less than Php 79,974.30 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 199,935.75 if bid security is in Surety Bond. Lot 4 a. The amount of not less than Php 20,974.20 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter
	of credit; or b. The amount of not less than Php 52,435.50 if bid security is in Surety Bond.
	Lot 5
	a. The amount of not less than Php 12,926.80 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 32,317.00 if bid security is in Surety Bond.
	Lot 6
	a. The amount of not less than Php 39,174.24 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than Php 97,935.60 if bid security is in Surety Bond.

	a. The amount of not less than Php 8,395.32 if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 20,988.30 if bid security is in Surety Bond.
19.3	Project will be awarded in 7 lots Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City ABC: Thirteen Million Six Hundred Sixty-Five Thousand Nine Hundred Sixty-One Pesos (Php 13,665,961.00).
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

CCC	
GCC Clause	
1	
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	"The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>DepEd Cebu City Division</i> .
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

f. [Specify additional incidental service requirements, as needed.]

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the

Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Intellectual Property Rights -The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2.2 Partial Payment is not allowed The inspections and tests that will be conducted are: [Indicate the applicable 4 *inspections and tests*]

Section VI. Schedule of Requirements

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – Bread and Pastry Production NC II – LOT 1

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item				Delivered,	Place of Delivery
No.	Description	Quantity	Total	Weeks/Mont hs	
1	Air Compressor with Airbrush Cake Decorating Set Specification: Type: Single Cylinder Piston Compressor; Body Shape: Cylindrical in shape; Material: Copper, Aluminum; Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum); Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug; Power Rating: 1/6 Hp motor; Capacity: Air pressure adjustment range 0 to 57 Psi; Automatic On/Off Shutoff; Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans; Airbrush Specifications: a) airbrush material: Stainless steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2 cc; d) Airbrush with a 1/3 oz. gravity fluid cup; e) Nozzle that allow to spray from hairline up to 1 1/2 inches wide; f) Operating Pressure: 15-57 Psi. g) rubber hose length: 2 meter (minimum) h.) Air flow: 20 liters/min. Package contents: 1 pc Air compressor, 1 set Air brush kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes in different width, tools and User's Manual that contains Operation guide, maintenance/troubleshooting procedure and list of	32 UNIT	S per	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
2	BOARD, CHOPPING, 6 COLOR Specification: Type: FoodGrade; Body Shape: Rectangular; Material: Plastic (Polypropylene), food grade; Board Size: Length: 38 cm (minimum); Width: 30 cm (minimum); Thickness: 1.27 cm (minimum); Color-coded for use with different types of food, Blue, Red, Yellow, Green, Brown and White; Preferably packed in set; No sharp edges; With hole for storage purposes.	48 UNITS (6 UNITS per SCHO		120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY &

				-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
3	BOILER, DOUBLE Specification: Material: Stainless steel; Thickness: 1/16 inch (1.5 mm) (minimum); Lid material: Glass;	40 UNITS (5 UNITS per	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG
	Riveted handle on both side; Diameter: 9 1/2 inches (minimum);	`schooĹ)		MEMORIAL NHS -DON VICENTE RAMA
	Total Height: 9.4 inches (minimum); Inset Bottom Diameter: 9 inches (minimum); Inset Top Diameter: 9 inches (minimum);			MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL
	Capacity: 2 liters (minimum); Must be a set which includes one (1) saucepan, one (1) boiler, and one (1) lid;			-PARDO NHS (DAY & NIGHT)
	With Stainless steel handle; With smooth surfaces (no sharp edges);			-PASIL NHS (NIGHT)
	with shiboth surfaces (no sharp euges),			-TAPTAP INTEGRATED SCHOOL
4	BOWL, MIXING (6 PCS/SET)	OC LINUTS	120 calendar	-BANILAD NIGHT HS,
	Specification:	96 UNITS	days from the date of receipt of	-BARRIO LUZ NHS (DAY &
	Type: Mixing Bowl Set; Body Shape: Round;	(12 UNITS per	Notice to	NIGHT)
	Material: Stainless Steel, 0.8 mm - 1.0 mm thick; Each set must consist of the following capacities:	SCHOOL)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	1 pc - 0.70 liter 1 pc - 1.5 liters 1 pc - 3 liters			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	1pc - 4 liters 1pc - 5 liters			-MABOLO NATIONAL HIGH SCHOOL
	1pc - 8 liters Light weight and easy to use, flat base, curved lip			-PARDO NHS (DAY & NIGHT)
	Preferably with packing case Dishwasher Safe			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
5	CAKE PANS, ROUND #6, #8, #10, #12, #14, #16		120 calendar	-BANILAD NIGHT HS,
	Specification: Type: Round Pan Body Shape: Round	48 UNITS	days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT)
	Material: Anodized Aluminum Thickness: 1.29 mm thick (minimum)	(6 units per school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Depth: 2 inches (50.8 mm) (minimum) Set must each contain the following diameter: 1 pc - 6 inches (152.4 mm) diameter (minimum)			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	1 pc - 8 inches (203.2 mm) diameter (minimum) 1 pc - 10 inches (254 mm) diameter (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	1 pc - 12 inches (304.8 mm) diameter (minimum) 1 pc - 14 inches (355.6 mm) diameter (minimum)			-PARDO NHS (DAY & NIGHT)
	1 pc - 16 inches (406.4 mm) diameter (minimum) Preferably packed (6 pcs per set)			-PASIL NHS (NIGHT)
	With rolled edge; With smooth surface and no sharp edges			-TAPTAP INTEGRATED SCHOOL

6	CAKE STAND, WITH TIER Specification: Type: Cake Stand with Tier, food grade Body shape: Circular with 3 tier Material: Hard Plastic, Polypropylene, 4 mm thick The tier consists of the following sizes: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tiers: 15 cm Over-all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges	48 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
7	CAKE TURN TABLE Specification: Type: Turn table Body Shape: Circular Material: Cast Aluminum Plate and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise	40 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
8	CUP, MEASURING (FOR SOLID) Specification: Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth and no sharp edges Dishwasher safe	96 UNITS (12 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL

	CUD MEACURING 350 MM FOR HOUR		12011	DANII AD NICHT HC
9	CUP, MEASURING, 250 ML FOR LIQUID		days from the	-BANILAD NIGHT HS,
	Specification:	06.111176	date of receipt of	-BARRIO LUZ NHS (DAY &
	Type: Clear Glass Cup	96 UNITS	Notice to	NIGHT)
	Body Shape: Round	440	Proceed	-DON CARLOS GOTHONG
	Material: Clear, non-porous tempered glass	(12 units per	1100000	MEMORIAL NHS
	Capacity: 250 ml (with 10 ml or 50 ml increments)	school)		
	With permanent graduation markings			-DON VICENTE RAMA
	Specified metric and English system of measurement			MEM. NHS (BASAK NHS)
	With handle & spout for easy pouring			-MABOLO NATIONAL HIGH
	Preferably with packing case			SCHOOL
	Food Grade and safe use for microwave, freezer and			
	dishwasher			-PARDO NHS (DAY & NIGHT)
				NIGHT)
				-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
				SCHOOL
10	CUD ASSACUDING FORM FOR COMP		120 aslandar	-BANILAD NIGHT HS,
10	CUP, MEASURING, 500ML FOR LIQUID		days from the	PUMITUD MIGHT U2'
	Specification:	96 UNITS	date of receipt of	-BARRIO LUZ NHS (DAY &
	Type: Clear Glass Cup		Notice to	NIGHT)
	Body Shape: Round	(12 units per	Proceed	-DON CARLOS GOTHONG
	Material: Clear, non-porous tempered glass	school)		MEMORIAL NHS
	Capacity: 500 ml (with 10 ml or 50 ml increments)			
	With permanent graduation markings			-DON VICENTE RAMA
	Specified metric and English system of measurement			MEM. NHS (BASAK NHS)
	With handle & spout for easy pouring Preferably with packing case			-MABOLO NATIONAL HIGH
	· · · · · · · · · · · · · · · · · · ·			SCHOOL
	Food grade and safe use for microwave, freeze and dishwasher			DADDO NIIC /DAV 9
	distiwastier			-PARDO NHS (DAY & NIGHT)
				,
				-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED
				SCHOOL
11	CUTTER, DOUGH		120 calendar	-BANILAD NIGHT HS,
	Specification:	40 UNITS	days from the	-BARRIO LUZ NHS (DAY &
	Type: Scraper	/Fita man	date of receipt of	NIGHT)
	Body Shape: Straight Blade	(5 units per school)	Notice to	·
	Material: Stainless Steel straight blade with stainless	Scrioor)	Proceed	-DON CARLOS GOTHONG
	steel handle			MEMORIAL NHS
	Blade dimension: Length : 15 cm x Width: 11 cm x			-DON VICENTE RAMA
	Thickness: 1.2 mm(minimum)			MEM. NHS (BASAK NHS)
	Handle Dimension: Length: 15 cm x diameter: 3 cm			-MABOLO NATIONAL HIGH
	(minimum)			SCHOOL
	Preferably with packing case			
	Food grade and dishwasher safe			-PARDO NHS (DAY &
	Design allows item to be hung for storage			NIGHT)
				-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED
12	FLOUR SIFTER, HAND CRANKED		120 calendar	SCHOOL -BANILAD NIGHT HS,
12	Specification:	40 115177	days from the	
	Type: Hand Cranked	48 UNITS	date of receipt of	-BARRIO LUZ NHS (DAY &
	Body Shape: Round Shape	(6 units per	Notice to	NIGHT)
	Material: Stainless steel	school)	Proceed	
L	Waterial Stainess steel	3011001)	1	

	Dimension: Diameter: 133.3 mm (minimum) x Height: 165 mm (minimum)			-DON CARLOS GOTHONG MEMORIAL NHS
	Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	bottom Volume markings should be seen inside and outside of the sifter			-MABOLO NATIONAL HIGH SCHOOL
	Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel			-PARDO NHS (DAY & NIGHT)
	Preferably with a packing case Dishwasher safe			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
13	KNIFE, KITCHEN		120 calendar	-BANILAD NIGHT HS,
	Specification: Type: Cook's knife or kitchen knife	48 UNITS (6 units per	days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT)
	Body Shape: Flat and Straight Edge Material: Stainless steel blade Handle material: Hard Plastic (Polypropylene) with	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	rivets Overall Length: 33 cm (minimum)			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	Blade Length: 20 cm x Width: 3.2 cm (minimum) Handle Length: 12 cm (minimum) Thickness of Blade: 3 mm (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	Pointed Tip and slight curve Preferably with packing case			-PARDO NHS (DAY & NIGHT)
	Dishwasher safe Must be branded.			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
14	KNIFE, PALLET		120 calendar	-BANILAD NIGHT HS,
	Specification: Type: Pallet knife	48 UNITS (6 units per	days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT)
	Body Shape: Offset Blade Blade material: Stainless steel Handle material: Hardwood (Smooth finish) with rivets	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Overall length: 30.5 cm - 35.6 cm Blade Dimension: Length- 17 cm x Width-3.8 cm			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	(minimum) Thickness of Blade: 1.7 mm thick (minimum) Preferably with packing case			-MABOLO NATIONAL HIGH SCHOOL
	Dishwasher safe Must be branded.			-PARDO NHS (DAY & NIGHT)
				-PASIL NHS (NIGHT)
			100	-TAPTAP INTEGRATED SCHOOL
15	LOAF PAN BIG	48 UNITS	120 calendar	-BANILAD NIGHT HS,
	Specification:	TO UNITS	days from the	DADDIO LUZ NUIC /DAV. O
	Type: Loaf pan	16 units nor	date of receipt of	-BARRIO LUZ NHS (DAY & NIGHT)
	Body Shape: Rectangular	(6 units per	Notice to	
	Material: Anodized Aluminum Thickness: 1.5 mm - 2 mm	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Length: 25.4 cm (minimum) Width: 12.7 cm (minimum)			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	Depth: 7.62 cm (minimum)			-MABOLO NATIONAL HIGH
	Preferably with packing case			SCHOOL

	Te		1	_
	Extended sides for an easy grip			-PARDO NHS (DAY &
	With smooth surfaces and no sharp edges			NIGHT)
	Food grade and oven safe			
	Must be branded.			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
16	LOAF PAN, MEDIUM		120 calendar	-BANILAD NIGHT HS,
	Specification:	48 UNITS	days from the	-BARRIO LUZ NHS (DAY &
	Type: Loaf pan		date of receipt of	NIGHT)
	Body Shape: Rectangular	(6 units per	Notice to	,
	Material: Anodized Aluminum	school)	Proceed	-DON CARLOS GOTHONG
	Thickness: 1.5 mm - 2 mm			MEMORIAL NHS
	Length: 22.86 cm (minimum)			-DON VICENTE RAMA
	Width: 11.43 cm (minimum)			MEM. NHS (BASAK NHS)
	Depth: 6.9 cm (minimum)			
	Preferably with packing case			-MABOLO NATIONAL HIGH SCHOOL
	Extended sides for an easy grip			SCHOOL
	With smooth surfaces and no sharp edges			-PARDO NHS (DAY &
	Food grade and oven safe			NIGHT)
	Must be branded.			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED
				SCHOOL
17	LOAF PAN, SMALL		120 calendar	-BANILAD NIGHT HS,
	Specification:	48 UNITS	days from the	5.5556 1117 1116 (5.1) G
	Type: Loaf pan		date of receipt of	-BARRIO LUZ NHS (DAY & NIGHT)
	Body Shape: Rectangular	(6 units per	Notice to	Moniy
	Material: Anodized Aluminum	school)	Proceed	-DON CARLOS GOTHONG
	Thickness: 1.5 mm - 2 mm			MEMORIAL NHS
	Length: 17.78 cm (minimum)			-DON VICENTE RAMA
	Width: 7.62 cm (minimum)			MEM. NHS (BASAK NHS)
	Depth: 5.48 cm (minimum)			
	Preferably with packing case			-MABOLO NATIONAL HIGH SCHOOL
	Extended sides for an easy grip			SCHOOL
	With smooth surfaces and no sharp edges			-PARDO NHS (DAY &
	Food grade and oven safe			NIGHT)
	Must be branded.			-PASIL NHS (NIGHT)
				TASIE WIIS (WIGHT)
				-TAPTAP INTEGRATED
10			120 calendar	SCHOOL -BANILAD NIGHT HS,
18	MUFFIN PAN, BIG	48 UNITS	days from the	DANNIERD MOITI 110,
	Specification:	TO OIVITO	date of receipt of	-BARRIO LUZ NHS (DAY &
	Type: Muffin pan	(6 units per	Notice to	NIGHT)
	Body Shape: Rectangular	school)	Proceed	-DON CARLOS GOTHONG
	Material: Anodized Aluminum	35.1001,		MEMORIAL NHS
	Thickness: 1.5 mm (minimum)			
	Dimension: Length-36.6 cm x Width-22.9 cm x Height-			-DON VICENTE RAMA
	7.6 cm (minimum)			MEM. NHS (BASAK NHS)
	Cup Size: Height- 8.2 cm x Diameter 8.9 cm (minimum)			-MABOLO NATIONAL HIGH
	Number of cups in a tray: 6 cups			SCHOOL
	Preferably with packing case			DVBDO NHC (DVA o
	With extended sides for an easy grip			-PARDO NHS (DAY & NIGHT)
	With smooth surfaces and no sharp edges			
	Food grade and oven safe			-PASIL NHS (NIGHT)
	Must be branded.			

				-TAPTAP INTEGRATED
19	MUFFIN PAN, MEDIUM Specification: Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm (minimum) Cup Size: Height-5.2 cm x Diameter 6.9 cm (minimum) Number of cups in a tray: 12 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges Food grade and oven safe Must be branded.	48 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	SCHOOL -BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
20	MUFFIN PAN, SMALL Specification: Type: Muffin pan Body Shape: Rectangular Material: Anodized Aluminum Thickness: 1.5 mm (minimum) Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8 cm (minimum) Cup Size: Height-2.5 cm x Diameter 3.8 cm (minimum) Number of cups in a tray: 24 cups Preferably with packing case With extended sides for an easy grip With smooth surfaces and no sharp edges	48 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
21	PIE PAN, 10 INCHES DIAMETER Specification: Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) Diameter -10 inches (254 mm) minimum Depth: 1.25 inches (31.75 mm) minimum Coated with non-stick coating materials Preferably with packing case Oven safe to 500°F / 260°C Food Grade With extended sides for an easy grip With smooth surfaces and no sharp edges Must be branded.	48 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT) -DON CARLOS GOTHONG MEMORIAL NHS -DON VICENTE RAMA MEM. NHS (BASAK NHS) -MABOLO NATIONAL HIGH SCHOOL -PARDO NHS (DAY & NIGHT) -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
22	PIE PAN, # 6, #8, #10 Specification: Type Pie Pan	48 UNITS	120 calendar days from the date of receipt of	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT)

	Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) 1) # 10 diameter: 10 inches (254 mm) minimum	(6 units per school)	Notice to Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	2) # 8 diameter: 8 inches(203 mm) minimum) 3) #6 diameter: 6 inches (152 mm) minimum			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	Depth: 1.5 inches (38.1 mm) minimum Oven safe to 500°F / 260°C Coated with non-stick coating materials			-MABOLO NATIONAL HIGH SCHOOL
	Preferably with packing case Food Grade			-PARDO NHS (DAY & NIGHT)
	With extended sides for an easy grip With smooth surfaces and no sharp edges			-PASIL NHS (NIGHT)
23	Must be branded.		120 calendar	-TAPTAP INTEGRATED SCHOOL -BANILAD NIGHT HS,
23	RECTANGULAR PAN, 1 X 8 Specification: Type: Rectangular Pan	40 UNITS (5 units per	days from the date of receipt of Notice	-BARRIO LUZ NHS (DAY & NIGHT)
	Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Height- 1 inch (minimum) Oven safe to 500°F / 260°C			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	Preferably with packing case Food grade and dishwasher safe Must be branded.			-MABOLO NATIONAL HIGH SCHOOL
				-PARDO NHS (DAY & NIGHT)
				-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
24	ROLLING PINS Specification: Type: Rolling Pins Body Shape: Tubular in shape	48 UNITS (6 units per	days from the date of receipt of Notice	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT)
	Material: Hardwood (Solid Wood in natural color) Roller Dimensions: 2.5 inches diameter x 9.5 inches	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	length (minimum) Handle dimension: 1 inch diameter x 4 inches length			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	(minimum) Overall length: 17.5 inches (minimum) With rust proof nylon bearings for smooth rolling action			-MABOLO NATIONAL HIGH SCHOOL
	Preferably with packing case Smooth surface finish with no sharp edges			-PARDO NHS (DAY & NIGHT)
	Materials used must be food grade Must be branded			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
25	SAUCE PAN Specification: Type: Sauce Pan Body Shape: Round in shape	48 UNITS	days from the date of receipt of Notice	-BANILAD NIGHT HS, -BARRIO LUZ NHS (DAY & NIGHT)
	Material: Stainless Steel with aluminum core Dimension: Diameter- 16 cm x Height-8 cm (minimum)	(6 units per school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Thickness: 1.8 mm thick (minimum) Riveted Stainless steel Handle Length: 15 cm (minimum)	,		-DON VICENTE RAMA MEM. NHS (BASAK NHS)

	T	T	T	
	Capacity: 1 quart (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	Preferably with packing case			
	With stainless steel cover,			-PARDO NHS (DAY &
	Safe for use with stove, oven, broiler and dishwasher			NIGHT)
	The materials used must be non-toxic Must be branded			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
26	SHEET PAN		120 calendar	-BANILAD NIGHT HS,
	Specification:	48 UNITS	days from the	DADDIO 1117 NIIIC /DAV 8
	Type: Sheet Pan		date of receipt of	-BARRIO LUZ NHS (DAY & NIGHT)
	Body Type: Rectangular	(6 units per	Notice to	Moni
	Material: Aluminum	school)	Proceed	-DON CARLOS GOTHONG
	Thickness: 0.91 mm Thick (minimum)			MEMORIAL NHS
	Dimension: Length-22 inches x Width-16 inches x			-DON VICENTE RAMA
	Height-1 inch (minimum)			MEM. NHS (BASAK NHS)
	Preferably with packing case			
	Smooth finish surfaces without sharp edges			-MABOLO NATIONAL HIGH
	Corrosion resistant			SCHOOL
	Superior heat conduction			-PARDO NHS (DAY &
	Oven safe to 500°F / 260°C (maximum)			NIGHT)
	Food grade			DACH NUIC (NUCLIT)
	Must be branded.			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED
				SCHOOL
27	WEIGHING SCALE, 10 KGS		120 calendar	-BANILAD NIGHT HS,
	Specification:	48 UNITS	days from the	-BARRIO LUZ NHS (DAY &
	Type: Top loading Dial Weighing Scale		date of receipt of	NIGHT)
	Body Shape: Flat Pan	(6 units per	Notice to Proceed	
	Material: Aluminum pan and metal body (enamel painted)	school)	Proceed	-DON CARLOS GOTHONG MEMORIAL NHS
	Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum)			-DON VICENTE RAMA MEM. NHS (BASAK NHS)
	Platform L-22 cm x W-22 cm (minimum)			
	Capacity: 10 kg / 22 lb.			-MABOLO NATIONAL HIGH
	Sensitivity/Graduated by 10 grams			SCHOOL
	Measurement units: Gram/Kilogram			-PARDO NHS (DAY &
	Manual Setting on Zero, must be accurate and durable			NIGHT)
	Mechanism type: Spring Lever			-PASIL NHS (NIGHT)
	Preferably with packing case			TASIE WIIS (WGITT)
	No sharp edges and rough surfaces			-TAPTAP INTEGRATED
	Comes with English User's manual that contains			SCHOOL
	Operation guide, maintenance and troubleshooting			
	procedure			
	Must be branded			
28	WEIGHING SCALE E KGS DIGITAL		120 calendar	-BANILAD NIGHT HS,
28	WEIGHING SCALE,5 KGS, DIGITAL Specification:		days from the	2.1112.12 MOITI 113,
	Type: Digital Weighing Scale		date of receipt of	-BARRIO LUZ NHS (DAY &
	Material: Hard Plastic body, Stainless Steel Weighing	48 UNITS	Notice to	NIGHT)
	Pan		Proceed	-DON CARLOS GOTHONG
	Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm	(6 units per		MEMORIAL NHS
	(minimum)	school)		
	Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm			-DON VICENTE RAMA
	(minimum)			MEM. NHS (BASAK NHS)
	Power Source: Battery Operated (Batteries are			-MABOLO NATIONAL HIGH
	included) or Optional with AC/DC Adaptor			SCHOOL
	meradea, or optional with Act De Adaptor	<u> </u>	1	

Power Rating: 3 Volts DC - 9 Volts DC (Battery)	
Capacity: 2 kg -5 kg	-PARDO NHS (DAY & NIGHT)
Weighs in 0.1 (1/10th) grams increments	NIGHT)
LCD display: 16 mm height with backlights	-PASIL NHS (NIGHT)
Preferably with packing case	
Safety Features: Auto Power off function and Tare	-TAPTAP INTEGRATED SCHOOL
features	SCHOOL
Accessories: Weighing pan and batteries	
Comes with English User's manual that contains:	
Operation guide, maintenance and troubleshooting	
procedure	
Must be branded.	

I hereby certify to comply and deliver all the above requirements.

Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Section VI. Schedule of Requirements

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – Cookery NC II - LOT 2

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	Decemention	Quantity	Total	Delivered,	Place of
No.	Description	Quantity	Total	Weeks/Months	Delivery
1	BAIN MARIE, TABLE Specification:	5 uni (1 unit		120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum)	schoo	-		-BARRIO LUZ NHS (DAY & NIGHT)
	Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment				-MABOLO NATIONAL HIGH SCHOOL
	Standard Type A male plug or provide plug Adapter 10A/220V				-PASIL NHS (NIGHT)
	Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids				-TAPTAP INTEGRATED SCHOOL
	Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges				
	Accessories: 4 pcs Pans with lid Preferably with packing case				
	Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.				
	The offered brand of the item must be an international brand with at least 5years presence at the local market and global presence in the USA, Europe or Japan market.				
	Warranty period of 1 year (parts) and 3 years (service) With Service centers located in major cities in the Philippines				
2	BLENDER, ELECTRIC Specification: Type: Blender Machine			120 calendar days from the date of	-BANILAD NIGHT HS
	Body Shape: Round Jar Material Housing: Plastic (Polypropylene) Jar Height : 25 cm to 28 cm			receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Jar Thickness: 4 mm to 8 mm Heat resistant Glass Jar with cover Source Voltage: 220 Volts / 240 Volts,50 Hz / 60 Hz with power cord 1.5 meter long with attachment of	10 units			-MABOLO NATIONAL HIGH SCHOOL
	standard Type A male plug or provide plug Adapter 10A/220V.	(2 units	•		-PASIL NHS (NIGHT)
	Power Wattage: 300 to 700 watts Blade: Stainless steel, 3 to 4 metal blades Capacity: 1.5 liters to 2 liters				-TAPTAP INTEGRATED SCHOOL

	With 5 to 10 push button speed setting with pulse			
	control switch			
	Preferably with packing case			
	With English Manual that contain: Operation guide,			
	maintenance and troubleshooting procedure			
	With Service centers located in major cities in the			
	Philippines.			
	The offered brand of the item must be an			
	international brand with at least 5 years presence at			
	the local market and global presence in the USA,			
	Europe or Japan market.			
	Warranty period of 1 year (parts and service)			
3	BOARD, CHOPPING/CUTTING, PLASTIC		120 calendar days	-BANILAD
	Specification:	80 units	from the date of	NIGHT HS
	Type: Cutting Board		receipt of Notice to	
	Body Shape: Rectangular	(16 units per	Proceed	-BARRIO LUZ
	Material: Plastic (Polypropylene), food grade	school)		NHS (DAY &
	Board Size: Length: 15 inches (minimum)	3011001,		NIGHT)
	Width: 12 inches (minimum)			-MABOLO
	Thickness: 0.5 inch (minimum)			NATIONAL HIGH
				SCHOOL
	With hole for storage purposes Preferably with packing case			
				-PASIL NHS
	Food Grade and Dishwasher Safe			(NIGHT)
				-TAPTAP
				INTEGRATED
				SCHOOL
4	DOUGH DOUBLE		120 1 1 1	-BANILAD
4	BOILER, DOUBLE	10	120 calendar days from the date of	NIGHT HS
	Specification:	10 units	receipt of Notice to	1,10111 110
	Material: Stainless steel	/2itaa	Proceed	-BARRIO LUZ
	Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass	(2 units per	1100000	NHS (DAY &
		school)		NIGHT)
	Riveted handle on both side			-MABOLO
	Diameter: 9 1/2 inches (minimum)			NATIONAL HIGH
	Total Height: 9.4 inches (minimum)			SCHOOL
	Inset Bottom Diameter: 9 inches (minimum)			
	Inset Top Diameter: 9 inches (minimum)			-PASIL NHS
	Capacity: 2 liters (minimum)			(NIGHT)
	Must be a set which includes one (1) saucepan, one (1)			TADTAD
	boiler, and one (1) lid			-TAPTAP INTEGRATED
	With Stainless steel handle and smooth surfaces with			SCHOOL
	no sharp edges			
5	BRAISING PAN, MEDIUM		120 calendar days	-BANILAD
	Specification:		from the date of	NIGHT HS
	Type: Braising Pan		receipt of Notice to	-BARRIO LUZ
	Body Shape: Round		Proceed	NHS (DAY &
	Material: Enameled cast iron and stainless steel			NIGHT)
	Size: Diameter: 28 cm x Height: 10 cm (minimum)			
	Capacity: 4 Liters (Approximate)	40 units		-MABOLO
	With stainless steel cover, solid cast Stainless Steel			NATIONAL HIGH
	side handles and riveted	(8 units per		SCHOOL
	Handle on both side: Length: 10 cm (minimum)	school)		-PASIL NHS
	Handle diameter: 8 mm to 10 mm	•		(NIGHT)
	Preferably with packing case			-/
	Oven-safe up to 500 ° F; broiler, freezer, and			-TAPTAP
	Dishwasher-safe			INTEGRATED
	Warranty period of 1 year (parts and service)			SCHOOL

-			120 1 1 1	DANIII AD
6	Can Opener Specification:	25 units	120 calendar days from the date of	-BANILAD NIGHT HS
	·	25 units	receipt of Notice to	
	Type: Can Opener	/= :	Proceed	-BARRIO LUZ
	Body Shape: lever shape	(5 units per	Tiocccu	NHS (DAY &
	Materials: Stainless Steel	school)		NIGHT)
	Dimension: Length-21 cm x Width 10 cm x			MAROLO
	Depth:2.5cm (minimum)			-MABOLO
	Multi-use: 3 in 1 Can Opener also opens bottle tops-			NATIONAL HIGH SCHOOL
	Can lids and tabs			Belloop
	Includes hanging loops on the end of each handle			-PASIL NHS
	Double Round handles that are comfortable and easy			(NIGHT)
	to grip			
	With rotating wheel and counter rotating serrated			-TAPTAP
	wheel			INTEGRATED SCHOOL
	Preferably with packing case			SCHOOL
	Cutting Mechanism leaves a smooth edge on the can			
	for your safety			
7	CART, UTILITY		120 calendar days	BANILAD NIGHT
	Specification:		from the date of	HS
	Type: Utility Cart		receipt of Notice to	DADDIO III
	Body Shape: Rectangular	5 units	Proceed	-BARRIO LUZ
	Material: Plastic Polypropylene (PP)			NHS (DAY & NIGHT)
	Dimension: (I x w x h) 84cm x 43 cm x95 cm	(1 unit per		(MGIII)
	(minimum)	school)		-MABOLO
	Capacity: 330 lbs (150kg) loads (minimum)	36110017		NATIONAL HIGH
	Three (3) shelving with at least 25 cm distance			SCHOOL
	between shelves			Pron Mia
	Tub shelves measure (l x w x h) 84cm x 43 cm x 7 cm			-PASIL NHS
	(minimum)			(NIGHT)
	With four (4) swivel caster, 10 cm diameter, two which			-TAPTAP
	have locking breaks			INTEGRATED
	Preferably with a packing case			SCHOOL
	Easy grip handles on end of cart			
	No sharp edges and rough surfaces			
8	CASSEROLE, MEDIUM		120 calendar days	-BANILAD
0	Specification:	20 units	from the date of	NIGHT HS
	Type: Casserole Pot		receipt of Notice to	
	Body Shape: Round	(4 units per	Proceed	-BARRIO LUZ
	Material: Stainless steel, 0.7 mm thick	school)		NHS (DAY &
	Dimension: Diameter- 24 cm x Height -14 cm	3333.,		NIGHT)
	(minimum)			-MABOLO
	Tempered glass lid			NATIONAL HIGH
	Welded handle on both sides, size: 7.5 cm (minimum)			SCHOOL
	Handle diameter: 8 mm to 10 mm			
				-PASIL NHS
	Preferably with packing case			(NIGHT)
	Dishwasher safe			-TAPTAP
				INTEGRATED
				SCHOOL
9	CASSEROLE, SMALL	60 units	120 calendar days	-BANILAD
	Specification:	33 31113	from the date of	NIGHT HS
	Type: Casserole Pot	(12 units per	receipt of Notice to	
	Body Shape: Round	school)	Proceed	-BARRIO LUZ
	Material: Stainless steel, 0.7 mm thick	3611001)		NHS (DAY &
	Dimension: Diameter- 20 cm x Height -12 cm			NIGHT)
	(minimum)			
	Tempered glass lid			
	rempereu giass nu			

		1	1	MAROLO
	Welded handle on both sides, size: 7.5 cm (minimum)			-MABOLO
	Handle diameter: 8 mm to 10 mm			NATIONAL HIGH SCHOOL
	Preferably with packing case			SCHOOL
	Dishwasher safe			-PASIL NHS
				(NIGHT)
				(MGIII)
				-TAPTAP
				INTEGRATED
				SCHOOL
10			120 calendar days	-BANILAD
10			from the date of	NIGHT HS
			receipt of Notice to	
	COLANDER, MEDIUM		Proceed	-BARRIO LUZ
	Specification: Type: Colander, Medium		110000	NHS (DAY &
	Body Type: Round			NIGHT)
	Material: 304 Stainless steel			MAROLO
	Diameter: 30 cm (minimum)			-MABOLO
	Capacity: 8 quarts (9 liters)			NATIONAL HIGH SCHOOL
	Welded handle on both sides, size: 7.5 cm (minimum)			SCHOOL
	Handle diameter: 8 to 10 mm			-PASIL NHS
		10		(NIGHT)
	Body Thickness: 0.8 mm (minimum)	10 units		(
	Full-ring support base, 15 cm diameter			-TAPTAP
	Preferably with a packing case	(2 units per		INTEGRATED
	Food grade and Dishwasher safe	school)		SCHOOL
11	COLANDER, SMALL		120 calendar days	-BANILAD
	Specification:	20 units	from the date of	NIGHT HS
	Type: Colander (Small)		receipt of Notice to	D. D. D. T.
	Body Shape: Round	(4 units per	Proceed	-BARRIO LUZ
	Material: 304 Stainless steel	school)		NHS (DAY &
	Diameter: 26 cm (minimum)			NIGHT)
				-MABOLO
	Capacity: 5 quarts (5.6 liters)			NATIONAL HIGH
	Welded handle on both sides, size: 7.5 cm (minimum)			SCHOOL
	Handle diameter: 8 mm to 10 mm			
	Body Thickness: 0.8 mm (minimum)			-PASIL NHS
	Full-ring support base, 15 cm diameter			(NIGHT)
	Preferably with packing case			
	Food grade and Dishwasher safe			-TAPTAP
				INTEGRATED
				SCHOOL
12	CUP, MEASURING (FOR SOLID)		120 calendar days	-BANILAD
	Specification: Type: Measuring Cup Set	40 units	from the date of	NIGHT HS
	Body Shape: Round	.5 45	receipt of Notice to	
	Material: Stainless steel, 0.7 mm thick (minimum)	(8 units per	Proceed	-BARRIO LUZ
	·			NHS (DAY &
	Each set contains the following:	school)		NIGHT)
	1 pc - 1 cup (237 mL)			MADOLO
	1 pc - 1/2 cup (118 mL)			-MABOLO NATIONAL HIGH
	1 pc - 1/3 cup (79 mL)			SCHOOL
	1 pc - 1/4 cup (59 mL)			SCHOOL
	Handle dimension: Length-12 cm x Width-1 cm			-PASIL NHS
	(minimum)			(NIGHT)
	Measuring capacity engraved on the handle			, ,
	Strip Handles have provision for hanging			-TAPTAP
	Preferably with packing case			INTEGRATED
	Smooth surfaces and dishwasher safe			SCHOOL
13	DISPENSER, PAPER TOWEL	20 units	120 calendar days	-BANILAD
13		20 units	from the date of	NIGHT HS
	Specification:	(4	receipt of Notice to	
	Type Paper Towel Dispenser	(4 units per	Proceed	
	Body Shape: Rectangular	school)	1100000	

	Material: ABS plastic Dimensions: Length =260 mm x Width =100 mm x Height = 211 mm (minimum) Capacity: 200 paper Paper size: Length-20 cm x Width- 8 cm (Approximate) Mounting style: wall mounted tissue box Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc Key to prevent random opening Preferably with a packing case The plastic material used must be non-toxic			-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED
14	FAN, ELECTRIC Specification: Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service	10 units (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
15	Fire Extinguisher (with contents) Specification: 1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity: 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder: 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12.1 year warranty parts and service 13.The item must be branded and have good quality	10 units (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
16	FISH POACHER, MEDIUM Specification:	10 units	120 calendar days from the date of	-BANILAD NIGHT HS

	Type: Fish Deacher	/2 units nor	receipt of Notice to	-BARRIO LUZ
	Type: Fish Poacher Body Shape: Oval Pot for Poaching Material: Stainless Steel, 0.64 mm thick	(2 units per school)	Proceed	NHS (DAY & NIGHT)
	Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum) Handle Material: Stainless Steel Bivoted Jagged bandles on both side 7 cm (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	Riveted looped handles on both side, 7 cm (minimum) Handle diameter: 8 mm to 10 mm Includes stainless steel lid with handle and removable			-PASIL NHS (NIGHT)
	insert Dimensions of the insert (L X w x D): 42 cm x 13 cm x 1.5 cm (minimum) with handle Preferably with a packing case			-TAPTAP INTEGRATED SCHOOL
17	Easy care, dishwasher safe		120 calendar days	-BANILAD
17	FORK, CARVING Specification:	15 units	from the date of receipt of Notice to	NIGHT HS
	Type: Carving Fork Body Shape: Square shape prong Prong Material: High Carbon Stainless steel	(3 units per school)	Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Overall Length: 30 cm (minimum) Blade dimension: Length- 15 cm x Width- 0.5 cm x thickness- 0.3 cm (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	Number of Prongs: 2 prong Comes with square- shaped prongs and pointed tips ABS Plastic Triple-riveted handle			-PASIL NHS (NIGHT)
	Preferably with packing case Dishwasher safe			-TAPTAP INTEGRATED SCHOOL
18	FRYING PAN, LARGE Specification:	10 units	120 calendar days from the date of	-BANILAD NIGHT HS
	Type: Frying Pan (large) Body Shape: Round Pan Material: Aluminum with non-stick coating	(2 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Thickness: 3 mm thick (minimum) Dimension: Diameter-30 cm (minimum) x Height- 5.5 cm (minimum)			-MABOLO NATIONAL HIGH SCHOOL
	Handle Material: Stainless steel with Silicone Riveted Handle: 20 cm long (minimum) Preferably with a packing case			-PASIL NHS (NIGHT)
	Oven safe up to 250°F			-TAPTAP INTEGRATED SCHOOL
19	FRYING PAN, MEDIUM Specification:	40 units	120 calendar days from the date of	-BANILAD NIGHT HS
	Type: Frying Pan (medium) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 2 mm thick (minimum)	(8 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Thickness: 3 mm thick (minimum) Dimension: Diameter-24 cm (minimum) x Height- 4.5 cm (minimum) Handle Material: Stainless steel with Silicone			-MABOLO NATIONAL HIGH SCHOOL
	Riveted Handle: 19 cm long (minimum) Preferably with a packing case Oven safe up to 250°F			-PASIL NHS (NIGHT)

20	FRYING PAN, SMALL Specification: Type: Frying Pan (small) Body Shape: Round Pan Material: Aluminum with non-stick coating Thickness: 3 mm thick (minimum) Dimension: Diameter-20 cm (minimum) x Height- 3.8 cm (minimum) Handle Material: Stainless steel with Silicone Riveted Handle: 12 cm long (minimum) Preferably with a packing case Oven safe up to 250°F	60 units (12 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-TAPTAP INTEGRATED SCHOOL -BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
21	GARBAGE BIN Specification: Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard Plastic, Polypropylene Dimension: Diameter-26 cm x Height-47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid with spring return swivel Preferably with a packing case Color: Any color Smooth and no rough surfaces	20 units (4 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
22	GLASS RACK Specification: Type: Glass Rack Body Shape: Square Material: Polypropylene Plastic Overall Dimensions: Length - 19 1/2 inches x Width - 19 1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case The plastic material used must be non-toxic	60 units (12 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
23	KNIFE, BONING Specification: Type: Flexible Boning Knife Body Shape: Ergonomic Material: High Carbon Steel Overall Length: 28 cm (minimum) Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip Cutting edge angle from tip to the heel is 13 to 14 degrees	40 units (8 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL

	T		T	D . GYY 3 777G
	Handle Length: 12 cm (minimum)			-PASIL NHS
	Handle Material: Hard plastic handle with rivets			(NIGHT)
	Preferably with packing case			-TAPTAP
	Dishwasher safe			INTEGRATED
				SCHOOL
24	VALUE CLUE		120 calendar days	-BANILAD
	KNIFE, CHEF		from the date of	NIGHT HS
	Specification:		receipt of Notice to	
	Type: Chef's Knife		Proceed	-BARRIO LUZ
	Body Shape: Flat			NHS (DAY &
	Materials: Stainless steel			NIGHT)
	Overall length: 30 cm (minimum)			-MABOLO
	Blade Size: Length - 20 cm x Width-4 cm (minimum)			NATIONAL HIGH
	Blade thickness: 2.5 mm (minimum)			SCHOOL
	Cutting Edge: Straight, pointed end			
	Handle: Triple Riveted Plastic (Polypropylene)			-PASIL NHS
	Preferably with packing case	50 units		(NIGHT)
	The plastic material used must be non-toxic			-TAPTAP
	Dishwasher safe	(10 units per		INTEGRATED
	Must be branded.	school)		SCHOOL
25	KNIFE, CLEAVER	•	120 calendar days	-BANILAD
	Specification:	10 units	from the date of	NIGHT HS
	Type: Cleaver Knife		receipt of Notice to	D. D. D. D. C. L.
	Body Shape: Flat	(2 units per	Proceed	-BARRIO LUZ
	Blade Material: Forged Stainless steel Heavy duty	school)		NHS (DAY & NIGHT)
	Blade length: 17 cm (minimum)			(NIGITI)
	Overall length: 30 cm (minimum			-MABOLO
	Cutting Edge: Straight			NATIONAL HIGH
	Handle Material: Ergonomic Wood Handle with triple			SCHOOL
	rivets			-PASIL NHS
	Blade thickness: 3 mm (minimum)			(NIGHT)
	Blade width: 12 cm (minimum)			(INGIII)
	Preferably with packing case			-TAPTAP
	The plastic material used must be non-toxic			INTEGRATED
	Dishwasher safe			SCHOOL
	Must be branded			
26	LIGHT, EMERGENCY	10 units	120 calendar days	-BANILAD
20	Specification:	10 011113	from the date of	NIGHT HS
	Emergency light, 2 heads LED	(2 units per	receipt of Notice to	
	Materials: metal, anti-rust coated	school)	Proceed	-BARRIO LUZ
	Duration Time (2 heads): 5 hours (minimum)	3011001)		NHS (DAY &
	Automatically Light Up during Power Outage			NIGHT)
	Overcharge and Over- discharge Protection			-MABOLO
				NATIONAL HIGH
	Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an			SCHOOL
	option)			-PASIL NHS
	Battery Test Switch - External Safety Fuse			(NIGHT)
	Head: White LED 1W (minimum) 3.5 " Dome Reflector			-TAPTAP
	Power rating: 220 -240 VAC , 50/60 Hz			INTEGRATED
	20-24 Hours Charge Time			SCHOOL
	Dimensions: Rectangular 27 x 7 x 27 cm (approx.)			
	Smooth surface, no sharp edges			
	Includes User's Manual in English which contains:			
	a. A Diagram of the Parts with their Names,			
	b. Operating Procedures on how to use the			
	Equipment,			
	c. Safety Precautions when using the Equipment,			

			1	_
	d. Basic Troubleshooting and Maintenance Procedures			
	The item must be branded, Brand name and electrical			
27			100 1 1 1	DANIII AD
27	ratings permanently mark on the item. MEAT SLICER, SMALL Specification: Type: Meat Slicer Body Shape: Circular Housing Material: Die Cast Aluminum Alloy and body painted Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38 cm (minimum) Stainless Steel Rotary Blade Diameter: 190 mm (minimum) Power Source: 220 Volts-230 Volts, 60 Hz with power cord 1.5 meter long with attachment of standard Type A male plug or provide plug Adapter 10A/220V Power Rated: 150 Watts (minimum) Adjustment slicing /Cutting Thickness: 0 - 20 mm thick Complete with push button switch, pilot light and adjustable control knob for slice thickness Equipped with food carrier, slide bracket, locking plate, blade, knife sharpener, handle bar and fixed ring guard for safety Preferably with a packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure and list of parts.	10 units (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
	With Service centers located in major cities in the			
	Philippines.			
	Warranty period of 1 year (parts and service) Must be branded			
28	Must be branded	20 units	120 calendar days	BANILAD NIGHT
	PAN, ROASTING Specification: Type: Roasting Pan Body Shape: Rectangular Material: Stainless Steel Dimension: Length: 40cm x Width 35cm x height- 7 ½ cm (minimum) Thickness: 1.5 mm thick (minimum) Welded Handles on both side Removable stainless steel wire rack Rack dimension: Length: 38 cm x Width 23 cm (minimum) Rack wire diameter: 0.5 cm (minimum) Preferably with a packaging case Dishwasher safe Must be branded	(4 units per school)	from the date of receipt of Notice to Proceed	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
29	PEELER, Y-TYPE Specification:	40 units	120 calendar days from the date of receipt of Notice to	BANILAD NIGHT HS
	Type: Y-Type Peelers Body Shape: Ergonomic Material: Stainless Steel	(8 units per school)	Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
1	iviateriai. Stairiless steer			

	Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1 inch (minimum) Blade Material: 304 Stainless steel, 0.7 mm			-MABOLO NATIONAL HIGH SCHOOL
	Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1 inch (minimum)			-PASIL NHS (NIGHT)
	Handle Material: Stainless steel Handle length: 4 3/4 inches x 1 inch diameter (minimum)			-TAPTAP INTEGRATED SCHOOL
	2 in 1 design with 2 blade reel, built in potato eye remover and hole for hanger Preferably with a packing case			
	Food grade and non-toxic material. Must be branded			
30	PEPPER AND SALT MILL Specification:	40 units	120 calendar days from the date of	BANILAD NIGHT HS
	Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood	(8 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism			-MABOLO NATIONAL HIGH SCHOOL
	Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices			-PASIL NHS (NIGHT)
	Preferably with a packing case Food grade and nontoxic Must be branded			-TAPTAP INTEGRATED SCHOOL
31	PLATE RACK Specification:		120 calendar days from the date of	BANILAD NIGHT HS
	Type: Plate Rack Body Shape: Rectangular Material: 304 Stainless Steel		receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Dimension: Length-475 mm x Width- 290 mm x Height- 380 mm (minimum) Heavy duty wire shelving, 2.6 mm diameter	60 units		-MABOLO NATIONAL HIGH SCHOOL
	(minimum) Tubular Post Diameter: 20 mm thick (minimum) Drawer type drainer tray: (L x W x H) 430 mm x 250	60 units (12 units per		-PASIL NHS (NIGHT)
	mm x 20 mm (minimum) Preferably with a packing case	school)		-TAPTAP
	With 2 tier dish drying rack with non-slip rubber footing			INTEGRATED SCHOOL
22	Must be branded	25 ''	120 1 1	DANII AD MICUT
32	PREPARATION TABLE WITH SINK & Shelves Specification:	25 units	from the date of	BANILAD NIGHT HS
	Type: Preparation Table with sink & shelves Body Shape: Rectangular Material: Stainless steel, 1 mm thick (minimum)	(5 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Dimensions: L-1200 mm x W - 700 mm x H - 850 mm (minimum) Stainless Steel table top and stainless steel under shelf			-MABOLO NATIONAL HIGH
	fully welded construction Sink: Left Side Single bowl sink with drainer 4 inches & faucet provision			SCHOOL -PASIL NHS (NIGHT)
	Sink dimension (L x W x D) 400 mm x 500 mmx 25 mm (minimum)			(1410111)

				1
	With Backsplash 100 mm (minimum)			-TAPTAP
	Measured 600 mm between table top to under shelf			INTEGRATED
	Welded Tubular Stainless Steel legs: Diameter 35 mm			SCHOOL
	x 1mm thick (minimum)			
	Preferably with a packing Case			
	Comes with screw-type adjustable bullet feet			
	Smooth surfaces and no sharp edges			
	Warranty period of 1 year (parts and service)			
	Must be branded.			
33	PRESSURE COOKER	10 units	120 calendar days	BANILAD NIGHT
33	Specification:	10 units	from the date of	HS
	•	/2 units nor	receipt of Notice to	
	Type: Pressure Cooker	(2 units per	Proceed	-BARRIO LUZ
	Body Shape: Round	school)	1100000	NHS (DAY &
	Material: Polished aluminum			NIGHT)
	Dimension: Diameter: 32 cm x Height: 25 cm			-MABOLO
	(minimum)			NATIONAL HIGH
	Capacity: 10 quarts (11.3 liters)			SCHOOL
	Side handles for secure carrying			
	Equipped with safety opening mechanism, spring			-PASIL NHS
	safety valve, rubber seal ring			(NIGHT)
	Dishwasher safe			T + DT + D
	Comes with an English manual that contain: Operation			-TAPTAP INTEGRATED
	guide, safety guide, maintenance / troubleshooting			SCHOOL
	procedure.			SCHOOL
	With Service centers located in major cities in the			
	Philippines.			
	Warranty period of 1 year (parts and service)			
	NA. ot be broaded			
	Must be branded.			
34			120 calendar days	BANILAD NIGHT
34	SIEVER, SMALL	40 units	from the date of	BANILAD NIGHT HS
34	SIEVER, SMALL Specification:	40 units	from the date of receipt of Notice to	HS
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever		from the date of	HS -BARRIO LUZ
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY &
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel		from the date of receipt of Notice to	HS -BARRIO LUZ
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum)	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum)	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum)	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum)	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case	(8 units per	from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe	(8 units per	from the date of receipt of Notice to Proceed	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
34	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe	(8 units per	from the date of receipt of Notice to Proceed 120 calendar days	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded	(8 units per school)	from the date of receipt of Notice to Proceed 120 calendar days from the date of	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK	(8 units per school)	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification:	(8 units per school) 50 units	from the date of receipt of Notice to Proceed 120 calendar days from the date of	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY &
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT)
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum)	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm No. of Compartment: 16 Compartments	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT)
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm No. of Compartment: 16 Compartments Rounded handles on all four sides, 1.5 cm over tap and	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP
	SIEVER, SMALL Specification: Type: Fine Mesh Siever Body Shape: Round Material: Stainless steel Diameter: 20 cm (minimum) Depth: 7 cm (minimum) Twin wire handle: Length 20 cm x 5 mm diameter (minimum) Fine Mesh: 0.7 mm (1/32 inch) (minimum) Preferably with a packing case Dishwashing safe Must be branded SOUP CUP RACK Specification: Type: Soup Cup Rack Body Shape: Square Material: Polypropylene Plastic Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm (minimum) Compartment Length: 11 cm Compartment Width: 11 cm Compartment /Inside Height: 6.7 cm No. of Compartment: 16 Compartments	(8 units per school) 50 units (10 units per	from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to	-BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT)

	The material used must be non-toyin		1	
	The material used must be non-toxic			
2.5	Must be branded		120 1 1 1	DANII AD MICHT
36	SPATULA	40 units	120 calendar days from the date of	BANILAD NIGHT HS
	Specification:	io armes	receipt of Notice to	-BARRIO LUZ
	type: Offset Spatula	(8 units per	Proceed	NHS (DAY &
	Body Shape: Flat	school)		NIGHT)
	Blade material: Stainless steel 316	scrioorj		,
	Handle material: Hardwood (Smooth finish) with rivets			-MABOLO
	·			NATIONAL HIGH
	Blade Dimension: Length= 7 .5 inches x Width-1.5			SCHOOL
	inches (minimum)			-PASIL NHS
	Thickness of Blade: 1.7 mm thick (minimum)			(NIGHT)
	Total length = 12 to 14 inches			(IVIGIII)
	Preferably with a packing case			-TAPTAP
	Dishwasher Safe			INTEGRATED
	Must be branded.			SCHOOL
37	STOCK POT, LARGE		120 calendar days	BANILAD NIGHT
	Specification:	20 units	from the date of	HS
	Type: Stock Pot, large		receipt of Notice to	-BARRIO LUZ
	Body Shape: Round	(4 units per	Proceed	NHS (DAY &
	Material: Stainless Steel, 0.8 mm thick (minimum)	school)		NIGHT)
	Top Diameter: 30 cm (minimum)			·
	Height: 31 cm (minimum)			-MABOLO
	Capacity: 20 quarts (22.7 liters)			NATIONAL HIGH SCHOOL
	Oven safe to 350°F and Dishwasher safe.			SCHOOL
	With aluminum disc layer in bottom for even heat (5			-PASIL NHS
	mm aluminum core)			(NIGHT)
	Comes with a cover and two reinforced stainless steel			
	handle on both sides			-TAPTAP
	Preferably with a packing case			INTEGRATED SCHOOL
	Dishwasher safe			SCHOOL
	Must be branded.			
38	STRAINER CHINOIS, MEDIUM	10 units	120 calendar days	BANILAD NIGHT
	Specification:	10 dilits	from the date of	HS
	Type: Strainer Chinois, medium	(2 units per	receipt of Notice to	-BARRIO LUZ
	Body Shape: Conical	school)	Proceed	NHS (DAY &
	Material: Stainless steel	3011001)		NIGHT)
	Strainer diameter: 20 cm (minimum)			,
	· · · · · · · · · · · · · · · · · · ·			-MABOLO
	Strainer depth: 21.5 cm (minimum)			NATIONAL HIGH
	Handle length: 20 cm (minimum)			SCHOOL
	With 2 mm. (approx.) fine mesh			-PASIL NHS
	Handle has provision for hanging			(NIGHT)
	Preferably with a packing case			,
	Dishwasher Safe			-TAPTAP
	Must be branded			INTEGRATED
39	STRAINER CHINOIS, SMALL	15 units	120 calendar days	SCHOOL BANILAD NIGHT
) 39	Specification:	13 units	from the date of	HS HS
	Type: Strainer Chinois, medium	(2 units nor	receipt of Notice to	
	· ·	(3 units per	Proceed	-BARRIO LUZ
	Body Shape: Conical Material: Stainless steel	school)	110000	NHS (DAY &
				NIGHT)
	Strainer diameter: 14 cm (minimum)			-MABOLO
	Strainer depth: 13 cm (minimum)			NATIONAL HIGH
	Handle length: 15 cm (minimum)			SCHOOL
	With 1 mm. (approx.) fine mesh			
	Handle has provision for hanging			

Preferably with a packing case Dishwasher Safe Must be branded 40 STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 41 TABLE, WORKING 40 units 40 units (8 units per school) 120 calendar days from the date of receipt of Notice to Proceed Proceed 120 calendar days INSURATIONAL H SCHOOL ANABOLO NATIONAL H SCHOOL 120 calendar days INTEGRATED SCHOOL BANILAD NIC (NIGHT) -BARRIO NABOLO NATIONAL H SCHOOL 120 calendar days BANILAD NIC (NIGHT)
Must be branded 40 STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 40 units (8 units per school) (8 units per school) (8 units per school) -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL (NIGHT) -TAPTAP INTEGRATED SCHOOL -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL -BARRIO NHS (DAY NIGHT) -BARRIO NHS -BARRIO
40 STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 40 units 40 units (8 units per school) (8 units per school) (8 units per school) -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIC
40 STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. INTEGRATED SCHOOL 40 units (8 units per school) -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL 120 calendar days BANILAD NIG
40 STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 40 units (8 units per school) (9 -BARRIO NIGHT) -MABOLO NATIONAL H SCHOOL (NIGHT) -TAPTAP INTEGRATED SCHOOL 41 TABLE, WORKING
STRAINER MEDIUM, FINE Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 41 TABLE, WORKING Kaunits per (8 units per school) from the date of receipt of Notice to Proceed HS -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL (NIGHT) -TAPTAP INTEGRATED SCHOOL BANILAD NIG
Specification: Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. [8 units per school) [8 units per school) [9
Type: Strainer, medium fine Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 120 calendar days BARRIO Proceed BARRIO NHS (DAY NIGHT) -BARRIO NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL 120 calendar days BANILAD NIGHT
Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 41 TABLE, WORKING NHS (DAY NIGHT) -MABOLO NATIONAL H SCHOOL NESCHOOL 1-ABOLO NATIONAL H SCHOOL NHS (DAY NIGHT) MABOLO NATIONAL H SCHOOL 1-ABIL NIGHT) 1-AB
Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. MIGHT) -MABOLO NATIONAL H SCHOOL -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL 41 TABLE, WORKING
Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 41 TABLE, WORKING -MABOLO NATIONAL H SCHOOL (NIGHT) -PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL
Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. TABLE, WORKING -MABOLO NATIONAL H SCHOOL 1-PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL 120 calendar days BANILAD NIG
Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. 120 calendar days NATIONAL H SCHOOL 1 rAPTAP INTEGRATED SCHOOL 1 TABLE, WORKING
With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. TABLE, WORKING Dishwasher safe Must be branded. 120 calendar days BANILAD NICE TO STRAIN TO
Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. TABLE, WORKING PASIL (NIGHT) -TAPTAP INTEGRATED SCHOOL 120 calendar days BANILAD NIG
Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded. TABLE, WORKING (NIGHT) -TAPTAP INTEGRATED SCHOOL 120 calendar days BANILAD NIG
Preferably with a packing case Dishwasher safe Must be branded. TABLE, WORKING Dishwasher safe Must be branded. 120 calendar days BANILAD NIC
Dishwasher safe Must be branded. TABLE, WORKING Dishwasher safe INTEGRATED SCHOOL 120 calendar days BANILAD NIC
Dishwasher safe Must be branded. TABLE, WORKING Dishwasher safe INTEGRATED SCHOOL 120 calendar days BANILAD NIC
Must be branded. SCHOOL 41 TABLE, WORKING 120 calendar days BANILAD NIC
, , , , , , , , , , , , , , , , , , ,
'
Specification: from the date of HS
Type: Working table stainless steel
Proceed Proceed -DARRIO
Materials: 304 stainless steel, 1.29 mm thick (gauge 10 units NHS (DAY NIGHT)
16) minimum
Length: 1220 mm (minimum) (2 units per -MABOLO
Width: 700 mm (minimum) school) NATIONAL H
Height: 850 mm (minimum)
Tubulan Chainless should be 20 years (minimum) with 4
adjustable bullet feet Tubular Stainless steel legs, 38 mm (minimum) with 4 -PASIL
Fully welded construction
Thickness: Gauge 16 (1.29 mm thick) minimum
Stainless steel table ton with stainless steel undershelf INTEGRATED
Distance between table top and under shelf is 650 mm
(minimum)
No sharp edges and rough surfaces
Must be branded
42 TENDERIZER MEDIUM 40 units 120 calendar days BANILAD NIC
TENDERIZER, MEDIUM 40 units from the date of HS
Specification: receipt of Notice to
Type: Tenderizer (8 units per Proceed -BARRIO
Body Shape: Ergonomic school) NHS (DAY
Material: Cast aluminum NIGHT)
Overall Length: 26 cm (minimum) -MABOLO
Dual-sided hammer, square head: 6 cm x 6 cm
(minimum) SCHOOL
Ridged surface with rows of dull, pyramid-shaped
spikes -PASIL 1
Weight: 250 grams to 500 grams (NIGHT)
Preferably with a packing case -TAPTAP
Dishwasher safe INTEGRATED
Must be branded SCHOOL
43 TONG, 12 INCHES 40 units 120 calendar days BANILAD NIC
Specification: from the date of HS
Type: Tong, 12 inches (8 units per receipt of Notice to
Body Shape: Standard school) Proceed

	Material: Stainless Steel Size: 12 inches Stainless-steel arms with soft, comfortable grips			-BARRIO LUZ NHS (DAY & NIGHT)
	Nylon heads safe for nonstick cookware Heat-resistant up to 400 degrees Fahrenheit Tongs lock closed for storage Preferably with a packing case			-MABOLO NATIONAL HIGH SCHOOL
	Food Grade and Dishwasher-safe Must be branded			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
44	TRAY, BAKING, SMALL Specification:	40 units	120 calendar days from the date of	BANILAD NIGHT HS
	Type: Baking Tray Body Shape: Rectangular Material: Stainless Steel	(8 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Dimension: 20 cm x 30 cm x 3.7 cm (minimum) Body thickness: 0.7- 1.0 mm Preferably with packing case			-MABOLO NATIONAL HIGH SCHOOL
	Dishwasher safe Must be branded.			-PASIL NHS (NIGHT)
				-TAPTAP INTEGRATED SCHOOL
45	TRAY, UTILITY Specification:	50 units	120 calendar days from the date of	BANILAD NIGHT HS
	Type: Utility Tray Body Shape: Rectangular Material: Stainless Steel	(10 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Dimension: Length- 48 cm x Width-32 cm x Height-2.5 cm (minimum) Reinforced edges Finish: Polished			-MABOLO NATIONAL HIGH SCHOOL
	Preferably with a packing case Washable and oven safe			-PASIL NHS (NIGHT)
	Must be branded.			-TAPTAP INTEGRATED SCHOOL
46	TUBE PASTRY Type: Pastry Tubes	40 units	120 calendar days from the date of	BANILAD NIGHT HS
	Body Shape: Tube in different shape of nozzles Material: Stainless Steel Set contain: 24 different shapes of nozzles (minimum) Tube Height: 3.5 cm to 5 cm	(8 units per school)	receipt of Notice to Proceed	-BARRIO LUZ NHS (DAY & NIGHT)
	Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes,			-MABOLO NATIONAL HIGH SCHOOL
	flowers, stars, leaves and other designs Include storage box Food grade and non-toxic			-PASIL NHS (NIGHT)
	Must be branded			-TAPTAP INTEGRATED SCHOOL

	<u></u>		1100 1 1	DANIE AD MICHE
47	TURNER 3" X 6"	40 units	120 calendar days from the date of	BANILAD NIGHT HS
	Specification:		receipt of Notice to	
	Type: Slotted Turner, 3" x 6"	(8 units per	Proceed	-BARRIO LUZ
	Body Shape: Straight	school)	1100000	NHS (DAY &
	Material: Stainless steel	,		NIGHT)
	Blade Size (Lx W): 6 inches x 3 inches (minimum)			
				-MABOLO
	Handle length: 5 inches (minimum)			NATIONAL HIGH
	Overall length: 13 inches (minimum)			SCHOOL
	Solid Turner with straight slotted blade			DACH MIC
	Wooden Handle with triple rivets			-PASIL NHS
	Preferably with a packing case			(NIGHT)
	Dishwasher safe			-TAPTAP
	Must be branded			INTEGRATED
				SCHOOL
48	WEIGHING SCALE, 1 KG, DIGITAL		120 calendar days	BANILAD NIGHT
40		20 unita	from the date of	HS
	Specification:	20 units	receipt of Notice to	115
	Type: Digital weighing scale		-	-BARRIO LUZ
	Body Shape: Rectangular	(4 units per	Proceed	NHS (DAY &
	Materials: Engineering Plastic and Stainless Steel	school)		NIGHT)
	weighing plate			,
	Capacity: 1 kg			-MABOLO
	Accuracy: 1 gram			NATIONAL HIGH
	Back light LCD display with 15 mm minimum high			SCHOOL
	digits			
	-			-PASIL NHS
	Weighing Units: gram, ounce, pound			(NIGHT)
	Size: (L x W x H mm) 163 mm x 245 mm x 79 mmm			-TAPTAP
	(minimum)			INTEGRATED
	Battery Operated, (batteries included)			SCHOOL
	Auto power "OFF" after 3 minutes without a change of			BCHOOL
	load			
	Preferably with a packing case			
	With Service centers located in major cities in the			
	Philippines.			
	Warranty period of 1 year (parts and service)			
	Must be branded.			
40			120 calendar days	RANII AD NIGHT
49	WEIGHING SCALE, 5 KG, Mechanical		from the date of	HS HS
	Specification:	40 "		115
	Type: Mechanical Weighing Scale	10 units	receipt of Notice to	-BARRIO LUZ
	Body Type: Circular Bowl		Proceed	NHS (DAY &
	Material: Stainless Steel bowl and metal body (coated)	(2 units per		NIGHT)
	Mechanism Type: Spring Lever	school)		
	Capacity: 5kg/ 11 lb.			-MABOLO
	Sensitivity/ Graduated by 10 gm			NATIONAL HIGH
	Measurement units: Gram/Kilogram			SCHOOL
	Manual setting on Zero, must be accurate and durable			DAGII NIIG
	Calibrate the scale using the adjustment knob			-PASIL NHS
				(NIGHT)
	Preferably with a packing case			-TAPTAP
	Delivery must include instruction manual written in			INTEGRATED
	good English			SCHOOL
	With Service centers located in the major cities in the			
	Philippines			
	Warranty period of 1 year (parts and service)			
	Must be branded			
	1			l

	WOK MEDIUM	10 units		
50	WOK, MEDIUM Specification: Type: Wok, medium Body Shape: Round Material: Carbon steel Thickness: 1.8 mm thick (minimum) Dimensions (Dia. x H): 45 cm x 14 cm (minimum) Handle Material: Steel Riveted Convenient both side handle 10 cm (minimum) With flat bottom Preferably with a packing case Dishwashing safe Must be branded	10 units (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL
51	ZESTER Type: Cheese Zester Body Shape: Standard Material: Stainless steel Grating surface dimensions (L x W) 20.3 cm x 4 cm (minimum) Overall Length: 32.5 cm (minimum) Handel Material: plastic (polypropylene) Ergonomic Handle Preferably with a packing case Dishwasher safe The plastic material used must be non-toxic Must be branded	40 UNITS (8 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BANILAD NIGHT HS -BARRIO LUZ NHS (DAY & NIGHT) -MABOLO NATIONAL HIGH SCHOOL -PASIL NHS (NIGHT) -TAPTAP INTEGRATED SCHOOL

I hereby certify to comply and deliver all the above requirements.

S
Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Section VI. Schedule of Requirements

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – Food and Beverage Services NC II - LOT 3

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	Description	Quantity	Total	Delivered,	Place of
No.	-	-		Weeks/Months	Delivery
1	Coffee Pot, 2 Pints Specification: Type: Manual drip Body shape: Round Material: Stainless Steel with cover Capacity: 2 pints Outside Diameter: 90 -110 mm Over-all Height: 200 - 230 mm Thickness: 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality	35 UN (5 units scho	s per	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
2	Cups and Saucers 5-6 oz. Specification: 1. Material: Porcelain 2. Capacity: 5 oz./140 ml 3. Heatproof up to 300 deg. C 4. Color: White 5. The item must be of good quality 6. Packed in carton box	168 UI (24 ui per sch	nits	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
3	FOLDER, MENU Type: Leather Menu Folder Body shape: Rectangular Material: Leather With 2 Partitions and 6 Inserts Size: 31.5cm X 24.5cm color: Brown/Black Applicable paper size: A4	42 UNIT	s per	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
4	Fork, Cocktail Specification: 1. Material/Appearance: Stainless Steel, Highly Polished, w/ plain Design 2. Type: Rounded Tip Handle	168 UI	NITS	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night)

	3. Over-all Length: 110 - 165 mm 4. Width: 20 - 30 mm (minimum) 5. Handle Thickness: 2 mm to 4 mm 6. Handle Length: 75 - 90 mm 7. Small, 8. Color: Silver 9. The item must be branded and have good quality. 10. Packed in plastic pouch	(24 units per school)		-Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
5	Fork, Dessert Specification: Type: Dessert Fork Body shape: Fork shape, round tip Material/Appearance: Stainless Steel, highly Polished, with plain Design, Rounded tip Handle Length: 150 mm - 175 mm Width: 20 - 30 mm Handle Thickness: 1.5 mm - 3 mm Number of Tines: 4 Handle: 130 mm (minimum) Color: Silver Packed in plastic pouch The item must be of good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
6	Fork, Dinner Specification: Type: Dinner Fork Body shape: Fork shape Material / Appearance: Stainless Steel, highly Polished, with 4 tines Over - All Length: 120 - 175 mm Thickness of Handle: 2 - 3 mm Color: Silver Packed in plastic pouch	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
7	The item must be of good quality Fork, Fish Specification: Type: Fish Fork Body shape: Fork shape with round tip Material / Appearance: Stainless Steel, highly Polished, With plain Design Over-all Length: 180 - 215 mm Fork Width: 1.5 mm - 3 mm Fork Thickness: 1 mm - 2 mm Number of Tines: 4 Length Handle: 120 - 130 mm Handle Thickness: 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

8	Fork, Oyster Specification: Type: Oyster Fork Body shape: Fork shape Material: Stainless Steel, with high polish appearance, and with plain design Length: 90 - 120 mm Thickness: 1 mm - 3 mm Silver Color with three short wide curved tines Packed in plastic pouch The item must be of good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
9	FORK, SALAD Type: Salad Fork Body shape: Fork shape Material/Appearance: Stainless Steel, highly polished, with 4 tines Length: 150 mm - 175 mm Thickness of Handle: 2 mm - 3 mm Color: Silver Packed in plastic pouch The item must be of good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
10	Glass, Champagne Flute Specification: Type: Flute Glass Body shape: Round Material: Clear Crystal Glass Dimension: Height: 20 -24 cm, Top diameter: 50 -70 mm, Bottom diameter: 60 - 80 mm Capacity: 250 mL. (minimum) Thickness: 1.5 - 3 mm Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
11	Glass, Collins Specification: Type: Tumbler Body shape: Round Material: Clear Glass Capacity: 10 oz to 14 oz Thickness: 1.5 -3 mm (minimum) Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

		168 UNITS	120 calendar days	-Banilad Night HS
	Class Ivias / Hi Ball	100 011113	from the date of	-Barrio Luz NHS
12	Glass, Juice / Hi- Ball	/	receipt of Notice to	(Day & Night)
	Specification:	(24 units	Proceed	-Don Vicente Rama Mem. NHS (Basak
	1. Material : Clear Glass	per school)		NHS),
	2. Type : Hi-ball			-MABOLO
	3. Height : 140 - 160 mm			NATIONAL HIGH
	4. Bottom Diameter : 50 -70 mm			SCHOOL -Pardo NHS (Day &
	5. Top Diameter : 50 - 70 mm			Night)
	6. Thickness : 2 - 4 (minimum)			-Pasil NHS (Night)
	7. Capacity: 8 oz. To 10 oz.			-Taptap Integrated
	8. Diswasher Safe			School
	9. The item must be branded and good quality			
	10. Packed in carton box			
		168 UNITS	120 calendar days	-Banilad Night HS -Barrio Luz NHS
			from the date of receipt of Notice to	(Day & Night)
	Glass, Pilsner (Ice Tea Glass)	(24 units	Proceed	-Don Vicente Rama
13	Specification:	per school)		Mem. NHS (Basak
	Type: Flaired Rim	,		NHS), -MABOLO
	Body shape: Round slender			NATIONAL HIGH
	Material: Clear Glass			SCHOOL
	Capacity: 20 oz. to 23 oz.			-Pardo NHS (Day & Night)
	Over-all Length: 22 -25 cm			-Pasil NHS (Night)
	Thickness of Glass: 1 -3 mm			-Taptap Integrated
	With flaired rim and slender shape			School
	Packed in carton box			
	The item must have good quality			
	The item must have good quanty			
	Class Bad Wiles		120 salandan daya	-Banilad Night HS
	Glass, Red Wine	168 UNITS	120 calendar days from the date of	-Barrio Luz NHS
	Specification:		receipt of Notice to	(Day & Night)
14	Type: Royalty	(24 units	Proceed	-Don Vicente Rama
	Body shape: Balloon shaped bowl	1 ,		Mem. NHS (Basak NHS),
	Material: Crystal Clear Glass	per school)		-MABOLO
	Rim diameter : 55 - 60 mm			NATIONAL HIGH
	Thickness: 1.5 mm - 3 mm			SCHOOL -Pardo NHS (Day &
	Over - all Length : 200 -220 mm			Night)
	Capacity: 250 -300 ml			-Pasil NHS (Night)
	Stem diameter: 6 - 8 mm			-Taptap Integrated School
	Stem Length: 85 - 90 mm			SCHOOL
	Base diameter: 75 - 85 mm			
	Base Thickness : 2 - 4 mm Packed in carton box			
	The item must have good quality			
15	Glass, White Wine	168 UNITS	120 calendar days	-Banilad Night HS
13	Specification:	TOO CINITS	from the date of	-Barrio Luz NHS (Day & Night)
	Type: Royalty	(2.1	receipt of Notice to	-Don Vicente Rama
	Body shape: Balloon shaped bowl	(24 units	Proceed	Mem. NHS (Basak
	Material: Crystal Clear Glass	per school)		NHS),
	Rim diameter : 55 - 60 mm			-MABOLO NATIONAL HIGH
	Thickness: 1.5 - 3 mm			SCHOOL

	Over -all Length: 200 -220 mm Capacity: 270 - 300 ml Stem diameter: 6 - 8 mm Stem length: 75 - 85 mm Base diameter: 70 - 80 mm Base thickness: 2 - 5 mm Packed in carton box The item must have good quality			-Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
16	Gravy Boats Specification: Type: Steel Type Body shape: Boat shape with handle Material: Stainless Steel Capacity: 5 oz. Appearance: Mirror Polish Finish Size:17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches (minimum) The item must have good quality Packed in plastic pouch	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
17	Ice Bucket, 2 liters with Tongs Set includes: A. Ice bucket Material: Stainless Steel Diameter: 140 - 180 mm Height: 140 - 170 mm Thickness of bucket: 0.7 - 2 mm Capacity: 2 liters (minimum) The item must have good quality B. Ice Tongs Material: Stainless Steel Dimension: Over-All Length: 150 -170 mm Thickness: 0.5 mm - 0.7 mm The item must have good quality Packed in carton box	35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

18	Knife, Butter Specification: 1. Material: Stainless Steel w/ highly Polished Appearance 2. Over-all Length: 140 mm - 150 mm 3. Handle Thickness: 3 mm - 5 mm 4. With Dull Edge and Rounded Tip 5. The item must have good quality. 6. Packed in carton box	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
19	Knife, Dinner Specification: Type: Dinner Knife Body shape: Flat with round tip Material / Appearance: Stainless Steel Blade Highly Polished Handle Material: Stainless Steel Overall Length: 160 - 190 mm Blade Thickness: 2 - 4 mm Handle Thickness: 3 - 6 mm Serrated Blade with Rounded Tip Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
20	Knife, Fish Specification: Type: Fish Knife Body shape: Flat with pointed tip Material / Appearance: Stainless Steel, highly Polished w/ plain design Overall Length: 200 - 220 mm Width Blade: 20 - 25 mm Thickness of Blade: 2 mm - 4 mm Thickness of Handle: 3 mm - 6 mm Wide blade, dull edge, tip made with a notched point Color: Silver Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
21	Knife, SALAD Type: Salad Knife Body shape: Semi rectangular blade with pointed tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Overall Length: 145 -160 mm Blade Thickness: 2 mm to 4 mm Handle Thickness: 4 mm to 6 mm	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night)

	Handle Material: Stainless Steel Rounded tip handle Packed in carton box			-Taptap Integrated School
	The item must have good quality			
22	Steak Knife Type: Steak knife Body shape: Flat with serrated edge Material: Stainless Steel steel blade with wooden handle Length: 170 mm to 203 mm Handle wood Thickness: 10 - 14 mm With serrated blade Packed in carton box The item must have good quality	168 UNITS 24 units per school	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
24	Napkin Holder Specification: Type: Steel Type Body shape: Rectangular Material: Stainless Steel with Highly Polished Appearance Dimension: Width: 70 - 90 mm x Length: 150 - 170 mm, Thickness: 0.7 mm -2 mm Packed in plastic pouch The item must have good quality PEPPER AND SALT MILL Specification: Type: Pepper & Salt Mill Body Shape: Round BODY Material: Wood SIZE: Diameter: 5 cm x Height: 20 cm (minimum) Carved of wood with stainless steel grinding mechanism Color: Natural Screw Cap at the top of the mill to adjust the thickness of peeper or spices Preferably with a packing case Food grade and nontoxic	42 UNITS (6 units per school) 28 UNITS (4 units per school)	120 calendar days from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School -Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
25	Plate Covers Specification: Type: Steel Type Body shape: Circular Material: Stainless Steel, mirror polished Diameter: 10 1/4 inches (minimum) Height: 2 7/8 inches (minimum) Thickness: 1/16 inch. (minimum) With handle Packed in plastic pouch The item must have good quality	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

		1	<u> </u>	
26	Plate, Dessert, 7"to 8" Specification: Type: Plain Type Body shape: Circular Material: Porcelain Supply must be a set, consisting of one (1) of each: 7 inches and 8 inches plates Color: White Inner Diameter: 145 to 165 mm Thickness: 3 to 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
27	Plate, Dinner, 10" Specification: Type: Plain Type Body shape: Circular Material: Porcelain with no Design Color: White Inner Diameter: 200 mm - 215 mm Outer Diameter: 250 - 260 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
28	Plate, Fish, 8" to 9" Specification: Type: Plain Type Body shape: Circular Material: Porcelain with no Design Supply shall be a set consisting of: one (1) each 8 inches and one (1) each, 9 inches Color: White Inner Diameter: 165 mm - 190 mm (minimum) Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

29	Salad Plates 7" to 8" Specification: Type: Plain Type Body shape: Circular Material: Porcelain with no design Supply must be a set consisting of one (1) each: 7 inches and 8 inches plates Color: White Diameter (Inner): 150 mm - 165 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
30	Packed in carton box The item must have good quality Salt and Pepper Shakers Specification: Type: Glass Type Body shape: Square Material: Glass and Aluminum Over-all Height: 75 -90 mm Length: 50 -60 mm Width: 50 -60 mm Aluminum cover Packed in carton box The item must have good quality	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
31	Sauce Ladles Specification: Type: Spouted bowl Body shape: Circular with pouring spout Material: Stainless Steel, highly polished appearance Over-all Length: 220 -230 mm Ladle Bowl Length: 60 -65 mm long Ladle Bowl Diameter: 65 -70 mm Depth: 10 -15 mm Handle details: 150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick Color: Silver With hang hole for hanging and easy access Dishwasher safe Packed in plastic pouch The item must have good quality	35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
32	Server, Cake Specification:	35 UNITS	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night)

	1. Material: Stainless Steel Blade, Highly Polished Appearance 2. Over-all Length: 220 to 270 mm 3. Width: 60 - 80 mm 4. Thickness: 1.5 mm to 2 mm 5. Handle: 120 -140 mm long, non-toxic plastic 6. Shape: Shovel-shaped 7. Color: Silver 8. The item must have good quality 9. Packed in carton box	(5 units per school)		-Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
33	Service Forks Type: Service Fork Body shape: Fork shape Material/Appearance: Stainless steel, highly polished, w/ palin design Over-all Length: 220 mm - 260 mm Width: 20 - 25 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm 4 tines Color: Silver Packed in plastic pouch The item must have good quality.	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
34	Service Tray Specification: Type: Plastic Body shape: Rectangular Material: Plastic (PP) Size: 14 inches x 18 inches X 1 inch (minimum) Color: Any Packed in plastic pouch The item must have good quality	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
35	Show/ Service/ Based Plates 11" to 14" Specification Type: Plain Type Body shape: Round Material: Porcelain with no design Supply must be a set consisting (1) of each: - 11 inches, - 12 inches, - 13 inches, and - 14 inches plates Color: White Diameter, Inner: 225 mm - 250 mm Thickness: 3 mm - 6 mm Smooth and Glossy Surfaces	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

	Packed in carton box			
36	The item must have good quality Side Plates or Bread Plates 6" Specification: Type: Plain Type Body shape: Round Material: Porcelain with no design Color: White Inner Diameter: 95 mm to 120 mm Outer Diameter: 145 mm to 170 mm Thickness: 3 mm - 6mm Smooth and Glossy Surfaces Packed in carton box The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
37	Silver Platter Specification: Type: Steel Type Body shape: Round Material: Stainless Steel Diameter: 300 -330 mm Thickness: 1 - 2 mm Packed in plastic pouch The item must have good quality	56 UNITS (8 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
38	Soup Bowl Specification: Type: Plain with two handles Body shape: Circular Material: Porcelain Capacity: 24 oz. (minimum) Packed in carton box The item must have good quality Packed in a carton box	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
39	Soup Ladle Specification: Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Over-all Length: 220 -235 mm Ladle Bowl Details:	42 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night)

	60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep Handle Details: 145 - 155 mm long x 12 - 25 mm wide x 1.5 -3 mm thick Color: Silver With hang hole for hanging and easy access Packed in plastic pouch The item must have good quality Soup Tureen Specification:		120 calendar days from the date of receipt of Notice to	-Pasil NHS (Night) -Taptap Integrated School -Banilad Night HS -Barrio Luz NHS (Day & Night)
40	Type: Steel Body shape: Round Material: Stainless Steel Capacity: 7 - 11 quart Size: 60 x 35 x 32 cm (minimum) Packed in plastic pouch The item must have good quality	42 UNITS (6 units per school)	Proceed	-Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
41	Spoon, Dessert Specification: Type: Dessert Spoon Body shape: Oval Material/Appearance: Stainless Steel, highly Polished with plain design Over-all Length: 175 to 190 mm Thickness: 2 mm - 3 mm Shorter handle: 120 -130 mm Color: Silver Packed in plastic pouch The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
42	Spoons, Service Specification: Type: Service Spoon Body shape: Oval Material: Stainless steel, highly polished, w/ plain design Over-all Length: 220 mm - 250 mm Width: 30 - 38 mm Handle Thickness: 1.5 mm - 4 mm Handle length - 165 mm - 185 mm Color: Silver Packed in plastic pouch The item must have good quality	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

		168 UNITS	120 calendar days	-Banilad Night HS
43	Spoons, Soup (Cream and Consume) Specification: Type: Soup Spoon Body shape: Round Material/Appearance: Stainless Steel, highly polished, w/ plain design, rounded tip handle Over-all Length: 165 mm - 200 mm Smaller oval shaped spoon bowl and tapers slightly to the tip Shorter handle: 110 mm - 170 mm Thickness: 1.5 mm - 3 mm Color: Silver Packed in plastic pouch The item must have good quality	24 units per school	from the date of receipt of Notice to Proceed	-Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
44 45	Table Cloth, 54 x 54 inches Specification: T ype: Plain Cloth Body shape: Square Material: Oxford Polyester Cloth Color: Plain White Dimension: L 54 inches x W 54 inches (minimum) Packed in plastic pouch The item must have good quality Table cloth, Rectangular Specification: Type: Plain Cloth Body shape: Rectangle Material: Linen Size: 120cm x160cm (minimum) Color: Any Color but not black Feature: Washable Packed in a plastic pouch	49 UNITS (7 units per school) 35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed 120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School -Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Day & Night) -Pasil NHS (Night) -Hasil NHS (Night) -Pasil NHS (Night) -Taptap Integrated School
46	Table Skirting Cloth 90"x90" Specification: Type: Plain Cloth Body shape: Square Material: American Cotton Twill Cloth Color: Any Color except black Dimension: 90 inches x 90 inches (minimum) Packed in plastic pouch The item must have good quality	35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

47	Table, Rounds (8's) Type: Foldable Body shape: Round Material: High density polyethylene table top Powder coated steel frame Size: 154cm x 74cm x4.5cm (minimum) Good for 8 to 10 seater capacity Tube Size: 28 mm diameter x 1 mm thickness Packed in a carton box The item must have good quality	42 UNITS (6 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
48	Table, Square/Rectangular (4's or 6's) Specification: Type: Foldable Plastic Body shape: Square/Rectangle Materia: High density polyethylene table top Powder coated steel frame Dimension: 37 - 39 x 37 - 39 inches Color: White Good for 4 persons Packed in carton box The item must have good quality	35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
49	Tea Pot, 2 Pints Specification: Type: Porcelain Type Body shape: Round with handle and pouring spout Material: Porcelain Capacity: (2 pint) Color: White Packed in carton box The item must be of good quality	35 UNITS (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
50	Teaspoon Specification: Type: Tea Spoon Body shape: Oval tip Material/Appearance: Stainless Steel, highly polished, w/ plain design Over-all Length: 120 mm to 140 mm Handle Thickness: 2 mm to 4 mm Short handle Length - 100 mm (minimum) Color: Silver Packed in plastic pouch The item must have good quality	168 UNITS (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

	Г	T	<u> </u>	
	Tooth Pick Holder		120 calendar days	-Banilad Night HS
	Specification:	35 UNITS	from the date of	-Barrio Luz NHS
	Type: Steel Type		receipt of Notice to	(Day & Night) -Don Vicente Rama
51	Body shape: Round	(5 units per	Proceed	Mem. NHS (Basak
	Material: Stainless Steel, highly polished in	school)		NHS), -MABOLO
	appearance	,		NATIONAL HIGH
	Diameter: 30 -35 mm diameter (minimum)			SCHOOL
	Height: 65 -75 mm			-Pardo NHS (Day & Night)
	Capacity: 1.24 oz. (minimum)			-Pasil NHS (Night)
	Packed in plastic pouch			-Taptap Integrated School
	The item must have good quality			SCHOOL
			120 calendar days	-Banilad Night HS
			from the date of	-Barrio Luz NHS
			receipt of Notice to Proceed	(Day & Night) -Don Vicente Rama
			Proceed	Mem. NHS (Basak
	Turn Chand			NHS), -MABOLO
	Tray Stand Specification:	35 UNITS		NATIONAL HIGH
52	Type: Foldable			SCHOOL -Pardo NHS (Day &
32	Body shape: Rectangular	(5 units per		Night)
	Material: Chrome Plated Metal folding tray stand	school)		-Pasil NHS (Night)
	Length: 470 -490 mm			-Taptap Integrated School
	Width: 400 -440 mm			
	Height: 770 -790 mm			
	Packed in plastic pouch			
	The item must have good quality		120 1 1	D '1 131' 1 110
	Tray, Bill Folders/ Change		120 calendar days from the date of	-Banilad Night HS -Barrio Luz NHS
53	Specification:	35 UNITS	receipt of Notice to	(Day & Night)
	Material : Heavy Duty Plastic (ABS) or its Equivalent		Proceed	-Don Vicente Rama Mem. NHS (Basak
	2. Height : 190 - 220 mm	(5 units per		NHS),
	3. Width : 120 -140 mm	school)		-MABOLO
	4. Thickness : 2 mm to 3 mm (minimum)			NATIONAL HIGH SCHOOL
	5. Color : Black			-Pardo NHS (Day &
	6. With Check and pen holder			Night) -Pasil NHS (Night)
	7. The item must have good quality			-Taptap Integrated
	8. Packed in plastic pouch			School
	Tray, Round (Bar)		120 calendar days from the date of	-Banilad Night HS -Barrio Luz NHS
	Specification:		receipt of Notice to	(Day & Night)
	Type: Plastic		Proceed	-Don Vicente Rama
	Body shape: Round Material: (PE/ABS) Plastic rubberized surface,			Mem. NHS (Basak NHS),
	non-slip/grip tight			-MABOLO
	Over-all Diameter: 345 -360 mm (minimum)			NATIONAL HIGH SCHOOL
54	Thickness: 2 - 4 mm (minimum)	70 UNITS		-Pardo NHS (Day &
	Color: Black			Night)
	Packed in plastic pouch	(10 units		-Pasil NHS (Night) -Taptap Integrated
1	The item must have good quality	per school)		School

55	Water Goblet Specification: Type: Water Goblet Body shape: Balloon-shaped bowl Material: Crystal Clear Glass Over-all Length: 200 -220 mm Capacity: 270 ml to 300 ml Rim diameter - 55 -65 mm Thickness: 1 mm to 3 mm Stem length: 75 -85 mm Stem diameter: 6 -8 mm Base thickness: 3 -4 mm Base diameter: 7 -80 mm Packed in carton box The item must have good quality	168 UNIT (24 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School
56	Water Pitcher Specification: Type: Steel Type Body shape: Circular Material: Stainless Steel, highly polished appearance Height: 170 mm to 220 mm Top Diameter: 110 -120 mm (approximate) Capacity: 1 - 1.5 liter With pour spout Dishwasher safe Packed in plastic pouch The item must have good quality	70 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-Banilad Night HS -Barrio Luz NHS (Day & Night) -Don Vicente Rama Mem. NHS (Basak NHS), -MABOLO NATIONAL HIGH SCHOOL -Pardo NHS (Day & Night) -Pasil NHS (Night) -Taptap Integrated School

I hereby certify to comply and deliver all the above requirements.

S
Name of Company/Bidder Signature Over Printed Name of Representative/ Date

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – Front Office Services NC II - LOT 4

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of
1	Calculator	25	vi+c	120 calendar days	Delivery Bitlang National High
1	Calculator Specification:	25 units	1113	from the date of	School,
	Type: Simple calculator, Non scientific	(5 unite	nar	receipt of Notice to	Don Carlos Gothong Memorial NHS
	Body material: Hard plastic	(5 units per school)		Proceed	First High School for
	Minimum Size: 110mm Width x 140mm Long	30110	OI)		the Hearing Impaired
	LCD display: at least font size is 8mm x 5mm				Inayawan National High School
	With Dual power; Solar cell and battery				Pardo NHS (Day &
	With at least 8 digits display				Night)
	Includes spare battery				
	Packed with protective carton box				
	User's Manual in English which includes:				
	a. parts manual with labels,				
	b. assembly instructions				
	c. operating procedures on how to use the				
	equipment,				
	Branded			120 1 1	D'd N. C 177 1
2	CART, BELL BOY			120 calendar days from the date of	Bitlang National High School,
	Specification:			receipt of Notice to	Don Carlos Gothong
	Type: Hotel luggage trolley			Proceed	Memorial NHS
	Capacity: at least 450 kilograms				First High School for the Hearing Impaired
	Minimum dimensions: Length - 1000mm x Width				Inayawan National
	- 600mm x Height - 1700mm Frame material: Stainless Steel Tubing	10 un	nits		High School
	Stainless Tube Diameter: at least 35mm				Pardo NHS (Day & Night)
	Black Powder Coated Steel Platform	(2 units	s per		<i>2</i> /
	With carpeted surface and Rubber Bumper at the	scho	ol)		
	edge				
	With 4 pieces x 200mm Diameter Black				
	Pneumatic Swivel Wheels				
	Packed with shipping carton box				
	Branded				
3	CASH REGISTER WITH DRAWER			120 calendar days	Bitlang National High
	Specification:			from the date of	School, Don Carlos Gothong
	Printer: Width: 57mm (minimum)		receipt of Notice	Proceed	Memorial NHS
	Speed: 2 lines/sec (minimum)	5 un	its	Troceed	First High School for
	LCD Display Size: 5cm Width x 10cm	Jan	3 units		the Hearing Impaired Inayawan National
	Long(minimum)	(1 unit	ner		High School
	With drawer at least 4 bills and 5 coins	1 -	•		Pardo NHS (Day &
	compartments	scho	UI)		Night)
	With drawer dimension at least 410mm Width x				
	450mm Depth				
	Input Method: Numeric 10-key]			

	Interface with at least 2 ports			
	Power Source: 220-240Volts AC, 50/60Hz;			
	With AC/DC Adapter			
	Can be Operated with battery			
	Programmable			
	User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions			
	c. operating procedures on how to use the			
	equipment,			
	Packed with carton box with styrofoam			
	protection			
4			120 calendar days	Bitlang National High
4	CREDIT CARD IMPRINTER		from the date of	School,
	Specification:		receipt of Notice to	Don Carlos Gothong
	Height of the imprinter 2 1/2 inch (minimum) x		Proceed	Memorial NHS
	Width 5 1/2 inch (minimum) x Length 11 inches			First High School for
	(minimum)			the Hearing Impaired Inayawan National
	Carriage material: Steel			High School
	Body:Plastic	5 units		Pardo NHS (Day &
	Color: Black	3 dilits		Night)
	20 characters per line	/4 ':		
	Card Mounting can accepts at least 0.030" thick	(1 unit per		
	size credit cards	school)		
	Plate can accommodate up to 5 lines,			
	Manual type			
	With User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions,			
	c. operating procedures			
5	c. operating procedures		120 calendar days	Bitlang National High
3	CREDIT CARD VOUCHER HOLDER		from the date of	School,
	Specification:	5 units	receipt of Notice to	Don Carlos Gothong
	Material: 3 mm thick clear, acrylic,	5 555	Proceed	Memorial NHS
	Dimensions:	/1 unit nor		First High School for the Hearing Impaired
	Height: at least 255 mm,	(1 unit per		Inayawan National
	Width: at least 210 mm,	school)		High School
	Thickness: at least 70 mm			Pardo NHS (Day &
			120 calendar days	Night) Bitlang National High
6	DETECTOR, FAKE BILLS		from the date of	School,
	Specification:		receipt of Notice to	Don Carlos Gothong
	LED Display;		Proceed	Memorial NHS
	LED Display Size: at least 5 cm Width x 10 cm		1	First High School for
	Long;			the Hearing Impaired Inayawan National
	Hard plastic casing;	5 units		High School
	Ultraviolet (UV) and Magnetic (MG) sensors;	Janies		Pardo NHS (Day &
	Power Source: Built in Rechargeable Battery,12V	(4		Night)
	output and AC 100-240V Adapter;	(1 unit per		
	With complete detection;	school)		
	Accessories includes:			
	Tough Plastic Carrying Case, Power Cord, Cleaning			
	Brush, and Power Charger;			
	User's Manual in English which includes:			
	a. parts manual with labels,			
	מ. אמונט ווומוועמו שונוו ומשפוט,			

	b. assembly instructions, c. operating procedures on how to use the equipment			
7	GUEST FOLIO RACK Specification: Material: Hard plastic; Accommodates at least 50 room divider indexes; With divider boards with metal tabs; A4 size divider; With metal sidings	5 units (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)
8	HYPERCOM Specification: Memory: 1 MB RAM (Minimum) LCD Display; 160 x 80 pixel graphics (minimum) With Card Reader Magnetic stripe PIN pad port: 4-wire, RS485; With Peripheral Ports for PC connection; Electronic cash register or journal printer; With at least 2400bps modem; Support Synchronous (SDLC) and asynchronous, LAN operation; With PIN Encryption; With Thermal Printer at least 576 dots per line; Thermal Paper – 2 inches wide x 3 inches roll diameter (min.); Keypad: Membrane, 12 keys, water-resistant; Dimension: Length: 10 inches; Width: 5 inches; Height: 2 inches (minimum); Power: 220-250 Volts AC, 50/60 Hz; DC: 24 V, 1A; User's Manual in English which includes: (a) parts manual with labels, (b) assembly instructions, (c) operating procedures on how to use the equipment;	5 units (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)
9	KEY CARD MARKER WITH VERIFIER Specification: Set of Hotel Door Lock System with Management software; a) 1 unit - Card Type Door Lock with Inductive distance at least 4cm b) 1 unit - Card Encoder Unit with 25 pieces Door Room Key Cards Computer software system for Door Lock and making cards With complete accessories including the USB Type A cable interface to the computer User's Manual in English which includes: a. parts manual with labels, b. assembly instructions	5 units (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)

	c. operating procedures on how to use the equipment			
10	KEY RACK Specification: Rack material: wood Number of Racks: Can accommodate at least 40 Key Cards Minimum rack size: 70mm Width x 110mm Height Depth of the rack at least 50mm Any color paint Type:Wall mounted rack Pack with shipping carton box	5 units (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)
11	Safety deposit box/ drop vault Specification: Material: Metal, powder coated, Solid steel door thickness: 4mm(minimum) Body thickness: 2mm(minimum) Minimum outer dimension: L: 30cm x H: 20cm x W: 20cm Electronic lock system Battery Operated Digital Panel: Requires 4 x 'AA' Batteries User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures on how to use the equipment, Branded	5 units (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)
12	Speaker, Lapel Specification: Frequency at least 500MHz With audio input connector With operation range at least 50meters Receiver/70mA Earphone output level: 320hm, 65mW Operates with energizer battery With minimum powerconsumption of transmitter at least 3V/70mA Receiver: 3V/70mA	20 units (4 units per school)	120 calendar days from the date of receipt of Notice to Proceed	Bitlang National High School, Don Carlos Gothong Memorial NHS First High School for the Hearing Impaired Inayawan National High School Pardo NHS (Day & Night)

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – HAIRDRESSING NC II - LOT 5

Item	Description	Quantity	Total	Delivered,	Place of
No.	•			Weeks/Months 120 calendar days	Delivery MABOLO NATIONAL
	BOWL, SHAMPOO	4 UN	ITS	from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Specification: Bowl material: ABS plastic	'0''		receipt of Notice to	MIIS (Day & Night)
	With Adjustable stand (Height: 39 inches to 54	(2 units	ner	Proceed	
	inches)	scho			
	Minimum Bowl Dimensions: 19 inches(L) x 20	30110	Oij		
	inches(W) x 10 inches(H);				
	With Sealed foam rubber neck rest for shampoo				
	bowls				
	With Hose attachment of 7 ft. long(minimum)				
	Stainless steel frame				
	Portable type				
	Packed with shipping carton box				
1	Branded				
	CAP, FROSTING, WITH HOOK			120 calendar days	MABOLO NATIONAL HIGH SCHOOL & Tejero
	Specification:	4 UN	ITS	from the date of	NHS (Day & Night)
	Cap material: Silicone			receipt of Notice to	
	Type:Reusable, perforated cap	(2 units	•	Proceed	
	One size fits all or at least 31cm x 22cm	scho	ol)		
	With Pre-cut Tipping Guides				
	With Bleed proof inner liner				
	With a rounded metal hook to pull hair through				
	the ready made perforations				
2	Packed with plastic pouch				MAROLO NATIONAL
	CAP, HEATING	4 UN	ITC	120 calendar days from the date of	MABOLO NATIONAL HIGH SCHOOL & Tejero
	Specification:	4 011	113	receipt of Notice to	NHS (Day & Night)
	Waterproof cloth material.	(2 units	nor	Proceed	
	Cordless type	scho	•		
	To fit an average size head (21-24 inches)	30110	OI)		
	Stretch up to 29 inches				
	Unisex				
	Hair care treatment styling Reversible and reusable,				
	Non toxic				
	Includes with User's Guide in English that				
	contains:				
	a. Diagram of the parts with their names				
	b. Operating procedure on how to use the				
	equipment				
	c. Safety precaution when using the equipment				
	d. Basic troubleshooting and maintenance				
	procedure				
3	Packed with protective carton box				

			120 . 1 1 1	MABOLO NATIONAL
	Chair, High	4 UNITS	120 calendar days from the date of	HIGH SCHOOL & Tejero
	Specification:	4 011113	receipt of Notice to	NHS (Day & Night)
	Bar stool material: metal,painted with anti rust	(2 units per	Proceed	
	Width of the chair :15 inches minimum	(2 units per	110000	
	Height :33 inches (minimum)	school)		
	Synthetic Leather seat material			
	Barstool crown back type			
4	With rubber ring of barstool for anti skidding			
	Chair, Hydraulic		120 calendar days	MABOLO NATIONAL
	Specification:	6 UNITS	from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Material: Metal base		receipt of Notice to	
	Size:Length59 cm, width54 cm, height from 51-	(3 units per	Proceed	
	78cm	school)		
	Hydraulic pump can be up and down by pedaling	,		
	Load capacity:180kg			
	Hydraulic styling chair type			
	Heavy duty hydraulic pump for height adjustable			
	and 360' rotation			
	Hydraulic Pump Build in for Adjusting the Seating			
	Height.			
	With foot rest			
	Lockable hydraulic pump for safety feature			
	With User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions,			
	c. operating procedures,			
5	Packed with transport protective carton box			
	Clamp		120 calendar days	MABOLO NATIONAL HIGH SCHOOL & Tejero
	Specification:		from the date of	NHS (Day & Night)
	Material: Plastic	4 UNITS	receipt of Notice to	
	Overall length: 9.5cm		Proceed	
	Thickness:10mm(minimum)	(2 units per		
6	Hairstyling clamp type	school)		
	Clipper, Hair	30110017	120 calendar days	MABOLO NATIONAL
	Specification:	4 UNITS	from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Body material:Hard Plastic		receipt of Notice to	(Suj Wright)
	Blade material: Carbon Steel	(2 units per	Proceed	
		school)		
	Capacity:6 watts (minimum)	3011001)		
	Complete with blade guard and 4 comb			
	attachments (#1, #2, #3, #4)			
	Motor:Magnetic type, Corded,12V AC/DC adaptor			
	Delivers 1,400 Strokes per Minute,			
	With complete accessories including the cleaning			
	brush			
	With cord 2 meters length minimum			
	With User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions,			
	c. operating procedures,			
	Packed with protective carton box			
7	Branded			
	_ · · · · · · · · · · · · · · · · · · ·		1	

			120 1 1 1	MABOLO NATIONAL
	COMB, HAIRCUTTING	4 UNITS	120 calendar days from the date of	HIGH SCHOOL & Tejero
	Specification:		receipt of Notice to	NHS (Day & Night)
	Material: Hard plastic	(2 units per	Proceed	
	Length including the handle:180mm (minimum)	school)		
	Width: 30mm (minimum)	3011001)		
	With detachable steel blades and blade holder			
	With two sides for different cuts			
	With extra blades			
8	Packed with protective carton box			
	CRIMPERS	20 UNITS	120 calendar days	MABOLO NATIONAL HIGH SCHOOL & Tejero
	Specification:		from the date of	NHS (Day & Night)
	Power: 25 watts(minimum)	(10 units	receipt of Notice to Proceed	
	Size: at least 38 cm x 15.5 cm x 9 cm	,	rioceed	
	Maximum temperature: 200 degrees Centigrade	per school)		
	With variable heat setting.			
	With On/off switch button			
	Rated voltage: 110 -230Volts AC with power cord			
9	With plastic handle			
	CURLING IRON		120 calendar days	MABOLO NATIONAL
	Specification:	12 UNITS	from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Ceramic Curling iron		receipt of Notice to	
	Capacity: 65watts	(6 units per	Proceed	
	Voltage: 210-240Volts AC with power cord			
	Barrel size: 1 inch (minimum)	school)		
	Adjustable heat setting with maximum			
	temperature of 200 degrees Centigrade			
	Swivel cord up to 360 degree			
	Cylindrical shape			
	Plastic handle for safety purpose			
	Packed with protective carton box			
10	Branded			
10	DRIP PAN		120 calendar days	MABOLO NATIONAL
	Specification:		from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Material: Hard plastic		receipt of Notice to	Title (Buy & Tilght)
	Size: at least 17.5 x 25.8 x 1 inches		Proceed	
	Thickness: 1/8 inch (minimum)	4 UNIT		
	Shallow rectangular type	(2 units per		
	Packed with carton box	school)		
11	Tacked With Carton box	30.1001)		
	DRYER, HAIR		120 calendar days	MABOLO NATIONAL
	Specification: Power: 1000W		from the date of	HIGH SCHOOL & Tejero NHS (Day & Night)
	Rated Voltage: 220VAC		receipt of Notice to	Tillo (Day & Hight)
	At least (L x W x H): 18.5cm x 16cm x 6.5cm		Proceed	
	·			
	With plastic handle design			
	Packed with carton box with styrofoam holder			
	With User's Manual in English which includes:	10 UNIT		
	a. parts manual with labels,	(5 units per		
	b. assembly instructions,	school)		
4.2	c. operating procedures,	SCHOOL		
12	Branded			

Specification: Material: Plastic Size: at least 25cm x 23cm Packaging is 100 pcs per box Comparison of the date of receipt of Notice to Proceed			1	1.00	MAROLO NATIONAL
GLOVES, RUBBER Specification: Size: Medium Thickness: 4 mil Acid resistant Packed with plastic pouch in pairs. GOWN, SMOCK Specification: Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (52 inches x 60 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Stretchable size ouch Specification: Size: 6 inches (minimum) Specification: Specific	12	Material: Plastic Size: at least 25cm x 23cm	(2 units per	receipt of Notice to	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
GLOVES, RUBBER Specification: Size: Medium Thickness: 4 mil Acid resistant 14 Packed with plastic pouch in pairs. GOWN, SMOCK Specification: Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 piece = Large size, at least (54 inches x 60 inches); 1 proced HAIRNET, INVISIBLE Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum)	13	Packaging is 100 pcs per box		100 1 1	MAROLO NATIONAL
14 Packed with plastic pouch in pairs.		Specification: Size: Medium	(2 units per	from the date of receipt of Notice to	HIGH SCHOOL & Tejero
GOWN, SMOCK Specification: Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); 2 Packed with plastic pouch per size HAIRNET, INVISIBLE Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) HABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) AUNIT (2 units per school) 120 calendar days from the date of receipt of Notice to Proceed HEADBAND Specification: Size: 6 inches (minimum) 120 calendar days from the date of receipt of Notice to Proceed ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) HABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night)		Acid resistant			
GOWN, SMOCK Specification: Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); 2 Packed with plastic pouch per size HAIRNET, INVISIBLE Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) HABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) AUNIT (2 units per school) 120 calendar days from the date of receipt of Notice to Proceed HEADBAND Specification: Size: 6 inches (minimum) 120 calendar days from the date of receipt of Notice to Proceed ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) HABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night) ABOLO NATION HIGH SCHOOL & Te NIS (Day & Night)	14	Packed with plastic pouch in pairs.			
Specification: Material: Polyester Sizes: 1 piece = Small size, at least (50 inches x 56 inches); 1 piece= Medium size, at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 piece= Large size, at least (54 inches x 60 inches); 1 packed with plastic pouch per size HAIRNET, INVISIBLE Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum)				120 calendar days	MABOLO NATIONAL
inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plastic pouch per size HAIRNET, INVISIBLE Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Size: 6 inches (minimum) MABOLO NATION HIGH SCHOOL & Te NHS (Day & Night) 120 calendar days from the date of receipt of Notice to Proceed HAIRNET, INVISIBLE Specification: (3 units per school) 4 UNIT (2 units per from the date of receipt of Notice to Proceed		Specification: Material: Polyester Sizes: 1 piece = Small size,at least (50 inches x 56 inches);	(2 units per	from the date of receipt of Notice to	
Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum) Specification: Size: 6 inches (minimum)	15	inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plastic pouch per size			MARKE NATIONAL
Specification: Material: Nylon Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch 4 UNIT Specification: Size: 6 inches (minimum) From the date of receipt of Notice to Proceed NHS (Day & Night)		HAIRNET, INVISIBLE			MABOLO NATIONAL HIGH SCHOOL & Tejero
Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) 6 UNIT (3 units per school) 4 UNIT (2 units per receipt of Notice to Proceed)		Specification:			
Size: 55mm (minimum) Stretchable and unisex type Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) Size: 6 inches (minimum) Size: 6 inches (minimum) Size: 55mm (minimum) (3 units per school) 4 UNIT (120 calendar days from the date of receipt of Notice to Proceed		Material: Nylon	CHAUT		
Color: Black Non toxic 16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) School) School 4 UNIT (2 units per receipt of Notice to Proceed)		Size: 55mm (minimum)		Proceed	
Non toxic Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) 120 calendar days from the date of receipt of Notice to Proceed Proceed		Stretchable and unisex type			
16 Packed with plastic pouch HEADBAND Specification: Size: 6 inches (minimum) 120 calendar days from the date of receipt of Notice to Proceed Proceed Proceed		Color: Black	school)		
HEADBAND Specification: Size: 6 inches (minimum) 4 UNIT (2 units per Size: 6 inches (minimum) 120 calendar days from the date of receipt of Notice to Proceed		Non toxic			
Specification: Size: 6 inches (minimum) 4 UNIT (2 units per receipt of Notice to Proceed receipt of Notice Proceed receipt of Notice Proceed receipt of Notice P	16	Packed with plastic pouch			
Specification: Size: 6 inches (minimum) 4 UNIT from the date of receipt of Notice to Proceed Proceed		HEADBAND		120 calendar days	
Size: 6 inches (minimum) (2 units per receipt of Notice to			4 UNIT	from the date of	
l l Proceed		·	(2 units per	_	, , ,
		•	school)	Proceed	
Very stretchy, Soft material, comfortable and		•			
17 breathable	17				
				120 calendar days	MABOLO NATIONAL
Specification Material: Ionic ceramic tourmaline- infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord Comes with storage pouch		Specification Material: Ionic ceramic tourmaline- infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord	(2 units per	from the date of receipt of Notice to	HIGH SCHOOL & Tejero NHS (Day & Night)
18 Branded	18	Branded			

19	MIRROR, HAND Specification: Mirror size 15 cm diameter (minimum) Frame thickness including mirror glass: 6.5mm(minimum) Over-all length with the handle is 20 cm (minimum) Clear Mirror with no distortion Frame and handle are made of plastic Plane mirror type Packed with carton box with styrofoam protection	10 UNIT (5 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
20	MIRROR, MODULAR Specification: Mirror type: plain mirror Mirror Material: Glass Frame material: Aluminum (cut to fit) Dimensions (HxW): 75 cm x 65 cm (minimum) Mirror thickness: 6mm (minimum) Smooth surface, no sharp edges and cracks Packed with protective carton box	4 UNIT (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
21	RAZOR, STRAIGHT Specification: Blade material: High carbon steel Type: Foldable Straight Razor, replaceable blade; Dimensions (LxW): 14 cm x 2 cm (minimum) when folded; Compatible with double-edged razor blades; Package includes 10 pieces blade/box Non corrosive Branded	4 UNIT (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
22	ROLLERS,LARGE SIZED Specification: Material: Plastic Size: at least 40mm Diameter x 60mm Long Hairstyling type Packed with plastic pouch	4 UNIT (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
23	ROLLERS,MEDIUM SIZED Specification: Material: Plastic; Diameter: 38 mm(minimum) Length: 58mm (minimum) Hairstyling type Packed with plastic pouch	4 UNIT (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
24	ROLLERS, JUMBO SIZED Specification: Material: Plastic approximately 44mm in Diameter x 64mm long	4 UNIT (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
25	SCISSOR, CUTTING Specification:	6 UNIT (3 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)

Material:Stainless steel Total Length: 17cm (minimum) Blade width at least 10 cm Non corrosive Packed with plastic pouch Branded	
Blade width at least 10 cm Non corrosive Packed with plastic pouch	
Non corrosive Packed with plastic pouch	
Packed with plastic pouch	
Branded	
SCISSOR, I HINNING	NATIONAL I & Tajaro
Specification: from the date of NHS (Day & Ni	
Blade material: High carbon steel	
Blade Length at least 6cm	
With straight blade type	
Style: Right handed scissor	
Total Length at least 17cm	
One side comb cutter 6 UNIT	
Non corrosive (3 units per	
Packed with plastic pouch school)	
26 Branded	
SCOOP 120 calendar days MABOLO N	NATIONAL
Specification: Material: Plastic 4 UNIT from the date of NHS (Day & Ni	
Canacity: 1/2 cup (minimum) (2 units per receipt of Notice to	
Rounded edges with handle school)	
27 Thickness: 1.5 mm (minimum)	
SPATILIA 120 calendar days MABOLO N	NATIONAL
Specification: HIGH SCHOOL NHS (Day & Ni	
Material:Plastic receipt of Notice to	5)
Dimension: Over-all length of 7.5 cm long, x 1.5 6 UNIT Proceed	
cm wide (minimum) (3 units per	
Application:Hair waxing removal school)	
28 Packed with plastic pouch	
' '	NATIONAL
Specification: From the date of NHS (Day & Ni	
Material: Transparent Plastic receipt of Notice to	gitt)
iviateriai. Transparent Flastic Proceed	
Capacity, Soonii (minimum)	
This sprayer	
29 and the height is 17cm 120 calendar days MABOLO 1	NATIONAL
STEAMER, HAIR	L & Tejero
specification.	ght)
Proceed	
Rating is 220 Volts/50-60Hz	
Hood material: Polycarbonate	
Hood has at least 30 cm diameter opening x 25	
Hood has at least 30 cm diameter opening x 25 cm deep	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster 4 UNIT	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster With User's Manual in English which includes: 4 UNIT (2 units per	
Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster 4 UNIT	

	c. operating procedures,			
	Branded			
	STOOL Specification: Material: Metal, electroplated Load capacity: 150kg Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges	8 UNIT (4 units per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL & Tejero NHS (Day & Night)
31	Branded	,		

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – HOUSEKEEPING NC II - LOT 6

Item	Description	Quantity	Total	Delivered,	Place of
No.	-			Weeks/Months	Delivery
1	BASKETS, LAUNDRY Specification: 3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges	30 UN (5 units scho	s per	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
2	BED, QUEEN Specification: Bed Set, Queen Size (60 x 75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 20 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	6 UN (1 unit scho	per	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
3	Specification: Bed, Single BED, SINGLE Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	6 UN (1 unit scho	per	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
4	Board, Ironing Specification: TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE: STANDARD MATERIAL: 25 mm tubing approx., 0.8 mm thickness BOARD SIZE: 32 INCHES (minimum) BODY SIZE: 120 cm x 30 cm x 5 cm COLOR: ANY	30 UN (5 units scho	s per	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS

	COMES WITH BOX			
	NO SHARP EDGES			
5	Boots, Safety, Plastic Specification: Upper material: Elastic PVC Sizes: 7 inches - 5pcs 8 inches - 5pcs 9 inches - 5pcs 10 inches - 5pcs 11 inches - 5pcs Height: 13 to 14 inches Plain toe Type of boots: Unisex rain boots with rugged tractor lug outsole Packed with carton box per size	60 UNITS (10 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
6	CADDY, TOILET Specification: Carrying caddy for toilet cleaning supplies Holds spray bottles and other cleaning supplies, No. of Compartments: 3 (minimum) Material:Plastic Tray Depth: 11 cm (approx.) Overall Dimension: 36 x 26 cm (approx.) Smooth surface, no sharp edges	12 UNITS (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
7	CARPET SWEEPER Specification: Carpet sweeper, cordless electric Motorized single brush roll (removable) Body Material: Hard plastic, (ABS) or its equivalent, any color Equipped with Rechargeable Battery (16 minutes run time on carpet), removable dirt box Sweep Width: 8 inches (minimum) Capacity (volume): 0.35 Lit.(minimum) Handle: Metal, Powder- Coated, With plastic/rubber grip, Swivel Steering Assembled Height: 44 inches (minimum) Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) No sharp edges Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting.	12 UNITS (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
8	CART, FOR HOUSEKEEPING NC II Specification: Housekeeping Cart trolley Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels Cart Frame: steel, powder coated	6 UNITS (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL,

	Miles Is 2 and a state of the discount of	T	<u> </u>	-FIRST HIGH
	Wheels: 2non-swivel 2 swivel, 6 inches diameter,			SCHOOL FOR
	non-markings			HEARING IMPAIRED,
	Overall Dimensions: rectangular 90 x 48 x 1010			-INAYAWAN NHS, -PARDO NHS
	cm (minimum)			THEOTHE
	Comes with accessory linen bag			
	Smooth surface, No sharp edges			
9	SIGN, CAUTION	30 UNITS	120 calendar days	-BITLANG NHS, -DON CARLOS
	Specification:		from the date of	GOTHONG,
	Shelving, open, knockdown type, adjustable	(5 units per	receipt of Notice to Proceed	-DON VICENTE
	shelves		rioceed	RAMAN MEMORIAL NATIONAL HIGH
	Metal Powder Coated frame	school)		SCHOOL,
	Number of Shelves : 5			-FIRST HIGH SCHOOL FOR
	Overall Dimensions: 85 x 30 x 180 cm(minimum)			HEARING IMPAIRED,
	Sturdy connection, No wobble			-INAYAWAN NHS, -PARDO NHS
	Smooth surface, no sharp edges			-PARDO NIIS
	COFFEE MAKER		120 calendar days	-BITLANG NHS,
	Specification:	12 UNITS	from the date of	-DON CARLOS GOTHONG,
10	Coffee Maker, electric		receipt of Notice to	-DON VICENTE
	Material: metal, plastic, glass	/2 units nor	Proceed	RAMAN MEMORIAL NATIONAL HIGH
	Capacity: 6 cups (minimum)	(2 units per		SCHOOL,
	Detachable Tank, with Water Level Indicator	school)		-FIRST HIGH SCHOOL FOR
	Non-Stick Warming Plate : Removable and			HEARING IMPAIRED,
	Washable Filter			-INAYAWAN NHS,
	Non-Drip Valve : Lighted ON/OFF Switch			-PARDO NHS
	Power Supply: 220 V -240 V AC 50/60 Hz , 500W			
	minimum			
	Comes with a heat resistant glass pitcher			
	With a 1 meter (minimum) power cord, molded			
	male plug to adapt Type A outlet (or providing 5A			
	minimum plug adapter is an option)			
	Smooth surface, no sharp edges			
	With DTI-BPS certification, Brand and electrical			
	ratings clearly and permanently mark on the item			
	Comes with English manual that contains: users			
	guide, list of parts, maintenance guide,			
	safety guide.			
	1 year warranty parts and service			
	With Service centers located in major cities in the			
	Philippines.			
11	FAN, ELECTRIC	18 UNITS	120 calendar days	-BITLANG NHS,
	Specification:	10 014113	from the date of	-DON CARLOS GOTHONG,
	Stand fan, electric	/2 units nor	receipt of Notice to	-DON VICENTE
	Material: Metal, plastic	(3 units per	Proceed	RAMAN MEMORIAL
	Size/Diameter: 18 inches	school)		NATIONAL HIGH SCHOOL,
	Power rating: 70 watts (minimum), 220 / 240			-FIRST HIGH
	VAC, 50 / 60 Hz, Single Phase			SCHOOL FOR HEARING IMPAIRED,
	Rotation Angle: 90 degrees			-INAYAWAN NHS,
	Base: Stable, 16 inches diameter (approx.)			-PARDO NHS
	Removable metal guard on front and rear			
	3-speed settings			
	Comes with 1.5 meters power cord and with			
	Comes with 1.5 meters power toru and with	<u> </u>	l .	I

	molded male plug to adapt Type A outlet (or			
	providing 3A minimum plug adapter is an option)			
	Smooth surface, no sharp edges			
	Includes User's Manual in English which contains:			
	a. A Diagram of the Parts with their Names,			
	b. Operating Procedures on how to use the			
	Equipment,			
	c. Safety Precautions when using the Equipment,			
	d. Basic Troubleshooting and Maintenance			
	Procedures			
	With DTI-BPS certification, Brand and electrical			
	ratings clearly and permanently mark on the item			
	1 year warranty parts and service			
12	Fire Extinguisher (with contents)		120 calendar days	-BITLANG NHS,
12	Specification:		from the date of	-DON CARLOS
	1.For Type A, B, C Fire: Dry Chemicals	18 UNITS	receipt of Notice to	GOTHONG, -DON VICENTE
	(Monoammonium Phosphate)		Proceed	RAMAN MEMORIAL
	2.Portable type	(3 units per		NATIONAL HIGH SCHOOL,
	3.Capacity: 5 - 6 kgs	school)		-FIRST HIGH
	4.Rechargeable Cylinder Metal			SCHOOL FOR HEARING IMPAIRED,
	5. Working pressure of Cylinder: 400 psi			-INAYAWAN NHS,
	1			-PARDO NHS
	6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle			
	Attached			
	8. With Squeeze lever to discharge and safety pin 10. Painted with Metal Primer and Red Enamel			
	Paint			
	11.Includes with User's Guide in English that			
	contains:			
	a. Operating procedure on how to use the			
	equipment			
	b. Safety precaution when using the equipment			
	12.1 year warranty parts and service			
	13. The item must be branded and have good			
	quality	20 HAUTC	120 calendar days	-BITLANG NHS,
13	FLAT IRON	30 UNITS	from the date of	-DON CARLOS
	Specification:	,	receipt of Notice to	GOTHONG, -DON VICENTE
	Clothes Flat iron, electric	(5 units per	Proceed	RAMAN MEMORIAL
	Material : Metal /plasic body, Heat-Resistant	school)		NATIONAL HIGH SCHOOL,
	Plastic Handle, Aluminum sole			-FIRST HIGH
	Overall Dimension : (L x W x H) 25 cm x 12 cm x			SCHOOL FOR
	12 cm (minimum)			HEARING IMPAIRED, -INAYAWAN NHS,
	Power rating: 220/240 VAC, 50/60 Hz; 1000			-PARDO NHS
	Watts (minimum)			
	Equipped with Light Indicator, variable			
	temperature control, Overheat Protection,			
	Power Cord and plug to adapt Type A outlet (or			
	providing 10A plug adapter is an option)			
	Smooth surface, no sharp edges,			
	Comes with English Manual that Contains: Users			
	Guide, List of Parts, Maintenance Guide,			

			T	
	Safety Guide.			
	The item must be branded, with DTI-BPS			
	certification			
	1 year Warranty Parts and Service			
	With Service Centers Located in major Cities in			
	the Philippines.			
	HAIRDRYER		120 calendar days	-BITLANG NHS,
14	Specification:		from the date of	-DON CARLOS GOTHONG,
	Electric hairdryer, with concentrator nozzle		receipt of Notice to	-DON VICENTE
	Two heat setting and 1 speed (minimum)		Proceed	RAMAN MEMORIAL
	Rating: 220/240 VAC, 1200 W (minimum)			NATIONAL HIGH SCHOOL,
	Body Length including nozzle: 20 cm			-FIRST HIGH
				SCHOOL FOR HEARING IMPAIRED,
	Folding handle design, with hanging ring			-INAYAWAN NHS,
	Smooth surface, no sharp edges			-PARDO NHS
	Branded, Brand name and electric rating			
	permanently mark on the item, with DTI-BPS			
	certification			
	With user's manual written in English that			
	contains operating procedure, parts			
	with description, safety procedure, and	4.2 LINUTC		
	maintenance.	12 UNITS		
	With Service centers located in major cities in the			
	Philippines.	(2 units per		
	1 year warranty(parts & service)	school)		
15	HOSE, WATER	12 UNITS	120 calendar days	-BITLANG NHS,
	Specification:		from the date of	-DON CARLOS GOTHONG,
	Water hose	(2 units per	receipt of Notice to	-DON VICENTE
	Material: PVC fiber reinforced, three (3) layers;	· ·	Proceed	RAMAN MEMORIAL NATIONAL HIGH
	Any color;	school)		SCHOOL,
	Hose Length: 50 feet;			-FIRST HIGH
	Hose Diameter: 5/8 inches;			SCHOOL FOR HEARING IMPAIRED,
	Pressure capacity: 200 pounds per square inch			-INAYAWAN NHS,
				-PARDO NHS
	(minimum);			
	Fitted with male and female brass couplers (NH,			
	11.5 TPI)			
	for spray nozzle			
	No sharp edges		100 1 1	DIEN LANGANIA
16	Kettle, Electric	12 UNITS	120 calendar days	-BITLANG NHS, -DON CARLOS
	Specification:		from the date of	GOTHONG,
	Electric kettle cordless (with pouring spout),	(2 units per	receipt of Notice to Proceed	-DON VICENTE RAMAN MEMORIAL
	hinged lid, detachable from and can rotate on its	school)	1100000	NATIONAL HIGH
	corded base	36110017		SCHOOL,
	Material: Round Stainless body, plastic handle,			-FIRST HIGH SCHOOL FOR
	lid and base			HEARING IMPAIRED,
	Capacity: 1.5 to 2 liter			-INAYAWAN NHS, -PARDO NHS
	Automatic Shut - Off, with power indicator light			-PARDO NIIS
	Power rating: 220//240VAC, 50/60Hz, 1000 -1600			
	Watts			
	Base with a 50 cm (minimum) power cord,			
	molded male plug to adapt Type A outlet (or			
ĺ	providing 10A plug adapter is an option)		I	

		T	1	1
	Smooth surface, no sharp edges;			
	DTI-BPS certified			
	Comes with English manual that contains:			
	operation procedure, maintenance and			
	safety guide.			
	The item must be branded, Brand name and			
	electrical ratings permanently mark on the item.			
17	LAUNDRY SORTER	30 UNITS	120 calendar days	-BITLANG NHS, -DON CARLOS
	Specification:		from the date of	GOTHONG,
	3 - bag Laundry Sorter, with wheels	(5 units per	receipt of Notice to Proceed	-DON VICENTE
	Bag: Polyester, Rectangular shape, detachable	school)	Trocced	RAMAN MEMORIAL NATIONAL HIGH
	from frame with metal handle and hanging hook	3011001,		SCHOOL,
	Bag Dimensions : Rectangular 22 x 15 x 8 inch			-FIRST HIGH SCHOOL FOR
	(minimum)			HEARING IMPAIRED,
	Frame Material: Corrosion resistant Steel, sturdy			-INAYAWAN NHS, -PARDO NHS
	no wobble			-FARDO NIIS
	Frame Overall Dimensions : Rectangular, 31 x 30			
	x15 inch (minimum)			
	With four casters, 2 inch diameter (minimum)			
	Smooth surface, no sharp edges			
18	LIGHT, EMERGENCY		120 calendar days	-BITLANG NHS,
10	Specification:		from the date of	-DON CARLOS
	Emergency light, 2 heads LED	18 UNITS	receipt of Notice to	GOTHONG, -DON VICENTE
	Materials: metal, anti-rust coated	10 011113	Proceed	RAMAN MEMORIAL
	Duration Time (2 heads): 5 hours (minimum)	(2		NATIONAL HIGH SCHOOL,
	Automatically Light Up during Power Outage	(3 units per		-FIRST HIGH
	Overcharge and Over- discharge Protection	school)		SCHOOL FOR HEARING IMPAIRED,
	Built - In AC Charger, power cord plug to adapt			-INAYAWAN NHS,
	Type A outlet (or providing 5A minimum plug			-PARDO NHS
	adapter is an option)			
	Battery Test Switch - External Safety Fuse			
	Head: White LED 1W (minimum) 3.5 " Dome			
	Reflector			
	Power rating: 220 -240 VAC , 50/60 Hz			
	20-24 Hours Charge Time			
	Dimensions: Rectangular 27 x 7 x 27 cm (approx.)			
	Sooth surface, no sharp edges			
	Includes User's Manual in English which contains:			
	a. A Diagram of the Parts with their Names,			
	b. Operating Procedures on how to use the			
	Equipment,			
	c. Safety Precautions when using the Equipment,			
	d. Basic Troubleshooting and Maintenance			
	Procedures			
	The item must be branded, Brand name and			
	electrical ratings permanently mark on the item.			
	ciccincarratings permanently mark on the item.	6 LINUTC	120 calendar days	-BITLANG NHS,
19	MIRROR	6 UNITS	from the date of	-DON CARLOS
	Specification:		receipt of Notice to	GOTHONG, -DON VICENTE
	Wall mirror with frame	(1 unit per	Proceed	RAMAN MEMORIAL
	Flat Glass mirror, 2 mm thick (minimum),	school)		NATIONAL HIGH SCHOOL,
	Clear with no distortion			JOHOUL,

	Frame: Wood or Plastic commercial finish Rectangular shape, 3600 sq.cm (minimum) Includes mounting accessories Smooth surface, no sharp edges			-FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
20	MOP Specification: Mop, handle and mop head set, refillable head Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob Overall Handle Dimension: 130 x 19 cm (minimum) Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White Handle: Plated Steel Tube or Wood, Length: 40 (minimum),	54 UNITS (9 units per	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
21	No sharp edges POLISHER, FLOOR, ELECTRIC, WITH ACCESSORIES Specification: Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy	school) 6 UNITS	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH
	Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity:13 inch (minimum) diameter Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed: 160 rpm (minimum) Heavy duty (Royal) Power Cord Length: 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing pads Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance PROCEDURES Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.	(1 unit per school)		SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS
22	SHELVING Specification:	12 UNITS	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL

				NATIONAL HIGH
	Shelving, open, knockdown type, adjustable	2 units per		SCHOOL,
	shelves	school)		-FIRST HIGH
	Metal Powder Coated frame			SCHOOL FOR HEARING IMPAIRED,
	Number of Shelves : 5			-INAYAWAN NHS,
	Overall Dimensions: 85 x 30 x 180 cm(minimum)			-PARDO NHS
	Sturdy connection, No wobble			
	Smooth surface, no sharp edges			
	SQUEEZER, MOP		120 calendar days	-BITLANG NHS,
23	Specification:	12 UNITS	from the date of	-DON CARLOS GOTHONG,
	Mop bucket with squeezer/wringer and wheels		receipt of Notice to	-DON VICENTE
	Hand lever to squeeze, made of metal, with hand	(2 units per	Proceed	RAMAN MEMORIAL
	grip			NATIONAL HIGH SCHOOL,
	Material : Hard Plastic, (PS) Polystyrene or its	school)		-FIRST HIGH
				SCHOOL FOR
	equivalent			HEARING IMPAIRED, -INAYAWAN NHS,
	Capacity: 30 L (minimum)			-PARDO NHS
	Overall Dimension (excluding handle: (LxWxH			
) 40 x 27 x 57 cm (minimum)			
	Color : Yellow			
	With 3 inches non-marking rubber casters			
	"CAUTION" printed in black on both sides of the			
	mop bucket			
	Smooth surface, no sharp edges			
	STEP LADDER	40.111.1170	120 calendar days	-BITLANG NHS,
24	Specification:	12 UNITS	from the date of	-DON CARLOS GOTHONG,
	Material: aluminum U channel		receipt of Notice to	-DON VICENTE
	Capacity: 250 lbs (minimum)	(2 units per	Proceed	RAMAN MEMORIAL NATIONAL HIGH
	Type: Flatform type	school)		SCHOOL,
	Number of step: 6 (including top step)	,		-FIRST HIGH
	Reach height: 6 to 8 Feet(minimum)			SCHOOL FOR HEARING IMPAIRED,
	Width: 15 inches minimum			-INAYAWAN NHS,
	Spread: 4 feet (minimum)			-PARDO NHS
	Twin steps with gripped treads to prevent			
	slipping			
	Step braces on top and bottom step			
	Heavy duty aluminum foot bracket with slip-			
	resistant foot pad			
	With User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions,			
	Branded			
25	Vacuum Cleaner, Dry and Wet	6 UNITS	120 calendar days	-BITLANG NHS, -DON CARLOS
	Specification: Electric vacuum cleaner, wet and		from the date of receipt of Notice to	GOTHONG,
	dry function, sucks even screws, with 4 swivel	(1 unit per	Proceed	-DON VICENTE
	caster wheels	school)	110000	RAMAN MEMORIAL NATIONAL HIGH
	Material : Hard Plastic, (ABS) or rust proof body	3011001)		SCHOOL,
	equivalent			-FIRST HIGH SCHOOL FOR
	Power Supply : 220/240VAC, 50/60Hz, 1000			HEARING IMPAIRED,
	Watts (minimum)			-INAYAWAN NHS,
	Auto shut off			-PARDO NHS
	Tank Capacity: 20 Liters (minimum)			
	Equipped with complete accessories i.e.,			
	Lydipped with complete accessories i.e.,	<u> </u>		

	12.The item must be branded, DTI-BPS certified, 1 year warranty parts and service 13. With Service centers located in major cities in the Philippines. 14.The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.			
27	WHITE BOARD Specification: White board, floor standing, rolling Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges	12 UNITS (2 units per school)	120 calendar days from the date of receipt of Notice to Proceed	-BITLANG NHS, -DON CARLOS GOTHONG, -DON VICENTE RAMAN MEMORIAL NATIONAL HIGH SCHOOL, -FIRST HIGH SCHOOL FOR HEARING IMPAIRED, -INAYAWAN NHS, -PARDO NHS

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – LOCAL GUIDING SERVICES NC II AND WELLNESS MASSAGE NC II - LOT 7

Item No.	Description	Quantity	Total	Delivered, Weeks/Months	Place of
	L AL GUIDING SERVICES NC II			vv eeks/iviolitiis	Delivery
LUCE				120 colondor dove	BITLANG NHS
1	First Aid kit Specification Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs; Hand towels or face towels, white color, 6 pcs; Gauze bandage, minimum 5cm x 4cm, 2 rolls; Antiseptic handwash/germicidal soap, 60 gms, 2pcs; Torniquet, 2 pcs; Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle; Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers min. 8cm, plastic, 2pcs; Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm, 24pcs, 150mm x 230mm Cotton balls, 50 balls in a sealed package, 2 packs Hot and Cold pack, reuseable, 1 pack	1 UN	IIT	120 calendar days from the date of receipt of Notice to Proceed	BITLANG NHS
	accommodate all the listed items.				
2	MEGAPHONE Specification: Battery operated (4 pcs - Size D battery) With Built-in siren Power output: 20-Watts (minimum) Range: 700 meters (minimum) With hand grip and carrying strap Branded With Users manual that contains the specification, list of parts, instruction guide, troubleshooting, safety instruction.	1 UN	IIT	120 calendar days from the date of receipt of Notice to Proceed	BITLANG NHS
3	WHISTLE Specifications:	1 UN	IIT	120 calendar days from the date of receipt of Notice to Proceed	BITLANG NHS

	Anodized Aluminum;Size : Length - 6.5cm x			
	3cm diameter; Handy and Lightweight; Loud			
	whistle can be heard for far distance of 100			
	meters; With Key ring for attachment			
	WHITE BOARD		120 calendar days	BITLANG NHS
	Specifications:	1 UNIT	from the date of	
4	White board, floor standing, rolling Board:	101111	receipt of Notice to	
	White Formica Laminated, plane will not		Proceed	
	deform.			
	Board Size: Rectangular 1800mm W x 1000 to			
	1200mm H, Board Edges secured with			
	Aluminum Clip Edging 17 mm (minimum)			
	with plastic corner caps Comes with Metal			
	Tray for Marker and Eraser. The stand and			
	frame are constructed with Aluminum or			
	powder coated steel 25mm square tube			
	(minimum), sturdy, no wobble With 4			
	lockable hard plastic caster wheels Overall			
	Height from floor: 210 to 214cmSmooth			
	surface, no sharp edges			
WEL	LNESS MASSAGE NC II - LOT 7			
	DUMMY, ANATOMICAL	2 UNITS	120 calendar days	-MABOLO
5	Specifications:		from the date of	NATIONAL HIGH
	1. Half Life-Size Muscular Figure Measures	(1 unit per	receipt of Notice to Proceed	SCHOOL
	32" tall (minimum).	school)	119000	
	2. This model features 27 removable parts			-TEJERO NHS
	that are held on by metal screws, posts, and			(DAY & NIGHT)
	hooks.			
	3. It shows the muscular system with			
	numbered parts that comes with a			
	corresponding key.			
	4. It has removable arms, a removable			
	calvarium, and a removable chest plate that			
	calvarium, and a removable chest plate that			
	hides the individual numbered organs of the			
	hides the individual numbered organs of the digestive system			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid,			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris,			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris,			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus.			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus. 6. Removable organs include: Brain (2parts),			
	hides the individual numbered organs of the digestive system 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus.			

	7. Dana ia 1211 011 / mana analala)			
	7. Base is 13" x 9" (removable)			
	8. Weighs 12 lbs. (approximately)			
	9. Plastic material			
	10. Non toxic material			
	11. Carton box packaging			
	MASSAGE BED / TABLE		120 calendar days	-MABOLO
6	Specifications:	10 UNITS	from the date of	NATIONAL HIGH
	Materials: Hard wood with steel bracings,	20 011110	receipt of Notice to	SCHOOL
	<u>-</u> :	/F:+	Proceed	SCHOOL
	Hardwood Frame, Marine Plywood Deck;	(5 units per		-TEJERO NHS
	Color: Black	school)		(DAY & NIGHT)
	Dimensions: W:75 cm x L:183 cm x H:			(DAT & NIGHT)
	(adjustable)			
	Height: adjustable from 24 in 33in.			
	Leg thickness - 35mm (minimum)			
	Cushion System: High density foam (7.5 cm /			
	2.95") minimum with PU leather cover (1mm			
	thick)			
	Finishing: Round Corner			
	Weight Capacity: 250 kg(minimum)			
	Gross Weight: 21 kg (Approximate)			
	2 end support bearer to strengthen the base			
	and increase weight capacity			
	Accessories - aluminum headrest (Adjustable)			
	+ face plug + armrest + arm sling + carry case			
	Portable and Foldable			
	MASSAGE CHAIR		120 calendar days	-MABOLO
7		2 UNITS	from the date of	NATIONAL HIGH
	Specifications:	2 011113	receipt of Notice to	
	1.Padded with 3" thick, high-density, small-		Proceed	SCHOOL
	cell foam	(1 unit per		TELEDO NULC
	2. Size: 14"-diameter seat (minimum) but	school)		-TEJERO NHS
	without back and arm rest, with metal post			(DAY & NIGHT)
	and hard plastic star.			
	3. Pneumatic spring will effortlessly adjust			
	the height from 18" to 24" with the pull of a			
	lever			
	4. Five heavy-duty, smooth-rolling wheels			
	5. Load capacity: 265 lbs / 120 kg (maximum)			
	6. Smooth surface and no sharp edges			
	7. Any color with one color only for whole lot		120 - 1 - 1	1440016
8	SPHYGMOMANOMETER	10 UNUTC	120 calendar days from the date of	-MABOLO
	Specifications:	10 UNITS	receipt of Notice to	NATIONAL HIGH
	Aneroid Type; (for adult use)		Proceed	SCHOOL
	Large cuff sizes: 33 to 42 cm arm diameters	(5 units per		TELES
	Accuracy: ±3mm Hg;	school)		-TEJERO NHS
	Measurement range: 0mm Hg to 300mm Hg;			(DAY & NIGHT)
	Smallest scale: 1mm HgIndex and range			
	markings on the dial for clear readings			
	markings on the dial for clear readings	L	l	

9	Nylon cuff is durable and stain resistant with a Velcro closure Inflation system is latex free and has an easy- release deflation valve Chrome-plated brass air release valve; Set includes: 1 unit Sphygmomanometer; 1 zippered nylon carrying case Smooth surface and edges, non toxic material STETHOSCOPE	10 UNITS	120 calendar days	-MABOLO
9	Specifications: Chest-piece Description: Stainless Steel Double Chest Piece Color: Black Tubing Description: Y-tube PVC Uses extra soft replaceable and pivotable Ear Tips The binaural is chromium-plated Chest-piece diameter: 44 mm (minimum) and has non-chill rim Overall Length: 29" /74 cm (minimum) The stethoscope is latex-free Comes with a pair of replacement Ear Tips, a replacement Membrane, and a Name Plate Smooth surface and no sharp edges	(5 units per school)	from the date of receipt of Notice to Proceed	NATIONAL HIGH SCHOOL -TEJERO NHS (DAY & NIGHT)
10	TALKING SPHYGMOMANOMETER Specifications: Type: arm type blood pressure monitor (talking english), Nylon cuff sizes: 33 to 42 cm arm dia. LCD Digital Display: Systolic, diastolic, pulse rate with real voice, loud and clear, announcing blood pressure automatically when reading is detected and displayed simultaneously Dimensions: 98mm*126mm*60mm (approximate) Hard plastic casing, smooth surface and no sharp edges, non toxic materials Measurement range: 0mm Hg to 300mm Hg; Smallest scale: 1mm Hg Weight: 450g (approximate) Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa) Pressure accuracy: ±3mmHg(±0.4kPa) Pulse measurement range: 40 ~199 beats /min Voltage: 4*AAA alkaline batteries or power	2 UNITS (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	-MABOLO NATIONAL HIGH SCHOOL -TEJERO NHS (DAY & NIGHT)

	adada.			
	adapter			
	Certificate: CE ROHS			
	Intelligent automatic pressurization and			
	decompression			
	Incorrect prompting function			
	Automatic shutdown: 1 min after last			
	operation			
	Carton box packaging			
	TALKING THERMOMETER		120 calendar days	-MABOLO
11	Specifications:	2 UNITS	from the date of	NATIONAL HIGH
11	Case Material: Hard plastic		receipt of Notice to	SCHOOL
	Sensing unit: Thermistor	(1 unit per	Proceed	3011002
		, .		-TEJERO NHS
	Measurement method: Actual measurement	school)		(DAY & NIGHT)
	Measurement Range: 32 C - 42 C (89.6F-			(b) (i a mom)
	107.6F)			
	Measurement Accuracy: ± 0.1C 32C-42.0C (±			
	0.2 F 89.6.9F-107.6F)			
	Power Supply: 1.5V DC, LR41 Alkaline-			
	Magnesium button battery			
	Real voice (loud and clear in english)			
	announces temperature automatically when			
	reading is detected			
	Temperature display: 3-digit, +deg C (deg F)			
	display in 0.1 degree increment			
	Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D)			
	inches (not including probe) / 51 (W) x 110			
	(H) x 30 (D) mms (not including probe)			
	Choices in degrees Celsius or Fahrenheit			
	Talk button repeats last temperature reading			
	Last reading memory			
	Auto switch off			
	Accessories: Protective case, 5 probe covers,			
	instruction sheet			
	Paddle shape with sensor on small end			
	THERMOMETER, DIGITAL		120 calendar days	-MABOLO
12	Specifications:	10 UNITS	from the date of	NATIONAL HIGH
	Case Material: Hard plastic		receipt of Notice to	SCHOOL
	Sensing unit: Thermistor	(5 units per	Proceed	33.1002
	Measurement method: Actual measurement	school)		-TEJERO NHS
		SCHOOL)		(DAY & NIGHT)
	Measurement Range: 32 C - 42 C (89.6F-			(2 3
	107.6F)			
	Measurement Accuracy: ± 0.1C 32C-42.0C (±			
	0.2 F 89.6.9F-107.6F)			
	Power Supply: 1.5V DC, 1 LR41 Alkaline-			
	Magnesium button battery when measured			
	at a standard room temperature of 23 deg C			
	(73.4 deg F) in a test tank held at constant			
	1 (13.7 deg i / iii a test talik lielu at tulistalit		<u> </u>	

temperature Power consumption: 0.1mW Low battery indication: Battery symbol displayed Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree increment Memory: Last measuring reading Beeper function: 1 beep when power on 3 beeps after measurement completed External Size (mm): 19.4(W) × 132.5 (L) × 10.0(D) Accessories: Protective case, test battery, 5 probe covers, instruction sheet Paddle shape with sensor on small end WHITE BOARD Specifications: White board, floor standing, rolling Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges	2 UNITS (1 unit per school)	120 calendar days from the date of receipt of Notice to Proceed	MABOLO NATIONAL HIGH SCHOOL -TEJERO NHS (DAY & NIGHT)
--	-----------------------------	---	---

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – BREAD AND PASTRY PRODUCTION NC II - LOT 1

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	Air Compressor with Airbrush Cake Decorating Set Specification: Type: Single Cylinder Piston Compressor; Body Shape: Cylindrical in shape; Material: Copper, Aluminum; Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum); Power Source: 220 Volts AC, 60 Hz with power cord 1.5 meters long minimum with attachment standard male plug type A or provide an adapter plug; Power Rating: 1/6 Hp motor; Capacity: Air pressure adjustment range 0 to 57 Psi; Automatic On/Off Shutoff; Compressor must have oil filter, water trap filter, pressure regulator with gauge, and with mounted airbrush holder and with built in cooling fans; Airbrush Specifications: a) airbrush material: Stainless steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2 cc;	

	d) Airbrush with a 1/3 oz. gravity fluid cup;	
	e) Nozzle that allow to spray from hairline up to 1 1/2	
	inches wide;	
	f) Operating Pressure: 15-57 Psi.	
	g) rubber hose length: 2 meter (minimum)	
	h.) Air flow: 20 liters/min.	
	Package contents: 1 pc Air compressor, 1 set Air brush kit	
	with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning Brushes	
	in different width, tools and User's Manual that contains	
	Operation guide, maintenance/troubleshooting procedure	
	and list of parts.	
	Qty: 32 UNITS (4UNITS per SCHOOL)	
2	BOARD, CHOPPING, 6 COLOR	
	Specification:	
	Type: FoodGrade;	
	Body Shape: Rectangular;	
	Material: Plastic (Polypropylene), food grade;	
	Board Size: Length: 38 cm (minimum);	
	Width: 30 cm (minimum);	
	Thickness: 1.27 cm (minimum);	
	Color-coded for use with different types of food, Blue,	
	Red, Yellow, Green, Brown and White;	
	Preferably packed in set;	
	No sharp edges; With hole for storage purposes.	
	Qty: 48 UNITS (6 UNITS per SCHOOL)	
3	BOILER, DOUBLE	
	Specification:	
	Material: Stainless steel;	
	Thickness: 1/16 inch (1.5 mm) (minimum);	
	Lid material: Glass;	
	Riveted handle on both side;	
	Diameter: 9 1/2 inches (minimum);	
	Total Height: 9.4 inches (minimum);	
	Inset Bottom Diameter: 9 inches (minimum);	
	Inset Top Diameter: 9 inches (minimum);	
	Capacity: 2 liters (minimum);	
	Must be a set which includes one (1) saucepan, one (1)	
	boiler, and one (1) lid;	
	With Stainless steel handle;	
	With smooth surfaces (no sharp edges);	
	Qty: 40 UNITS (5 UNITS per SCHOOL)	
4	BOWL, MIXING (6 PCS/SET)	
	Specification:	
	Type: Mixing Bowl Set;	
	Body Shape: Round;	
	Material: Stainless Steel, 0.8 mm - 1.0 mm thick;	
	Each set must consist of the following capacities:	
	1 pc - 0.70 liter	
	1 pc - 1.5 liters	
	1 pc - 3 liters	
	1pc - 4 liters	
	1pc - 5 liters	
	1pc - 8 liters	
	Light weight and easy to use, flat base, curved lip	
	Preferably with packing case	
	Dishwasher Safe	

	Γ	<u></u>
	Each set contains the following:	
	1 pc - 1 cup (237 mL)	
	1 pc - 1/2 cup (118 mL)	
	1 pc - 1/3 cup (79 mL)	
	1 pc - 1/4 cup (59 mL)	
	Handle dimension: Length-12 cm x Width-1 cm (minimum)	
	Measuring capacity engraved on the handle	
	Strip Handles have provision for hanging	
	Preferably with packing case	
	Smooth and no sharp edges	
	Dishwasher safe	
	Qty: 96 UNITS (12 units per school)	
9	CUP, MEASURING, 250 ML FOR LIQUID	
	Specification:	
	Type: Clear Glass Cup	
	Body Shape: Round	
	Material: Clear, non-porous tempered glass	
	Capacity: 250 ml (with 10 ml or 50 ml increments)	
	With permanent graduation markings	
	Specified metric and English system of measurement	
	, · · · · · · · · · · · · · · · · · · ·	
	With handle & spout for easy pouring	
	Preferably with packing case	
	Food Grade and safe use for microwave, freezer and	
	dishwasher	
	Qty: 96 UNITS (12 units per school)	
10	CUP, MEASURING, 500ML FOR LIQUID	
	Specification:	
	Type: Clear Glass Cup	
	Body Shape: Round	
	Material: Clear, non-porous tempered glass	
	Capacity: 500 ml (with 10 ml or 50 ml increments)	
	With permanent graduation markings	
	Specified metric and English system of measurement	
	With handle & spout for easy pouring	
	Preferably with packing case	
	Food grade and safe use for microwave, freeze and	
	dishwasher	
	Qty: 96 UNITS (12 units per school)	
11	CUTTER, DOUGH	
	Specification:	
	Type: Scraper	
	Body Shape: Straight Blade	
	Material: Stainless Steel straight blade with stainless steel	
	handle	
	Blade dimension: Length : 15 cm x Width: 11 cm x	
	Thickness: 1.2 mm(minimum)	
	Handle Dimension: Length: 15 cm x diameter: 3 cm	
	(minimum)	
	1 '	
	Preferably with packing case	
	Food grade and dishwasher safe	
	Design allows item to be hung for storage	
	Qty: Qty: 40 UNITS (5 units per school)	
12	FLOUR SIFTER, HAND CRANKED	
<u></u>	Specification:	
	i to the second	

	Type: Hand Cranked	
	Body Shape: Round Shape	
	Material: Stainless steel	
	Dimension: Diameter: 133.3 mm (minimum) x Height:	
	165 mm (minimum)	
	Thickness: 0.79 mm (minimum) (body) and constructed	
	with stainless steel wire mesh # 30 bottom	
	Volume markings should be seen inside and outside of the	
	sifter	
	Capacity: 5 cups (1.18 liter)	
	Spring action squeeze handle stainless steel	
	Preferably with a packing case	
	Dishwasher safe	
	Qty: 48 UNITS (6 units per school)	
13	KNIFE, KITCHEN	
	Specification:	
	Type: Cook's knife or kitchen knife	
	Body Shape: Flat and Straight Edge	
	Material: Stainless steel blade	
	Handle material: Hard Plastic (Polypropylene) with rivets	
	Overall Length: 33 cm (minimum)	
	Blade Length: 20 cm x Width: 3.2 cm (minimum)	
	Handle Length: 12 cm (minimum)	
	Thickness of Blade: 3 mm (minimum)	
	Pointed Tip and slight curve	
	Preferably with packing case	
	Dishwasher safe	
	Must be branded.	
1.4	Oty: 48 UNITS (6 units per school)	
14	KNIFE, PALLET Specification:	
	Type: Pallet knife	
	Body Shape: Offset Blade	
	Blade material: Stainless steel	
	Handle material: Hardwood (Smooth finish) with rivets	
	Overall length: 30.5 cm - 35.6 cm	
	Blade Dimension: Length- 17 cm x Width-3.8 cm (minimum)	
	Thickness of Blade: 1.7 mm thick (minimum)	
	Preferably with packing case	
	Dishwasher safe	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	
15	LOAF PAN BIG	
	Specification:	
	Type: Loaf pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm - 2 mm	
	Length: 25.4 cm (minimum)	
	Width: 12.7 cm (minimum)	
	Depth: 7.62 cm (minimum)	
	Preferably with packing case	
	Extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Food grade and oven safe	
ĺ	Must be branded.	

	Qty: 48 UNITS (6 units per school)	
1.6	LOAF PAN, MEDIUM	
16		
	Specification: Type: Loaf pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm - 2 mm	
	Length: 22.86 cm (minimum)	
	Width: 11.43 cm (minimum)	
	Depth: 6.9 cm (minimum)	
	Preferably with packing case	
	Extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Food grade and oven safe	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	
17	LOAF PAN, SMALL	
	Specification:	
	Type: Loaf pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm - 2 mm	
	Length: 17.78 cm (minimum)	
	Width: 7.62 cm (minimum)	
	Depth: 5.48 cm (minimum)	
	Preferably with packing case	
	Extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Food grade and oven safe	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	
18	MUFFIN PAN, BIG	
	Specification:	
	Type: Muffin pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm (minimum)	
	Dimension: Length-36.6 cm x Width-22.9 cm x Height-7.6	
	cm (minimum)	
	Cup Size: Height- 8.2 cm x Diameter 8.9 cm (minimum)	
	Number of cups in a tray: 6 cups	
	Preferably with packing case	
	With extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Food grade and oven safe	
	Must be branded.	
19	MUFFIN PAN, MEDIUM	
	Specification:	
	Type: Muffin pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm (minimum)	
	Dimension: Length-40 cm x Width-27.9 cm x Height-2.8 cm	

	T	
	Number of cups in a tray: 12 cups	
	Preferably with packing case	
	With extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Food grade and oven safe	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	
20	MUFFIN PAN, SMALL	
	Specification:	
	Type: Muffin pan	
	Body Shape: Rectangular	
	Material: Anodized Aluminum	
	Thickness: 1.5 mm (minimum)	
	Dimension: Length 40.6 cm x Width-25.4 cm x Height 2.8	
	cm (minimum)	
	Cup Size: Height-2.5 cm x Diameter 3.8 cm (minimum)	
	Number of cups in a tray: 24 cups	
	Preferably with packing case	
	With extended sides for an easy grip	
	With extended sides for an easy grip With smooth surfaces and no sharp edges	
	• =	
21	Qty: 48 UNITS (6 units per school) PIE PAN, 10 INCHES DIAMETER	
21	Specification:	
	Type: Pie Pan	
	Body Shape: Round	
	Material: Aluminum, 0.81 mm thick (minimum)	
	Diameter -10 inches (254 mm) minimum	
	Depth: 1.25 inches (31.75 mm) minimum	
	Coated with non-stick coating materials	
	Preferably with packing case	
	Oven safe to 500°F / 260°C	
	Food Grade	
	With extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Must be branded.	
22	Qty: 48 UNITS (6 units per school)	
22	PIE PAN, # 6, #8, #10	
	Specification: Type Pie Pan	
	1 ''	
	Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum)	
	1) # 10 diameter: 10 inches (254 mm) minimum	
	2) # 8 diameter: 8 inches(203 mm) minimum)	
	3) #6 diameter: 6 inches (152 mm) minimum	
	Depth: 1.5 inches (38.1 mm) minimum	
	Oven safe to 500°F / 260°C	
	Coated with non-stick coating materials	
	Preferably with packing case	
	Food Grade	
	With extended sides for an easy grip	
	With smooth surfaces and no sharp edges	
	Must be branded. Qty: 48 UNITS (6 units per school)	
23	Cty. 40 Olvi 13 (0 ulillo pel solibbi)	
23	RECTANGULAR PAN, 1 X 8	
	Specification:	
	Type: Rectangular Pan	

	Material: Anodized Aluminum	
	Thickness: 1.63 mm thick, minimum	
	Dimensions: Length- 8 inches x Width- 8 inches x Height- 1	
	inch (minimum)	
	Oven safe to 500°F / 260°C	
	Preferably with packing case	
	Food grade and dishwasher safe	
	Must be branded.	
	Qty: 40 UNITS (6 units per school)	
24	ROLLING PINS	
	Specification:	
	Type: Rolling Pins	
	Body Shape: Tubular in shape	
	Material: Hardwood (Solid Wood in natural color)	
	Roller Dimensions: 2.5 inches diameter x 9.5 inches length	
	(minimum)	
	Handle dimension: 1 inch diameter x 4 inches length	
	(minimum), Overall length: 17.5 inches (minimum)	
	With rust proof nylon bearings for smooth rolling action	
	Preferably with packing case	
	Smooth surface finish with no sharp edges	
	Materials used must be food grade	
	Must be branded	
	Qty: 48 UNITS (6 units per school)	
25	SAUCE PAN	
	Specification:	
	Type: Sauce Pan	
	Body Shape: Round in shape	
	Material: Stainless Steel with aluminum core	
	Dimension: Diameter- 16 cm x Height-8 cm (minimum)	
	Thickness: 1.8 mm thick (minimum)	
	Riveted Stainless steel	
	Handle Length: 15 cm (minimum)	
	Capacity: 1 quart (minimum)	
	Preferably with packing case	
	With stainless steel cover,	
	Safe for use with stove, oven, broiler and dishwasher	
	The materials used must be non-toxic	
	Must be branded	
	Qty: 48 UNITS (6 units per school)	
26	SHEET PAN	
	Specification:	
	Type: Sheet Pan	
	Body Type: Rectangular	
	Material: Aluminum	
	Thickness: 0.91 mm Thick (minimum)	
	Dimension: Length-22 inches x Width-16 inches x Height-1	
	inch (minimum)	
	Preferably with packing case	
	Smooth finish surfaces without sharp edges	
	Corrosion resistant	
	Superior heat conduction	
	Oven safe to 500°F / 260°C (maximum)	
	Food grade	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	
<u> </u>	Qty. 40 ONTO (0 unito por sonou)	

27	WEIGHING SCALE, 10 KGS	
	Specification:	
	Type: Top loading Dial Weighing Scale	
	Body Shape: Flat Pan	
	Material: Aluminum pan and metal body (enamel painted)	
	Dimension: (L X W X H) 26 cm x 21 cm x 26 cm (minimum)	
	Platform L-22 cm x W-22 cm (minimum)	
	Capacity: 10 kg / 22 lb. Sensitivity/Graduated by 10 grams	
	Measurement units: Gram/Kilogram	
	Manual Setting on Zero, must be accurate and durable	
	Mechanism type: Spring Lever	
	Preferably with packing case	
	No sharp edges and rough surfaces	
	Comes with English User's manual that contains Operation	
	guide, maintenance and troubleshooting procedure	
	Must be branded	
	Qty: 48 UNITS (6 units per school)	
28	WEIGHING SCALE,5 KGS, DIGITAL	
	Specification:	
	Type: Digital Weighing Scale	
	Material: Hard Plastic body, Stainless Steel Weighing Pan	
	Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm	
	(minimum)	
	Stainless Steel Weighing Pan size: (L x W) 13 cm x 13 cm	
	(minimum)	
	Power Source: Battery Operated (Batteries are included) or	
	Optional with AC/DC Adaptor	
	Power Rating: 3 Volts DC - 9 Volts DC (Battery)	
	Capacity: 2 kg -5 kg	
	Weighs in 0.1 (1/10th) grams increments	
	LCD display: 16 mm height with backlights	
	Preferably with packing case	
	Safety Features: Auto Power off function and Tare features	
	Accessories: Weighing pan and batteries	
	Comes with English User's manual that contains: Operation	
	guide, maintenance and troubleshooting procedure	
	Must be branded.	
	Qty: 48 UNITS (6 units per school)	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.		
Name of Company/Bidder		
Signature over Printed Name of Bidder	Date	

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – COOKERY NC II - LOT 2

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	BAIN MARIE, TABLE Specification: Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch	

	No rough surfaces and rough edges	
	Accessories: 4 pcs Pans with lid	
	Preferably with packing case	
	Comes with an English manual that contain: Operation	
	guide, Safety guide, maintenance / troubleshooting	
	procedure.	
	The offered brand of the item must be an international	
	brand with at least 5years presence at the local market	
	and global presence in the USA, Europe or Japan market.	
	Warranty period of 1 year (parts) and 3 years (service)	
	With Service centers located in major cities in the	
	Philippines	
	Qty: 5 units (1 unit per school)	
	BLENDER, ELECTRIC	
	Specification: Type: Blender Machine	
	Body Shape: Round Jar	
	Material Housing: Plastic (Polypropylene)	
	Jar Height: 25 cm to 28 cm	
	Jar Thickness: 4 mm to 8 mm	
	Heat resistant Glass Jar with cover	
	Source Voltage: 220 Volts / 240 Volts,50 Hz / 60 Hz with	
	power cord 1.5 meter long with attachment of standard	
	Type A male plug or provide plug Adapter 10A/220V.	
	Power Wattage: 300 to 700 watts	
	Blade: Stainless steel, 3 to 4 metal blades	
	Capacity: 1.5 liters to 2 liters	
	With 5 to 10 push button speed setting with pulse control	
	switch	
	Preferably with packing case	
	With English Manual that contain: Operation guide,	
	maintenance and troubleshooting procedure	
	With Service centers located in major cities in the	
	Philippines.	
	The offered brand of the item must be an international	
	brand with at least 5 years presence at the local market	
	and global presence in the USA, Europe or Japan market.	
	Warranty period of 1 year (parts and service)	
2	Qty: 10 units (2 unit per school)	
	BOARD, CHOPPING/CUTTING, PLASTIC	
	Specification:	
	Type: Cutting Board	
	Body Shape: Rectangular	
	Material: Plastic (Polypropylene), food grade	
	Board Size: Length: 15 inches (minimum)	
	Width: 12 inches (minimum)	
	Thickness: 0.5 inch (minimum)	
	With hole for storage purposes	
	Preferably with packing case	
	Food Grade and Dishwasher Safe	
3	Qty: 80 units (16 unit per school)	
	BOILER, DOUBLE	
	Specification:	
	Material: Stainless steel	
	Thickness: 1/16 inch (1.5 mm) (minimum)	
	Lid material: Glass	
4	Riveted handle on both side	

	Diameter: 9 1/2 inches (minimum)	
	Total Height: 9.4 inches (minimum)	
	Inset Bottom Diameter: 9 inches (minimum)	
	Inset Top Diameter: 9 inches (minimum)	
	Capacity: 2 liters (minimum)	
	Must be a set which includes one (1) saucepan, one (1)	
	boiler, and one (1) lid	
	With Stainless steel handle and smooth surfaces with no	
	sharp edges	
	Qty: 10 units (2 unit per school)	
	BRAISING PAN, MEDIUM	
	Specification:	
	Type: Braising Pan	
	Body Shape: Round	
	Material: Enameled cast iron and stainless steel	
	Size: Diameter: 28 cm x Height: 10 cm (minimum)	
	Capacity: 4 Liters (Approximate)	
	With stainless steel cover, solid cast Stainless Steel side	
	handles and riveted	
	Handle on both side: Length: 10 cm (minimum)	
	Handle diameter: 8 mm to 10 mm	
	Preferably with packing case	
	Oven-safe up to 500 ° F; broiler, freezer, and Dishwasher-	
	safe. Warranty period of 1 year (parts and service)	
5	Qty: 40 units (8 unit per school)	
	Can Opener	
	Specification:	
	Type: Can Opener	
	Body Shape: lever shape	
	Materials: Stainless Steel	
	Dimension: Length-21 cm x Width 10 cm x Depth:2.5cm	
	(minimum)	
	Multi-use: 3 in 1 Can Opener also opens bottle tops- Can	
	lids and tabs	
	Includes hanging loops on the end of each handle	
	Double Round handles that are comfortable and easy to	
	grip. With rotating wheel and counter rotating serrated	
	wheel. Preferably with packing case	
	Cutting Mechanism leaves a smooth edge on the can for	
	your safety	
	Qty: 25 units (5 unit per school)	
6		
	CART, UTILITY	
	Specification:	
	Type: Utility Cart	
	Body Shape: Rectangular	
	Material: Plastic Polypropylene (PP)	
	Dimension: (I x w x h) 84cm x 43 cm x95 cm (minimum)	
	Capacity: 330 lbs (150kg) loads (minimum)	
	Three (3) shelving with at least 25 cm distance between	
	shelves	
	Tub shelves measure (l x w x h) 84cm x 43 cm x 7 cm	
	(minimum)	
	With four (4) swivel caster, 10 cm diameter, two which	
7	have locking breaks	

		Г
	Preferably with a packing case	
	Easy grip handles on end of cart	
	No sharp edges and rough surfaces	
	Qty: 5 units (1 unit per school)	
	CASSEROLE, MEDIUM	
	Specification:	
	Type: Casserole Pot	
	Body Shape: Round	
	Material: Stainless steel, 0.7 mm thick	
	Dimension: Diameter- 24 cm x Height -14 cm (minimum)	
	Tempered glass lid	
	Welded handle on both sides, size: 7.5 cm (minimum)	
	Handle diameter: 8 mm to 10 mm	
	Preferably with packing case	
	Dishwasher safe	
8		
0	Qty: 20 units (4 unit per school)	
	CASSEROLE, SMALL	
	Specification:	
	Type: Casserole Pot	
	Body Shape: Round	
	Material: Stainless steel, 0.7 mm thick	
	Dimension: Diameter- 20 cm x Height -12 cm (minimum)	
	Tempered glass lid	
	Welded handle on both sides, size: 7.5 cm (minimum)	
	Handle diameter: 8 mm to 10 mm	
	Preferably with packing case	
	Dishwasher safe	
9	Qty: 60 units (12 unit per school)	
	COLANDER, MEDIUM	
	Specification: Type: Colander, Medium	
	Body Type: Round	
	Material: 304 Stainless steel	
	Diameter: 30 cm (minimum)	
	Capacity: 8 quarts (9 liters)	
	Welded handle on both sides, size: 7.5 cm (minimum)	
	Handle diameter: 8 to 10 mm	
	Body Thickness: 0.8 mm (minimum)	
	Full-ring support base, 15 cm diameter	
	Preferably with a packing case	
	Food grade and Dishwasher safe	
10	I Oty: 10 units (2 unit per school)	
10	Qty: 10 units (2 unit per school)	
10	COLANDER, SMALL	
10	COLANDER, SMALL Specification:	
10	COLANDER, SMALL Specification: Type: Colander (Small)	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum)	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters)	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum)	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum)	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with packing case	
	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with packing case Food grade and Dishwasher safe	
10	COLANDER, SMALL Specification: Type: Colander (Small) Body Shape: Round Material: 304 Stainless steel Diameter: 26 cm (minimum) Capacity: 5 quarts (5.6 liters) Welded handle on both sides, size: 7.5 cm (minimum) Handle diameter: 8 mm to 10 mm Body Thickness: 0.8 mm (minimum) Full-ring support base, 15 cm diameter Preferably with packing case	

	<u>, </u>	
	Specification: Type: Measuring Cup Set	
	Body Shape: Round	
	Material: Stainless steel, 0.7 mm thick (minimum)	
	Each set contains the following:	
	1 pc - 1 cup (237 mL)	
	1 pc - 1/2 cup (118 mL)	
	1 pc - 1/3 cup (79 mL)	
	1 pc - 1/4 cup (59 mL)	
	Handle dimension: Length-12 cm x Width-1 cm (minimum)	
	Measuring capacity engraved on the handle	
	Strip Handles have provision for hanging	
	Preferably with packing case	
	Smooth surfaces and dishwasher safe	
	Qty: 40 units (8 unit per school)	
	DISPENSER, PAPER TOWEL	
	Specification:	
	Type Paper Towel Dispenser	
	Body Shape: Rectangular	
	Material: ABS plastic	
	Dimensions: Length =260 mm x Width =100 mm x Height =	
	211 mm (minimum)	
	Capacity: 200 paper	
	Paper size: Length-20 cm x Width- 8 cm (Approximate)	
	Mounting style: wall mounted tissue box	
	Comes with 4 pcs screw, 4 pcs Tox for mounting and 1 pc	
	Key to prevent random opening	
	Preferably with a packing case	
	The plastic material used must be non-toxic	
13	Qty: 20 units (4 unit per school)	
15		
	FAN, ELECTRIC	
	Specification:	
	Stand fan, electric	
	Material: Metal, plastic	
	Size/Diameter: 18 inches	
	Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60	
	Hz, Single Phase	
	Rotation Angle: 90 degrees	
	Base: Stable, 16 inches diameter (approx.)	
	Removable metal guard on front and rear	
	3-speed settings	
	Comes with 1.5 meters power cord and with molded male	
	plug to adapt Type A outlet (or providing 3A minimum	
	plug adapter is an option)	
	Smooth surface, no sharp edges	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	=	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance Procedures	
	With DTI-BPS certification, Brand and electrical ratings	
	clearly and permanently mark on the item	
	1 year warranty parts and service	
14	Qty: 10 units (2 unit per school)	
	Fire Extinguisher (with contents)	
15	Specification:	

	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium	
	Phosphate)	
	2.Portable type	
	3.Capacity: 5 - 6 kgs	
	4.Rechargeable Cylinder Metal	
	5. Working pressure of Cylinder : 400 psi	
	6.Brass Valve with Pressure Gage	
	7. With Rubberized Hose and Aluminum Nozzle Attached	
	8. With Squeeze lever to discharge and safety pin	
	10.Painted with Metal Primer and Red Enamel Paint	
	11.Includes with User's Guide in English that contains:	
	a. Operating procedure on how to use the equipment	
	b. Safety precaution when using the equipment	
	12.1 year warranty parts and service	
	13.The item must be branded and have good quality	
	Qty: 10 units (2 unit per school)	
	FISH POACHER, MEDIUM	
	Specification:	
	Type: Fish Poacher	
	Body Shape: Oval Pot for Poaching	
	Material: Stainless Steel, 0.64 mm thick	
	Dimensions (L x W x D): 45 cm x 15 cm x 12 cm (minimum)	
	Handle Material: Stainless Steel	
	Riveted looped handles on both side, 7 cm (minimum)	
	Handle diameter: 8 mm to 10 mm	
	Includes stainless steel lid with handle and removable	
	insert. Dimensions of the insert (L X w x D): 42 cm x 13 cm	
	x 1.5 cm (minimum) with handle	
	Preferably with a packing case	
10	Easy care, dishwasher safe	
16	Qty: 10 units (2 unit per school)	
	FORK, CARVING	
	Specification:	
	Type: Carving Fork	
	Body Shape: Square shape prong	
	Prong Material: High Carbon Stainless steel	
	Overall Length: 30 cm (minimum) Blade dimension: Length- 15 cm x Width- 0.5 cm x	
	thickness- 0.3 cm (minimum) Number of Prongs: 2 prong	
	Comes with square- shaped prongs and pointed tips	
	ABS Plastic Triple-riveted handle	
	Preferably with packing case	
	Dishwasher safe	
17	Qty: 15 units (3 unit per school)	
1	FRYING PAN, LARGE	
	Specification:	
	Type: Frying Pan (large)	
	Body Shape: Round	
	Pan Material: Aluminum with non-stick coating	
	Thickness: 3 mm thick (minimum)	
	Dimension: Diameter-30 cm (minimum) x Height- 5.5 cm	
	(minimum)	
	Handle Material: Stainless steel with Silicone	
18	Riveted Handle: 20 cm long (minimum)	
_10	Tavetea Handle. 20 cm long (millimum)	

	D (11 31 11	T
	Preferably with a packing case	
	Oven safe up to 250°F	
	Qty: 10 units (2 unit per school)	
	FRYING PAN, MEDIUM	
	Specification:	
	Type: Frying Pan (medium)	
	Body Shape: Round	
	Pan Material: Aluminum with non-stick coating	
	Thickness: 3 mm thick (minimum)	
	Dimension: Diameter-24 cm (minimum) x Height- 4.5 cm	
	(minimum)	
	Handle Material: Stainless steel with Silicone	
	Riveted Handle: 19 cm long (minimum)	
	Preferably with a packing case	
	Oven safe up to 250°F	
19	Qty: 40 units (8 unit per school)	
	FRYING PAN, SMALL	
	Specification:	
	Type: Frying Pan (small)	
	Body Shape: Round	
	Pan Material: Aluminum with non-stick coating	
	Thickness: 3 mm thick (minimum)	
	Dimension: Diameter-20 cm (minimum) x Height- 3.8 cm	
	(minimum), Handle Material: Stainless steel with Silicone	
	Riveted Handle: 12 cm long (minimum)	
	Preferably with a packing case	
	Oven safe up to 250°F	
20	Qty: 60 units (12 unit per school)	
	GARBAGE BIN	
	Specification:	
	Type: Swivel Lid Garbage Bin	
	Body Shape: Round	
	Material: Hard Plastic, Polypropylene	
	Dimension: Diameter-26 cm x Height-47 cm (minimum)	
	Capacity: 4 gallons (minimum)	
	Removable dome shape Lid with spring return swivel	
	Preferably with a packing case	
	Color: Any color	
	Smooth and no rough surfaces	
21	Qty: 20 units (4 unit per school)	
	GLASS RACK	
	Specification:	
	Type: Glass Rack	
	Body Shape: Square	
	Material: Polypropylene Plastic	
	Overall Dimensions: Length - 19 1/2 inches x Width - 19	
	Overall Differsions, Length - 19 1/2 inches x width - 19	
	1/2 inches x Height - 4 inches (minimum)	
	1/2 inches x Height - 4 inches (minimum)	
	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack	
	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width -	
	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum)	
	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides	
	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case	
22	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case The plastic material used must be non-toxic	
22 23	1/2 inches x Height - 4 inches (minimum) Compartments: Full-size 25 individual compartment glass rack Compartment Dimensions: Length - 3 1/2 inches x Width - 3 1/2 inches x Height - 4 inches (minimum) Easy grip handles molded into all four sides Preferably with a packing Case	

	Le ve v	
	Specification:	
	Type: Flexible Boning Knife	
	Body Shape: Ergonomic	
	Material: High Carbon Steel	
	Overall Length: 28 cm (minimum)	
	Blade: Length-15 cm x Width- 3 cm (minimum), Pointed tip	
	Cutting edge angle from tip to the heel is 13 to 14 degrees	
	Handle Length: 12 cm (minimum)	
	Handle Material: Hard plastic handle with rivets	
	Preferably with packing case	
	Dishwasher safe	
	Qty: 40 units (8 unit per school)	
	KNIFE, CHEF	
	Specification:	
	Type: Chef's Knife	
	Body Shape: Flat	
	Materials: Stainless steel	
	Overall length: 30 cm (minimum)	
	Blade Size: Length - 20 cm x Width-4 cm (minimum)	
	Blade thickness: 2.5 mm (minimum)	
	Cutting Edge: Straight, pointed end	
	Handle: Triple Riveted Plastic (Polypropylene)	
	Preferably with packing case	
	The plastic material used must be non-toxic	
	Dishwasher safe	
	Must be branded.	
24	Qty: 50 units (10 unit per school)	
	KNIFE, CLEAVER	
	Specification:	
	Type: Cleaver Knife	
	Body Shape: Flat	
	Blade Material: Forged Stainless steel Heavy duty	
	Blade length: 17 cm (minimum)	
	Overall length: 30 cm (minimum	
	Cutting Edge: Straight	
	Handle Material: Ergonomic Wood Handle with triple	
	rivets, Blade thickness: 3 mm (minimum)	
	Blade width: 12 cm (minimum)	
	Preferably with packing case	
	The plastic material used must be non-toxic	
	Dishwasher safe	
	Must be branded	
25	Qty: 10 units (2 unit per school)	
	LIGHT, EMERGENCY	
	Specification:	
	Emergency light, 2 heads LED	
	Materials: metal, anti-rust coated	
	Duration Time (2 heads): 5 hours (minimum)	
	Automatically Light Up during Power Outage	
	Overcharge and Over- discharge Protection	
	_ =	
	Built - In AC Charger, power cord plug to adapt Type A	
	outlet (or providing 5A minimum plug adapter is an	
	option)	
	Battery Test Switch - External Safety Fuse	
	Head: White LED 1W (minimum) 3.5 " Dome Reflector Power rating: 220 -240 VAC , 50/60 Hz	
26	1 11au 1au 1au 1au 1au 1au 1au 1au 1au 1	

	00 0411 01 7	
	20-24 Hours Charge Time	
	Dimensions: Rectangular 27 x 7 x 27 cm (approx.)	
	Smooth surface, no sharp edges	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance Procedures	
	The item must be branded, Brand name and electrical	
	ratings permanently mark on the item.	
	Qty: 10 units (2 unit per school)	
	MEAT SLICER, SMALL	
	Specification:	
	Type: Meat Slicer	
	Body Shape: Circular	
	Housing Material: Die Cast Aluminum Alloy and body	
	painted	
	Dimensions: Width-40.5 cm x Depth- 45.7 cm x Height- 38	
	cm (minimum)	
	Stainless Steel Rotary Blade Diameter: 190 mm (minimum)	
	Power Source: 220 Volts-230 Volts, 60 Hz with power cord	
	1.5 meter long with attachment of standard Type A male	
	plug or provide plug Adapter 10A/220V	
	Power Rated: 150 Watts (minimum)	
	Adjustment slicing /Cutting Thickness: 0 - 20 mm thick	
	Complete with push button switch, pilot light and	
	adjustable control knob for slice thickness	
	Equipped with food carrier, slide bracket, locking plate,	
	blade, knife sharpener, handle bar and fixed ring guard for	
	safety	
	•	
	Preferably with a packing case	
	Comes with an English manual that contain: Operation	
	guide, Safety guide, maintenance / troubleshooting	
	procedure and list of parts.	
	With Service centers located in major cities in the	
	Philippines.	
	Warranty period of 1 year (parts and service)	
	Must be branded	
27	Qty: 10 units (2 unit per school)	
	PAN, ROASTING	
	Specification:	
	Type: Roasting Pan	
	Body Shape: Rectangular	
	Material: Stainless Steel	
	Dimension: Length: 40cm x Width 35cm x height- 7 ½ cm	
	(minimum)	
	Thickness: 1.5 mm thick (minimum)	
	Welded Handles on both side	
	Removable stainless steel wire rack	
	Rack dimension: Length: 38 cm x Width 23 cm (minimum)	
	Rack wire diameter: 0.5 cm (minimum)	
	Preferably with a packaging case	
	Dishwasher safe	
	Must be branded	
28	Qty: 20 units (4 unit per school)	
29		
29	PEELER, Y-TYPE	

	T	
	Specification:	
	Type: Y-Type Peelers	
	Body Shape: Ergonomic	
	Material: Stainless Steel	
	Overall dimensions (L x W x H): 7 inches x 2 1/4 inches x 1	
	inch (minimum)	
	Blade Material: 304 Stainless steel, 0.7 mm	
	Head dimension: (L x W x H) 2 1/4 inches x 2 1/4 inches x 1	
	inch (minimum) Handle Material: Stainless steel	
	Handle length: 4 3/4 inches x 1 inch diameter (minimum)	
	2 in 1 design with 2 blade reel, built in potato eye remover	
	and hole for hanger	
	Preferably with a packing case	
	Food grade and non-toxic material.	
	Must be branded	
	Qty: 40 units (8 unit per school)	
	PEPPER AND SALT MILL	
	Specification:	
	Type: Pepper & Salt Mill	
	Body Shape: Round	
	BODY Material: Wood	
	SIZE: Diameter: 5 cm x Height: 20 cm (minimum)	
	Carved of wood with stainless steel grinding mechanism	
	Color: Natural	
	Screw Cap at the top of the mill to adjust the thickness of	
	peeper or spices	
	Preferably with a packing case	
	Food grade and nontoxic	
	Must be branded	
30	Qty: 40 units (8 unit per school)	
30	PLATE RACK	
	Specification:	
	Type: Plate Rack	
	Body Shape: Rectangular Material: 304 Stainless Steel	
	Dimension: Length-475 mm x Width- 290 mm x Height-	
	380 mm (minimum)	
	Heavy duty wire shelving, 2.6 mm diameter (minimum)	
	Tubular Post Diameter: 20 mm thick (minimum)	
	Drawer type drainer tray: (L x W x H) 430 mm x 250 mm x	
	20 mm (minimum)	
	Preferably with a packing case	
	With 2 tier dish drying rack with non-slip rubber footing	
24	Must be branded	
31	Qty: 60 units (12 unit per school)	
	PREPARATION TABLE WITH SINK & Shelves	
	Specification:	
	Type: Preparation Table with sink & shelves	
	Body Shape: Rectangular	
	Material: Stainless steel, 1 mm thick (minimum)	
	Dimensions: L-1200 mm x W - 700 mm x H - 850 mm	
	(minimum)	
	Stainless Steel table top and stainless steel under shelf	
	fully welded construction	
	Sink: Left Side Single bowl sink with drainer 4 inches &	
32	faucet provision	

	T	
	Sink dimension (L x W x D) 400 mm x 500 mmx 25 mm	
	(minimum)	
	With Backsplash 100 mm (minimum)	
	Measured 600 mm between table top to under shelf	
	Welded Tubular Stainless Steel legs: Diameter 35 mm x	
	1mm thick (minimum)	
	Preferably with a packing Case	
	Comes with screw-type adjustable bullet feet	
	Smooth surfaces and no sharp edges	
	Warranty period of 1 year (parts and service)	
	Must be branded.	
	Qty: 25 units (5 unit per school)	
	PRESSURE COOKER	
	Specification:	
	Type: Pressure Cooker	
	Body Shape: Round	
	Material: Polished aluminum	
	Dimension: Diameter: 32 cm x Height: 25 cm (minimum)	
	Capacity: 10 quarts (11.3 liters)	
	Side handles for secure carrying	
	Equipped with safety opening mechanism, spring safety	
	valve, rubber seal ring	
	Dishwasher safe	
	Comes with an English manual that contain: Operation	
	guide, safety guide, maintenance / troubleshooting	
	procedure.	
	With Service centers located in major cities in the	
	Philippines.	
	Warranty period of 1 year (parts and service)	
	Must be branded.	
33	Qty: 10 units (2 unit per school)	
33	SIEVER, SMALL	
	Specification:	
	Type: Fine Mesh Siever	
	Body Shape: Round	
	Material: Stainless steel	
	Diameter: 20 cm (minimum)	
	Depth: 7 cm (minimum)	
	Twin wire handle: Length 20 cm x 5 mm diameter	
	(minimum)	
	Fine Mesh: 0.7 mm (1/32 inch) (minimum)	
	Preferably with a packing case	
	Dishwashing safe	
2.4	Must be branded	
34	Qty: 40 units (8 unit per school)	
	SOUP CUP RACK	
	Specification:	
	Type: Soup Cup Rack	
	Body Shape: Square	
	Material: Polypropylene Plastic	
	Dimension: Length: 50 cm x Width: 50 cm x Height: 10 cm	
	(minimum)	
	Compartment Length: 11 cm	
	Compartment Width: 11 cm	
	Compartment /Inside Height: 6.7 cm	
35	No. of Compartment: 16 Compartments	

	,	
	Rounded handles on all four sides, 1.5 cm over tap and	
	smooth sides	
	Preferably with a packing case	
	The material used must be non-toxic	
	Must be branded	
	Qty: 50 units (10 unit per school)	
	Qty. 30 units (10 unit per school)	
	CDATIHA	
	SPATULA	
	Specification:	
	type: Offset Spatula	
	Body Shape: Flat	
	Blade material: Stainless steel 316	
	Handle material: Hardwood (Smooth finish) with rivets	
	Blade Dimension: Length= 7 .5 inches x Width-1.5 inches	
	(minimum)	
	Thickness of Blade: 1.7 mm thick (minimum)	
	Total length = 12 to 14 inches	
	Preferably with a packing case	
	Dishwasher Safe	
	Must be branded.	
36		
30	Qty: 40 units (8 unit per school)	
	STOCK POT, LARGE	
	Specification:	
	Type: Stock Pot, large	
	Body Shape: Round	
	Material: Stainless Steel, 0.8 mm thick (minimum)	
	Top Diameter: 30 cm (minimum)	
	Height: 31 cm (minimum)	
	Capacity: 20 quarts (22.7 liters)	
	Oven safe to 350°F and Dishwasher safe.	
	With aluminum disc layer in bottom for even heat (5 mm	
	aluminum core)	
	Comes with a cover and two reinforced stainless steel	
	handle on both sides	
	Preferably with a packing case	
	Dishwasher safe	
	Must be branded.	
37	Qty: 20 units (4 unit per school)	
37	STRAINER CHINOIS, MEDIUM	
	Specification:	
	Type: Strainer Chinois, medium	
	Body Shape: Conical	
	Material: Stainless steel	
	Strainer diameter: 20 cm (minimum)	
	Strainer depth: 21.5 cm (minimum)	
	Handle length: 20 cm (minimum)	
	With 2 mm. (approx.) fine mesh	
	Handle has provision for hanging	
	Preferably with a packing case	
	Dishwasher Safe	
	Must be branded	
	Qty: 10 units (2 unit per school)	
38		

	I	Г
	STRAINER CHINOIS, SMALL	
	Specification:	
	Type: Strainer Chinois, medium	
	Body Shape: Conical	
	Material: Stainless steel	
	Strainer diameter: 14 cm (minimum)	
	Strainer depth: 13 cm (minimum)	
	Handle length: 15 cm (minimum)	
	With 1 mm. (approx.) fine mesh	
	Handle has provision for hanging	
	Preferably with a packing case	
	Dishwasher Safe	
	Must be branded	
39	Qty: 15 units (3 unit per school)	
	STRAINER MEDIUM, FINE	
	Specification:	
	Type: Strainer, medium fine	
	Body Shape: Round	
	Material: Stainless steel	
	Strainer diameter: 20 cm (minimum)	
	Strainer depth: 7 cm (minimum)	
	Handle length: 18 cm (minimum)	
	With 2 mm. (approx.) fine mesh	
	Strainer's two layers of tightly woven mesh catches	
	Handle has provision for hanging	
	Preferably with a packing case	
	Dishwasher safe	
	Must be branded.	
40	Qty: 40 units (8 unit per school)	
	TABLE, WORKING	
	Specification:	
	Type: Working table, stainless steel	
	Body Shape: rectangular	
	Materials: 304 stainless steel, 1.29 mm thick (gauge 16)	
	minimum	
	Length: 1220 mm (minimum)	
	Width: 700 mm (minimum)	
	Height: 850 mm (minimum)	
	Tubular Stainless steel legs, 38 mm (minimum) with 4	
	adjustable bullet feet	
	Fully welded construction	
	Thickness: Gauge 16 (1.29 mm thick) minimum	
	Stainless steel table top with stainless steel undershelf	
	Distance between table top and under shelf is 650 mm	
	(minimum)	
	No sharp edges and rough surfaces	
	Must be branded	
41	Qty: 10 units (2 unit per school)	
71	TENDERIZER, MEDIUM	
	Specification:	
	·	
	Type: Tenderizer	
	Body Shape: Ergonomic	
	Material: Cast aluminum	
	Overall Length: 26 cm (minimum)	
43	Dual-sided hammer, square head: 6 cm x 6 cm (minimum)	
42	Ridged surface with rows of dull, pyramid-shaped spikes	

	Preferably with a packing case	
	Finish: Polished	
	Reinforced edges	
	(minimum)	
	Dimension: Length- 48 cm x Width-32 cm x Height-2.5 cm	
	Material: Stainless Steel	
	Body Shape: Rectangular	
	Type: Utility Tray	
	Specification:	
	TRAY, UTILITY	
44	Qty: 40 units (8 unit per school)	
	Must be branded.	
	Dishwasher safe	
	Preferably with packing case	
	Body thickness: 0.7- 1.0 mm	
	Dimension: 20 cm x 30 cm x 3.7 cm (minimum)	
	Material: Stainless Steel	
	Body Shape: Rectangular	
	Type: Baking Tray	
	Specification:	
	TRAY, BAKING, SMALL	
43	Qty: 40 units (8 unit per school)	
	Must be branded	
	Food Grade and Dishwasher-safe	
	Preferably with a packing case	
	Tongs lock closed for storage	
	Heat-resistant up to 400 degrees Fahrenheit	
	Nylon heads safe for nonstick cookware	
	Stainless-steel arms with soft, comfortable grips	
	Size: 12 inches	
	Material: Stainless Steel	
	Body Shape: Standard	
	Type: Tong, 12 inches	
	Specification:	
	TONG, 12 INCHES	
	Qty: 40 units (8 unit per school)	
	Must be branded	
	Dishwasher safe	
	Preferably with a packing case	
	Weight: 250 grams to 500 grams	
	Weight: 250 grams to 500 grams	

	T	
	TURNER 3" X 6"	
	Specification:	
	Type: Slotted Turner, 3" x 6"	
	Body Shape: Straight	
	Material: Stainless steel	
	Blade Size (Lx W): 6 inches x 3 inches (minimum)	
	Handle length: 5 inches (minimum)	
	Overall length: 13 inches (minimum)	
	Solid Turner with straight slotted blade	
	Wooden Handle with triple rivets	
	Preferably with a packing case	
	Dishwasher safe	
	Must be branded	
47	Qty: 40 units (8 unit per school)	
	WEIGHING SCALE, 1 KG, DIGITAL	
	Specification:	
	Type: Digital weighing scale	
	Body Shape: Rectangular	
	Materials: Engineering Plastic and Stainless Steel weighing	
	plate	
	Capacity: 1 kg	
	Accuracy: 1 gram	
	Back light LCD display with 15 mm minimum high digits	
	Weighing Units: gram, ounce, pound	
	Size: (L x W x H mm) 163 mm x 245 mm x 79 mmm	
	(minimum)	
	Battery Operated, (batteries included)	
	Auto power "OFF" after 3 minutes without a change of	
	load	
	Preferably with a packing case	
	With Service centers located in major cities in the	
	Philippines.	
	Warranty period of 1 year (parts and service)	
	Must be branded.	
	Qty: 20 units (4 unit per school)	
48	Qcy. 20 dines (1 dine per solicol)	
	WEIGHING SCALE, 5 KG, Mechanical	
	Specification:	
	Type: Mechanical Weighing Scale	
	Body Type: Circular Bowl	
	Material: Stainless Steel bowl and metal body (coated)	
	Mechanism Type: Spring Lever	
	Capacity: 5kg/ 11 lb.	
	Sensitivity/ Graduated by 10 gm	
	Measurement units: Gram/Kilogram	
	Manual setting on Zero, must be accurate and durable	
	Calibrate the scale using the adjustment knob	
	Preferably with a packing case	
	Delivery must include instruction manual written in good	
	_	
	English With Sarvice centers located in the major cities in the	
	With Service centers located in the major cities in the	
	Philippines Warranty period of 1 year (parts and service)	
	Warranty period of 1 year (parts and service)	
	Must be branded	
	Qty: 10 units (2 unit per school)	
49		

	WOK, MEDIUM	
	Specification:	
	Type: Wok, medium	
	Body Shape: Round	
	Material: Carbon steel	
	Thickness: 1.8 mm thick (minimum)	
	Dimensions (Dia. x H): 45 cm x 14 cm (minimum)	
	Handle Material: Steel Riveted	
	Convenient both side handle 10 cm (minimum)	
	With flat bottom	
	Preferably with a packing case	
	Dishwashing safe	
	Must be branded	
	Qty: 10 units (2 unit per school	
50		
	ZESTER	
	Type: Cheese Zester	
	Body Shape: Standard	
	Material: Stainless steel	
	Grating surface dimensions (L x W) 20.3 cm x 4 cm (minimum)	
	Overall Length: 32.5 cm (minimum)	
	Handel Material: plastic (polypropylene)	
	Ergonomic Handle	
	Preferably with a packing case	
	Dishwasher safe	
	The plastic material used must be non-toxic	
	Must be branded	
	Qty: 40 units (8 unit per school	
51		
	BAIN MARIE, TABLE	
		1
1	Specification:	
	Specification: Type: Bain Marie Table (food warmer)	
	Type: Bain Marie Table (food warmer)	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum)	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum)	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum)	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure.	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height- 800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure. The offered brand of the item must be an international	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case	
	Type: Bain Marie Table (food warmer) Body Shape: Rectangular Material: 304 Stainless steel, 0.8 mm thick (minimum) Dimensions: Length-1500 mm x Width-700mm x Height-800 mm (minimum) Power Source: Voltage: 220 Volts - 230 Volts, 50 Hz/ 60 Hz with royal cord 1.5 meter long with attachment Standard Type A male plug or provide plug Adapter 10A/220V Power: 1500 Watts (minimum) Heater: U shaped heat pipes, high efficient Capacity 4 Pans: L x W x D: (530 mm x 325 mm x 150 mm (minimum) and lids Temperature Range: 20-110 degrees Centigrade Precise temperature control switch and pilot bulb Drain valve with attached gate valve 1/2 inch No rough surfaces and rough edges Accessories: 4 pcs Pans with lid Preferably with packing case Comes with an English manual that contain: Operation guide, Safety guide, maintenance / troubleshooting procedure. The offered brand of the item must be an international brand with at least 5years presence at the local market	

With Service centers located in major cities in the	
Philippines	
Qty: 5 units (1 unit per school	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.		
Name of Company/Bidder		
Signature over Printed Name of Bidder	Date	

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – FOOD AND BEVERAGE SERVICES NC II - LOT 3

Item	Specification	Statement of Compliance
Item	Specification	Statement of Compnance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	Coffee Pot, 2 Pints Specification: Type: Manual drip Body shape: Round Material: Stainless Steel with cover Capacity: 2 pints Outside Diameter: 90 -110 mm Over-all Height: 200 - 230 mm Thickness: 0.5 - 1 mm With handle and spout Packed in carton box The item must have good quality Qty: 35 units (5 units per school)	
2	Cups and Saucers 5-6 oz. Specification: 1. Material: Porcelain 2. Capacity: 5 oz./140 ml 3. Heatproof up to 300 deg. C 4. Color: White	

	E The first of the Co. I. the	1
	5. The item must be of good quality	
	6. Packed in carton box	
	Qty: 168 units (24 units per school)	
	FOLDER, MENU	
	Type: Leather Menu Folder	
	Body shape: Rectangular	
	Material: Leather With 2 Partitions and 6 Inserts	
	Size: 31.5cm X 24.5cm	
	color: Brown/Black	
	Applicable paper size: A4	
3	Qty: 42 units (6 units per school)	
	Fork, Cocktail	
	Specification: 1. Material/Appearance: Stainless Steel,	
	Highly Polished, w/ plain Design	
	2. Type: Rounded Tip Handle	
	3. Over-all Length: 110 - 165 mm	
	4. Width: 20 - 30 mm (minimum)	
	5. Handle Thickness: 2 mm to 4 mm	
	6. Handle Length: 75 - 90 mm	
	7. Small,	
	8. Color: Silver	
	9. The item must be branded and have good	
	quality.	
	10. Packed in plastic pouch	
4	Qty: 168 units (24 units per school)	
•	Fork, Dessert	
	Specification: Type : Dessert Fork	
	Body shape: Fork shape, round tip	
	Material/Appearance : Stainless Steel, highly Polished,	
	with plain Design, Rounded tip Handle	
	Length: 150 mm - 175 mm Width: 20 - 30 mm Handle	
	Thickness: 1.5 mm - 3 mm	
	Number of Tines : 4	
	Handle : 130 mm (minimum)	
	Color : Silver	
	Packed in plastic pouch	
	The item must be of good quality	
_	, ,	
5	Qty: 168 units (24 units per school)	
	Fork, Dinner	
	Specification:	
	Type: Dinner Fork	
	Body shape: Fork shape	
	Material / Appearance : Stainless Steel, highly	
	Polished, with 4 tines	
	Over - All Length : 120 - 175 mm	
	Thickness of Handle : 2 - 3 mm	
	Color : Silver	
	Packed in plastic pouch	
	The item must be of good quality	
	Qty: 168 units (24 units per school)	
6		

	Fork, Fish	
	Specification: Type : Fish Fork	
	Body shape: Fork shape with round tip	
	Material / Appearance : Stainless Steel, highly	
	Polished, With plain Design	
	Over-all Length : 180 - 215 mm	
	Fork Width: 1.5 mm - 3 mm	
	Fork Thickness : 1 mm - 2 mm	
	Number of Tines : 4	
	Length Handle : 120 - 130 mm Handle	
	Thickness: 2 mm - 3 mm	
	Color : Silver	
	Packed in plastic pouch	
	The item must be of good quality	
7	Qty: 168 units (24 units per school)	
/	Fork, Oyster	
	Specification: Type: Oyster Fork	
	Body shape: Fork shape	
	Material: Stainless Steel, with high polish appearance,	
	and with plain design	
	Length: 90 - 120 mm	
	Thickness: 1 mm - 3 mm	
	Silver Color with three short wide curved tines	
	Packed in plastic pouch	
	The item must be of good quality	
8	Qty: 168 units (24 units per school)	
<u> </u>	FORK, SALAD	
	Type: Salad Fork	
	Body shape: Fork shape	
	Material/Appearance: Stainless Steel, highly polished,	
	with 4 tines	
	Length: 150 mm - 175 mm	
	Thickness of Handle : 2 mm - 3 mm	
	Color: Silver	
	Packed in plastic pouch	
	The item must be of good quality	
9	Qty: 168 units (24 units per school)	
-	Glass, Champagne Flute Specification:	
	Type : Flute Glass	
	Body shape: Round	
	Material: Clear Crystal Glass	
	Dimension : Height: 20 -24 cm,	
	Top diameter: 50 -70 mm,	
	Bottom diameter: 60 - 80 mm	
	Capacity: 250 mL. (minimum)	
	Thickness: 1.5 - 3 mm	
	Packed in carton box	
	The item must have good quality	
10	Qty: 168 units (24 units per school)	
11	Glass, Collins	
тт	Giass, Cuillis	

	T	
	Specification:	
	Type: Tumbler	
	Body shape: Round	
	Material : Clear Glass	
	Capacity: 10 oz to 14 oz	
	Thickness: 1.5-3 mm (minimum)	
	Packed in carton box	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
	Glass, Juice / Hi- Ball	
	Specification:	
	Material: Clear Glass	
	2. Type : Hi-ball	
	3. Height : 140 - 160 mm	
	4. Bottom Diameter : 50 -70 mm	
	5. Top Diameter : 50 - 70 mm	
	6. Thickness : 2 - 4 (minimum)	
	7. Capacity : 8 oz. To 10 oz.	
	8. Diswasher Safe	
	9. The item must be branded and good quality	
	10. Packed in carton box	
12	Qty: 168 units (24 units per school)	
	Glass, Pilsner (Ice Tea Glass)	
	Specification:	
	Type: Flaired Rim	
	Body shape: Round slender	
	Material: Clear Glass	
	Capacity: 20 oz. to 23 oz.	
	Over-all Length: 22 -25 cm	
	Thickness of Glass: 1 -3 mm	
	With flaired rim and slender shape	
	Packed in carton box	
	The item must have good quality	
13	Qty: 168 units (24 units per school)	
13	Glass, Red Wine	
	Specification:	
	Type: Royalty	
	Body shape: Balloon shaped bowl	
	Material: Crystal Clear Glass	
	Rim diameter : 55 - 60 mm	
	Thickness: 1.5 mm - 3 mm	
	Over - all Length : 200 -220 mm	
	Capacity : 250 -300 ml	
	Stem diameter: 6 - 8 mm	
	Stem Length: 85 - 90 mm	
	Base diameter : 75 - 85 mm	
	Base Thickness : 2 - 4 mm	
	Packed in carton box	
	The item must have good quality	
14	Qty: 168 units (24 units per school)	
15	Glass, White Wine	

	Specification:	
	Type: Royalty	
	Body shape: Balloon shaped bowl	
	Material: Crystal Clear Glass	
	Rim diameter : 55 - 60 mm	
	Thickness: 1.5 - 3 mm	
	Over -all Length : 200 -220 mm	
	Capacity : 270 - 300 ml	
	Stem diameter: 6 - 8 mm	
	Stem length : 75 - 85 mm	
	Base diameter : 70 - 80 mm	
	Base thickness : 2 - 5 mm	
	Packed in carton box	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
	Gravy Boats	
	Specification:	
	Type: Steel Type	
	Body shape: Boat shape with handle	
	Material: Stainless Steel	
	Capacity: 5 oz.	
	Appearance: Mirror Polish Finish	
	Size :17cm x 7.3cm x 8.2 cm / 6.7 x 2.9 x 3.2 inches	
	(minimum)	
	The item must have good quality	
	Packed in plastic pouch	
16	Qty: 70 units (10 units per school)	
	Ice Bucket, 2 liters with Tongs	
	Set includes:	
	A. Ice bucket	
	Material : Stainless Steel	
	Diameter : 140 - 180 mm	
	Height: 140 - 170 mm	
	Thickness of bucket: 0.7 - 2 mm	
	Capacity : 2 liters (minimum)	
	The item must have good quality	
	B. Ice Tongs	
	Material: Stainless Steel	
	Dimension: Over-All Length: 150 -170 mm	
	Thickness: 0.5 mm – 0.7 mm	
	The item must have good quality	
	Packed in carton box	
17	Qty: 35 units (5 units per school)	
	Knife, Butter	
	Specification:	
	1. Material: Stainless Steel w/ highly Polished	
	Appearance	
	2. Over-all Length : 140 mm - 150 mm	
18	3. Handle Thickness : 3 mm - 5 mm	

	A With D. H.E.L., and D. and al. T.	
	4. With Dull Edge and Rounded Tip	
	5. The item must have good quality.	
	6. Packed in carton box	
	Qty: 168 units (24 units per school)	
	Knife, Dinner	
	Specification:	
	Type: Dinner Knife	
	Body shape: Flat with round tip	
	Material / Appearance : Stainless Steel Blade Highly	
	Polished	
	Handle Material : Stainless Steel	
	Overall Length: 160 - 190 mm	
	Blade Thickness : 2 - 4 mm Handle	
	Thickness: 3 - 6 mm	
	Serrated Blade with Rounded Tip	
	Packed in carton box	
	The item must have good quality	
19	Qty: 168 units (24 units per school)	
	Knife, Fish	
	Specification:	
	Type : Fish Knife	
	Body shape: Flat with pointed tip	
	Material / Appearance : Stainless Steel, highly Polished	
	w/ plain design	
	Overall Length : 200 - 220 mm	
	Width Blade : 20 - 25 mm	
	Thickness of Blade : 2 mm - 4 mm	
	Thickness of Handle: 3 mm - 6 mm	
	Wide blade, dull edge, tip made with a notched point	
	Color: Silver	
	Packed in carton box	
	The item must have good quality	
20	Qty: 168 units (24 units per school)	
	Knife, SALAD	
	Type: Salad Knife	
	Body shape: Semi rectangular blade with pointed tip	
	Material/Appearance: Stainless Steel, highly polished,	
	w/ plain design	
	Overall Length: 145 -160 mm	
	Blade Thickness: 2 mm to 4 mm	
	Handle Thickness: 4 mm to 6 mm	
	Handle Material: Stainless Steel Rounded tip handle	
	Packed in carton box	
24	The item must have good quality	
21	Qty: 168 units (24 units per school)	
	Steak Knife	
	Type: Steak knife	
	Body shape: Flat with serrated edge	
	Material: Stainless Steel steel blade with wooden	
22	handle	
22	Length: 170 mm to 203 mm	

	Handle wood Thidwess 40, 44 mm	
	Handle wood Thickness: 10 - 14 mm	
	With serrated blade	
	Packed in carton box	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
	Napkin Holder	
	Specification:	
	Type: Steel Type	
	Body shape: Rectangular	
	Material: Stainless Steel with Highly Polished	
	Appearance	
	Dimension : Width : 70 - 90 mm x Length : 150 - 170	
	mm , Thickness : 0.7 mm -2 mm	
	Packed in plastic pouch	
	The item must have good quality	
23	Qty: 42 units (6 units per school)	
·	PEPPER AND SALT MILL	
	Specification:	
	Type: Pepper & Salt Mill	
	Body Shape: Round	
	BODY Material: Wood	
	SIZE: Diameter: 5 cm x Height: 20 cm (minimum)	
	Carved of wood with stainless steel grinding	
	mechanism	
	Color: Natural	
	Screw Cap at the top of the mill to adjust the thickness	
	of peeper or spices	
	Preferably with a packing case	
	Food grade and nontoxic	
	Must be branded	
24	Qty: 28 units (4 units per school)	
	Plate Covers	
	Specification:	
	Type: Steel Type	
	Body shape: Circular	
	Material: Stainless Steel, mirror polished	
	Diameter: 10 1/4 inches (minimum)	
	Height: 2 7/8 inches (minimum)	
	Thickness: 1/16 inch. (minimum)	
	With handle	
	Packed in plastic pouch	
	The item must have good quality	
25	Qty: 70 units (10 units per school)	
2.3	Plate, Dessert, 7"to 8"	
	Specification:	
	Type: Plain Type	
	1	
	Body shape: Circular	
	Material: Porcelain	
	Supply must be a set, consisting of one (1) of each:	
26	7 inches and 8 inches plates	
26	Color : White	

	Inner Diameter: 145 to 165 mm	
	Thickness: 3 to 6 mm	
	Smooth and Glossy Surfaces	
	Packed in carton box	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
	Plate, Dinner, 10"	
	Specification:	
	Type: Plain Type	
	Body shape: Circular	
	Material: Porcelain with no Design	
	Color: White	
	Inner Diameter : 200 mm - 215 mm	
	Outer Diameter : 250 - 260 mm	
	Thickness: 3 mm - 6 mm	
	Smooth and Glossy Surfaces	
	Packed in carton box	
	The item must have good quality	
27	Qty: 168 units (24 units per school)	
	Plate, Fish, 8" to 9"	
	Specification:	
	Type: Plain Type	
	Body shape: Circular	
	Material: Porcelain with no Design	
	Supply shall be a set consisting of:	
	one (1) each 8 inches and one (1) each, 9 inches	
	Color : White	
	Inner Diameter: 165 mm - 190 mm (minimum)	
	Thickness: 3 mm - 6 mm	
	Smooth and Glossy Surfaces	
	Packed in carton box	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
28	Qty. 100 units (24 units per senoti)	
20	Salad Plates 7" to 8"	
	Specification:	
	Type: Plain Type	
	Body shape: Circular	
	•	
	Material: Porcelain with no design	
	Supply must be a set consisting of one (1) each:	
	7 inches and 8 inches plates Color: White	
	Diameter (Inner): 150 mm - 165 mm	
	Thickness: 3 mm - 6 mm	
	Smooth and Glossy Surfaces	
	Packed in carton box	
20	The item must have good quality	
29	Qty: 168 units (24 units per school)	
	Salt and Pepper Shakers	
30	Specification:	

	Turas Class Turas	
	Type: Glass Type	
	Body shape: Square	
	Material: Glass and Aluminum	
	Over-all Height: 75 -90 mm	
	Length: 50 -60 mm	
	Width: 50 -60 mm	
	Aluminum cover	
	Packed in carton box	
	The item must have good quality	
	Qty: 70 units (10 units per school)	
	Sauce Ladles	
	Specification:	
	Type: Spouted bowl	
	Body shape: Circular with pouring spout	
	Material: Stainless Steel, highly polished appearance	
	Over-all Length: 220 -230 mm	
	Ladle Bowl Length: 60 -65 mm long	
	Ladle Bowl Diameter: 65 -70 mm	
	Depth: 10 -15 mm	
	Handle details:	
	150-155 mm long x 20 -30 mm wide x 2 - 4 mm thick	
	Color: Silver	
	With hang hole for hanging and easy access	
	Dishwasher safe	
	Packed in plastic pouch	
	The item must have good quality	
31	Qty: 35 units (5 units per school)	
	Server, Cake	
	Specification:	
	1. Material : Stainless Steel Blade , Highly Polished	
	Appearance	
	2. Over-all Length: 220 to 270 mm	
	3. Width : 60 - 80 mm	
	4. Thickness: 1.5 mm to 2 mm	
	5. Handle : 120 -140 mm long, non-toxic plastic	
	6. Shape : Shovel-shaped	
	7. Color: Silver	
	8. The item must have good quality	
	9. Packed in carton box	
32	Qty: 35 units (5 units per school)	
32	Service Forks	
	Type: Service Fork	
	Body shape: Fork shape	
	Material/Appearance: Stainless steel, highly polished,	
	w/ palin design	
	Over-all Length: 220 mm - 260 mm	
	Width: 20 - 25 mm	
	Handle Ingth 165 mm - 4 mm	
	Handle length - 165 mm - 185 mm	
22	4 tines	
33	Color: Silver	

	Packed in plastic pouch
	The item must have good quality.
	Qty: 70 units (10 units per school)
	Service Tray
	Specification: Type: Plastic
	Body shape: Rectangular
	Material: Plastic (PP)
	Size: 14 inches x 18 inches X 1 inch (minimum)
	Color : Any
	Packed in plastic pouch
	The item must have good quality
	Qty: 70 units (10 units per school)
34	
	Show/ Service/ Based Plates 11" to 14"
	Specification
	Type: Plain Type
	Body shape: Round
	Material: Porcelain with no design
	Supply must be a set consisting (1) of each:
	- 11 inches,
	- 12 inches,
	- 13 inches, and
	- 14 inches plates
	Color: White
	Diameter, Inner : 225 mm - 250 mm
	Thickness: 3 mm - 6 mm
	Smooth and Glossy Surfaces
	Packed in carton box
	The item must have good quality
35	Qty: 70 units (10 units per school)
	Side Plates or Bread Plates 6"
	Specification:
	Type: Plain Type
	Body shape: Round
	Material: Porcelain with no design
	Color: White
	Inner Diameter: 95 mm to 120 mm
	Outer Diameter: 145 mm to 170 mm
	Thickness: 3 mm - 6mm
	Smooth and Glossy Surfaces
	Packed in carton box
	The item must have good quality
36	Qty: 168 units (24 units per school)
33	Silver Platter
	Specification:
	Type: Steel Type
	Body shape: Round
	Material: Stainless Steel
	Diameter: 300 -330 mm
27	
37	Thickness: 1 - 2 mm

	Packed in plastic pouch	
	·	
	The item must have good quality	
	Qty: 56 units (8 units per school)	
	Soup Bowl	
	Specification:	
	Type: Plain with two handles	
	Body shape: Circular	
	Material : Porcelain	
	Capacity : 24 oz. (minimum)	
	Packed in carton box	
	The item must have good quality	
	Packed in a carton box	
38	Qty: 168 units (24 units per school)	
	Soup Ladle	
	Specification:	
	Type: Steel Type	
	Body shape: Circular	
	Material: Stainless Steel, highly polished appearance	
	Over-all Length : 220 -235 mm	
	Ladle Bowl Details :	
	60 -65 mm long, 60 -75 mm diameter, 10 -15 mm deep	
	Handle Details :	
	145 - 155 mm long x 12 - 25 mm wide x 1.5 -3 mm	
	thick	
	Color : Silver	
	With hang hole for hanging and easy access	
	Packed in plastic pouch	
	The item must have good quality	
39	Qty: 42 units (6 units per school)	
33	Soup Tureen	
	Specification:	
	Type: Steel	
	Body shape: Round	
	Material: Stainless Steel	
	Capacity: 7 - 11 quart	
	Size: 60 x 35 x 32 cm (minimum)	
	Packed in plastic pouch	
	The item must have good quality	
40	Qty: 42 units (6 units per school)	
	Spoon, Dessert	
	Specification:	
	Type : Dessert Spoon	
	Body shape: Oval	
	Material/Appearance: Stainless Steel, highly Polished	
	with plain design	
	Over-all Length: 175 to 190 mm	
	Thickness: 2 mm - 3 mm	
	Shorter handle : 120 -130 mm	
	Color : Silver	
	Packed in plastic pouch	
41	The item must have good quality	

	Qty: 168 units (24 units per school)	
	Spoons, Service	
	• • • • • • • • • • • • • • • • • • •	
	Specification:	
	Type : Service Spoon	
	Body shape: Oval	
	Material: Stainless steel, highly polished, w/ plain	
	design	
	Over-all Length: 220 mm - 250 mm	
	Width: 30 - 38 mm	
	Handle Thickness: 1.5 mm - 4 mm	
	Handle length - 165 mm - 185 mm	
	Color: Silver	
	Packed in plastic pouch	
	The item must have good quality	
	Qty: 70 units (10 units per school)	
42		
	Spoons, Soup (Cream and Consume)	
	Specification:	
	Type: Soup Spoon	
	Body shape: Round	
	Material/Appearance : Stainless Steel, highly polished,	
	w/ plain design, rounded tip handle	
	Over-all Length : 165 mm - 200 mm	
	Smaller oval shaped spoon bowl and	
	tapers slightly to the tip	
	Shorter handle : 110 mm - 170 mm	
	Thickness: 1.5 mm - 3 mm	
	Color : Silver	
	Packed in plastic pouch	
	The item must have good quality	
43	Qty: 168 units (24 units per school)	
13	Table Cloth, 54 x 54 inches	
	Specification: T	
	ype: Plain Cloth	
	Body shape: Square	
	Material: Oxford Polyester Cloth	
	Color: Plain White	
	Dimension: L 54 inches x W 54 inches (minimum)	
	Packed in plastic pouch	
	· · · · · · · · · · · · · · · · · · ·	
4.4	The item must have good quality Oty, 40 units (7 units per school)	
44	Qty: 49 units (7 units per school)	
	Table cloth, Rectangular	
	Specification:	
	Type: Plain Cloth	
	Body shape: Rectangle	
	Material: Linen	
	Size: 120cm x160cm (minimum)	
	Color : Any Color but not black	
	Feature: Washable	
	Packed in a plastic pouch	
45	Qty: 35 units (5 units per school)	

	T	
	Table Skirting Cloth 90"x90"	
	Specification:	
	Type: Plain Cloth	
	Body shape: Square	
	Material: American Cotton Twill Cloth	
	Color: Any Color except black	
	Dimension: 90 inches x 90 inches (minimum)	
	Packed in plastic pouch	
	The item must have good quality	
46	Qty: 35 units (5 units per school)	
40	Table, Rounds (8's)	
	Type: Foldable	
	Body shape: Round	
	Material: High density polyethylene table top	
	Powder coated steel frame	
	Size: 154cm x 74cm x4.5cm (minimum)	
	Good for 8 to 10 seater capacity	
	Tube Size : 28 mm diameter x 1 mm thickness	
	Packed in a carton box	
	The item must have good quality	
47	Qty: 42 units (6 units per school)	
47	Table, Square/Rectangular (4's or 6's) Specification:	
	Type: Foldable Plastic	
	Body shape: Square/Rectangle	
	Materia: High density polyethylene table top	
	Powder coated steel frame	
	Dimension: 37 - 39 x 37 - 39 inches	
	Color: White	
	Good for 4 persons	
	Packed in carton box	
	The item must have good quality	
48	Qty: 35 units (5 units per school)	
	Qty. 35 times (5 times per semon)	
	Tea Pot, 2 Pints	
	Specification:	
	Type: Porcelain Type	
	Body shape: Round with handle and pouring spout	
	Material : Porcelain	
	Capacity: (2 pint)	
	Color: White	
	Packed in carton box	
	The item must be of good quality	
49	Qty: 35 units (5 units per school)	
	Teaspoon	
	Specification:	
	Type : Tea Spoon	
	Body shape: Oval tip	
	Material/Appearance: Stainless Steel, highly polished,	
50	w/ plain design	
1	<u>, · , </u>	<u> </u>

	T =	
	Over-all Length: 120 mm to 140 mm	
	Handle Thickness: 2 mm to 4 mm	
	Short handle Length - 100 mm (minimum)	
	Color: Silver	
	Packed in plastic pouch	
	The item must have good quality	
	Qty: 168 units (24 units per school)	
	Tooth Pick Holder	
	Specification:	
	Type: Steel Type	
	Body shape: Round	
	Material: Stainless Steel, highly polished in appearance	
	Diameter: 30 -35 mm diameter (minimum)	
	Height: 65 -75 mm	
	Capacity: 1.24 oz. (minimum)	
	Packed in plastic pouch	
	The item must have good quality	
51	Qty: 35 units (5 units per school)	
	Tray Stand	
	Specification:	
	Type: Foldable	
	Body shape: Rectangular	
	Material: Chrome Plated Metal folding tray stand	
	Length: 470 -490 mm	
	Width: 400 -440 mm	
	Height: 770 -790 mm	
	Packed in plastic pouch	
	The item must have good quality	
52	Qty: 35 units (5 units per school)	
	Tray, Bill Folders/ Change	
	Specification:	
	1. Material: Heavy Duty Plastic (ABS) or its Equivalent	
	2. Height : 190 - 220 mm	
	3. Width: 120 -140 mm	
	4. Thickness: 2 mm to 3 mm (minimum)	
	5. Color : Black	
	6. With Check and pen holder	
	7. The item must have good quality	
	8. Packed in plastic pouch	
	Qty: 35 units (5 units per school)	
53		
	Tray, Round (Bar)	
	Specification: Type: Plastic	
	Body shape: Round	
	Material: (PE/ABS) Plastic rubberized surface, non-	
	slip/grip tight	
	Over-all Diameter: 345 -360 mm (minimum)	
	Thickness: 2 - 4 mm (minimum)	
	Color: Black	
	Packed in plastic pouch	
54	The item must have good quality	

	Qty: 70 units (10 units per school)	
	Water Goblet	
	Specification:	
	Type: Water Goblet	
	Body shape: Balloon-shaped bowl	
	Material: Crystal Clear	
	Glass Over-all Length: 200 -220 mm	
	Capacity: 270 ml to 300 ml	
	Rim diameter - 55 -65 mm	
	Thickness: 1 mm to 3 mm	
	Stem length: 75 -85 mm	
	Stem diameter : 6 -8 mm	
	Base thickness : 3 -4 mm	
	Base diameter : 7 -80 mm	
	Packed in carton box	
	The item must have good quality	
55	Qty: 168 units (24 units per school)	
	Water Pitcher	
	Specification: Type: Steel Type	
	Body shape: Circular	
	Material: Stainless Steel, highly polished appearance	
	Height: 170 mm to 220 mm	
	Top Diameter: 110 -120 mm (approximate)	
	Capacity: 1 - 1.5 liter	
	With pour spout	
	Dishwasher safe	
	Packed in plastic pouch	
	The item must have good quality	
56	Qty: 70 units (10 units per school)	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.		
Name of Company/Bidder		
Signature over Printed Name of Bidder	Date	

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – FRONT OFFICE SERVICES NC II - LOT 4

Specification	Statement of Compliance
	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
Calculator Specification: Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box User's Manual in English which includes: a. parts manual with labels, b. assembly instructions	
	Calculator Specification: Type: Simple calculator, Non scientific Body material: Hard plastic Minimum Size: 110mm Width x 140mm Long LCD display: at least font size is 8mm x 5mm With Dual power; Solar cell and battery With at least 8 digits display Includes spare battery Packed with protective carton box User's Manual in English which includes: a. parts manual with labels,

	equipment,	
	Branded	
	Qty: 25 units (5 units per school)	
	CART, BELL BOY	
	Specification:	
	Type: Hotel luggage trolley	
	Capacity: at least 450 kilograms	
	Minimum dimensions: Length - 1000mm x Width -	
	600mm x Height - 1700mm	
	Frame material: Stainless Steel Tubing	
	Stainless Tube Diameter: at least 35mm	
	Black Powder Coated Steel Platform	
	With carpeted surface and Rubber Bumper at the	
	edge	
	With 4 pieces x 200mm Diameter Black Pneumatic	
	Swivel Wheels	
	Packed with shipping carton box	
	Branded	
2	Qty: 10 units (2 units per school)	
	CASH REGISTER WITH DRAWER	
	Specification:	
	Printer: Width: 57mm (minimum)	
	Speed: 2 lines/sec (minimum)	
	LCD Display Size: 5cm Width x 10cm Long(minimum)	
	With drawer at least 4 bills and 5 coins	
	compartments	
	With drawer dimension at least 410mm Width x	
	450mm Depth	
	Input Method: Numeric 10-key	
	Interface with at least 2 ports	
	Power Source: 220-240Volts AC, 50/60Hz;	
	With AC/DC Adapter	
	Can be Operated with battery	
	Programmable	
	User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions	
	c. operating procedures on how to use the	
	equipment,	
_	Packed with carton box with styrofoam protection	
3	Qty: 5 units (1 units per school)	
	CREDIT CARD IMPRINTER	
	Specification:	
	Height of the imprinter 2 1/2 inch (minimum) x	
	Width 5 1/2 inch (minimum) x Length 11 inches	
	(minimum)	
	Carriage material: Steel	
	Body:Plastic	
	Color: Black	
	20 characters per line	
4	Card Mounting can accepts at least 0.030" thick size	

	and dit sands	
	credit cards	
	Plate can accommodate up to 5 lines,	
	Manual type	
	With User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures	
	Qty: 5 units (1 unit per school)	
	CREDIT CARD VOUCHER HOLDER	
	Specification:	
	Material: 3 mm thick clear, acrylic,	
	Dimensions:	
	Height: at least 255 mm,	
	Width: at least 210 mm,	
	Thickness: at least 70 mm	
5	Qty: 5 units (1 unit per school)	
	DETECTOR, FAKE BILLS	
	Specification:	
	LED Display;	
	LED Display Size: at least 5 cm Width x 10 cm Long;	
	Hard plastic casing;	
	Ultraviolet (UV) and Magnetic (MG) sensors;	
	Power Source: Built in Rechargeable Battery,12V	
	output and AC 100-240V Adapter;	
	With complete detection;	
	Accessories includes:	
	Tough Plastic Carrying Case, Power Cord, Cleaning	
	Brush, and Power Charger;	
	- '	
	User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures on how to use the	
	equipment	
6	Qty: 5 units (1 unit per school)	
	GUEST FOLIO RACK	
	Specification:	
	Material: Hard plastic;	
	Accommodates at least 50 room divider indexes;	
	With divider boards with metal tabs;	
	A4 size divider;	
	With metal sidings	
7	Qty: 5 units (1 unit per school)	
	HYPERCOM	
	Specification:	
	Memory: 1 MB RAM (Minimum)	
	LCD Display; 160 x 80 pixel graphics (minimum)	
	With Card Reader Magnetic stripe	
	PIN pad port: 4-wire, RS485;	
	With Peripheral Ports for PC connection;	
	Electronic cash register or journal printer;	
8	With at least 2400bps modem;	
	With at Icust 2-1000ps modelli,	

	1	I
	Support Synchronous (SDLC) and asynchronous, LAN	
	operation;	
	With PIN Encryption;	
	With Thermal Printer at least 576 dots per line;	
	Thermal Paper – 2 inches wide x 3 inches roll	
	diameter (min.);	
	Keypad: Membrane, 12 keys, water-resistant;	
	Dimension: Length: 10 inches;	
	Width: 5 inches;	
	Height: 2 inches (minimum);	
	Power: 220-250 Volts AC, 50/60 Hz; DC: 24 V, 1A;	
	User's Manual in English which includes:	
	(a) parts manual with labels, (b) assembly	
	instructions, (c) operating procedures on how to use	
	the equipment;	
	Qty: 5 units (1 unit per school)	
	KEY CARD MARKER WITH VERIFIER	
	Specification:	
	Set of Hotel Door Lock System with Management	
	software;	
	a) 1 unit - Card Type Door Lock with Inductive	
	distance at least 4cm	
	b) 1 unit - Card Encoder Unit	
	with 25 pieces Door Room Key Cards	
	Computer software system for Door Lock and making	
	cards	
	With complete accessories including the USB Type A	
	cable interface to the computer	
	User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions	
	c. operating procedures on how to use the	
	equipment	
9	Qty: 5 units (1 unit per school)	
	KEY RACK	
	Specification:	
	Rack material: wood	
	Number of Racks: Can accommodate at least 40 Key	
	Cards	
	Minimum rack size: 70mm Width x 110mm Height	
	Depth of the rack at least 50mm	
	Any color paint	
	Type:Wall mounted rack	
	Pack with shipping carton box	
10	Qty: 5 units (1 unit per school)	
	Safety deposit box/ drop vault	
	Specification:	
	Material: Metal, powder coated,	
	Solid steel door thickness: 4mm(minimum)	
	Body thickness: 2mm(minimum)	
11	Minimum outer dimension: L: 30cm x H: 20cm x W:	

	20cm	
	Electronic lock system	
	Battery Operated Digital Panel: Requires 4 x 'AA'	
	Batteries	
	User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures on how to use the	
	equipment,	
	Branded	
	Qty: 5 units (1 unit per school)	
	Speaker, Lapel	
	Specification:	
	Frequency at least 500MHz	
	With audio input connector	
	With operation range at least 50meters	
	Receiver/70mA	
	Earphone output level: 32ohm, 65mW	
	Operates with energizer battery	
	With minimum power consumption of transmitter at	
	least 3V/70mA	
	Receiver: 3V/70mA	
12	Qty: 20 units (4 unit per school)	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requirements.		
Name of Company/Bidder		
Signature over Printed Name of Bidder	Date	

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – HAIRDRESSING NC II - LOT 5

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	BOWL, SHAMPOO Specification: Bowl material: ABS plastic With Adjustable stand (Height: 39 inches to 54 inches) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded Qty: 4 units (2 units per school)	
2	CAP, FROSTING, WITH HOOK Specification:	

	T =	T
	Cap material: Silicone	
	Type:Reusable, perforated cap	
	One size fits all or at least 31cm x 22cm	
	With Pre-cut Tipping Guides	
	With Bleed proof inner liner	
	With a rounded metal hook to pull hair through the	
	ready made perforations	
	Packed with plastic pouch	
	Qty: 4 units (2 units per school)	
	CAP, HEATING	
	Specification:	
	Waterproof cloth material.	
	Cordless type	
	To fit an average size head (21-24 inches)	
	Stretch up to 29 inches	
	Unisex	
	Hair care treatment styling	
	Reversible and reusable,	
	Non toxic	
	Includes with User's Guide in English that contains:	
	a. Diagram of the parts with their names	
	b. Operating procedure on how to use the	
	equipment	
	c. Safety precaution when using the equipment	
	d. Basic troubleshooting and maintenance procedure	
2	Packed with protective carton box	
3	Qty: 4 units (2 units per school)	
	Chair, High	
	Specification:	
	Bar stool material: metal, painted with anti rust	
	Width of the chair :15 inches minimum	
	Height :33 inches (minimum)	
	Synthetic Leather seat material	
	Barstool crown back type	
	With rubber ring of barstool for anti skidding	
4	Qty: 4 units (2 units per school)	
	Chair, Hydraulic	
	Specification:	
	Material: Metal base	
	Size:Length59 cm, width54 cm, height from 51-78cm	
	Hydraulic pump can be up and down by pedaling	
	Load capacity:180kg	
	Hydraulic styling chair type	
	Heavy duty hydraulic pump for height adjustable and	
	360' rotation	
	Hydraulic Pump Build in for Adjusting the Seating	
	Height.	
	With foot rest	
	Lockable hydraulic pump for safety feature	
	With User's Manual in English which includes:	
5	a. parts manual with labels,	
	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	L

	h accombly instructions	
	b. assembly instructions,	
	c. operating procedures,	
	Packed with transport protective carton box	
	Oty: 6 units (3 units per school)	
	Clamp	
	Specification:	
	Material: Plastic	
	Overall length: 9.5cm	
	Thickness:10mm(minimum)	
	Hairstyling clamp type	
6	Qty: 4 units (2 units per school)	
	Clipper, Hair	
	Specification:	
	Body material:Hard Plastic	
	Blade material: Carbon Steel	
	Capacity:6 watts (minimum)	
	Complete with blade guard and 4 comb attachments	
	(#1, #2, #3, #4)	
	Motor:Magnetic type, Corded,12V AC/DC adaptor	
	Delivers 1,400 Strokes per Minute,	
	With complete accessories including the cleaning	
	brush	
	With cord 2 meters length minimum	
	With User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures,	
	Packed with protective carton box	
	Branded	
7	Qty: 4 units (2 units per school)	
	COMB, HAIRCUTTING	
	Specification:	
	Material: Hard plastic	
	Length including the handle:180mm (minimum)	
	Width: 30mm (minimum)	
	With detachable steel blades and blade holder	
	With two sides for different cuts	
	With extra blades	
	Packed with protective carton box	
	Qty: 4 units (2 units per school)	
8		
	CRIMPERS	
	Specification:	
	Power: 25 watts(minimum)	
	Size: at least 38 cm x 15.5 cm x 9 cm	
	Maximum temperature: 200 degrees Centigrade	
	With On off switch button	
	With On/off switch button	
	Rated voltage: 110 -230Volts AC with power cord	
9	With plastic handle	

	Qty: 20 units (10 units per school)	
	CURLING IRON	
	Specification:	
	Ceramic Curling iron	
	Capacity: 65watts	
	Voltage: 210-240Volts AC with power cord	
	Barrel size: 1 inch (minimum)	
	Adjustable heat setting with maximum temperature	
	of 200 degrees Centigrade	
	Swivel cord up to 360 degree	
	Cylindrical shape	
	Plastic handle for safety purpose	
	Packed with protective carton box. Branded	
10	Qty: 12 units (6 units per school)	
	DRIP PAN	
	Specification:	
	Material: Hard plastic	
	Size: at least 17.5 x 25.8 x 1 inches	
	Thickness: 1/8 inch (minimum)	
	Shallow rectangular type	
	Packed with carton box	
11	Qty: 4 units (2 units per school)	
	DRYER, HAIR	
	Specification: Power: 1000W	
	Rated Voltage: 220VAC	
	At least (L x W x H): 18.5cm x 16cm x 6.5cm	
	With plastic handle design	
	Packed with carton box with styrofoam holder	
	With User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures, Branded	
12	Qty: 10 units (5 units per school)	
	GLOVES, DISPOSABLE	
	Specification:	
	Material: Plastic	
	Size: at least 25cm x 23cm	
	Packaging is 100 pcs per box	
13	Qty: 4 units (2 units per school)	
	GLOVES, RUBBER	
	Specification:	
	Size: Medium	
	Thickness: 4 mil	
	Acid resistant	
	Packed with plastic pouch in pairs.	
14	Qty: 4 units (2 units per school)	
	GOWN, SMOCK	
	Specification:	
	Material: Polyester	
	Sizes:	
15	1 piece = Small size,at least (50 inches x 56 inches);	
13	T piece – Smail Size, at least (30 mones x 30 mones);	

	1	
	1 piece= Medium size,at least (52 inches x 58 inches);	
	1 piece= Large size, at least (54 inches x 60 inches);	
	Packed with plastic pouch per size	
	Qty: 4 units (2 units per school)	
	HAIRNET, INVISIBLE	
	Specification:	
	Material: Nylon	
	Size: 55mm (minimum)	
	Stretchable and unisex type	
	Color: Black	
	Non toxic	
	Packed with plastic pouch	
16	Qty: 6 units (3 units per school)	
	HEADBAND	
	Specification:	
	Size: 6 inches (minimum)	
	Woven crochet tube top headband	
	Very stretchy, Soft material, comfortable and	
	breathable	
17	Qty: 4 units (2 units per school)	
	INFRARED IRON	
	Specification Material: Ionic ceramic tourmaline-	
	infused plates and ABS Plastic body	
	Power: 70 watts (minimum)	
	Power Rating: 220-240 Volts AC;	
	Over-all Size: 24 cm long (minimum)	
	Heating plate size up to 50 mm	
	Heating time: within 30 seconds;	
	Variable Heat settings: From 250 to 450 Degrees	
	Fahrenheit	
	With digital temperature control	
	Safety Mode: Auto shut off after 60 minutes;	
	With swivel cord	
	Comes with storage pouch	
	Branded	
18	Qty: 4 units (2 units per school)	
	MIRROR, HAND	
	Specification:	
	Mirror size 15 cm diameter (minimum)	
	Frame thickness including mirror glass:	
	6.5mm(minimum)	
	Over-all length with the handle is 20 cm (minimum)	
	Clear Mirror with no distortion	
	Frame and handle are made of plastic	
	Plane mirror type	
	Packed with carton box with styrofoam protection	
19	Qty: 10 units (5 units per school)	
	MIRROR, MODULAR	
	Specification: Mirror type: plain mirror	
	Mirror Material: Glass	
20	Frame material: Aluminum (cut to fit)	
20	Traine material Administration (cut to ht)	

	D: (11.14) 75 C5 (; ;)	T
	Dimensions (HxW): 75 cm x 65 cm (minimum)	
	Mirror thickness: 6mm (minimum)	
	Smooth surface, no sharp edges and cracks	
	Packed with protective carton box	
	Qty: 4 units (2 units per school)	
	RAZOR, STRAIGHT	
	Specification: Blade material: High carbon steel	
	Type: Foldable Straight Razor, replaceable blade;	
	Dimensions (LxW): 14 cm x 2 cm (minimum) when	
	folded;	
	Compatible with double-edged razor blades;	
	Package includes 10 pieces blade/box	
	Non corrosive	
24	Branded	
21	Qty: 4 units (2 units per school)	
	ROLLERS,LARGE SIZED	
	Specification:	
	Material: Plastic	
	Size: at least 40mm Diameter x 60mm Long	
	Hairstyling type	
	Packed with plastic pouch	
22	Qty: 4 units (2 units per school)	
	ROLLERS,MEDIUM SIZED	
	Specification:	
	Material: Plastic;	
	Diameter: 38 mm(minimum)	
	Length: 58mm (minimum)	
	Hairstyling type	
	Packed with plastic pouch	
23	Qty: 4 units (2 units per school)	
	ROLLERS,JUMBO SIZED	
	Specification:	
	Material: Plastic	
	approximately 44mm in Diameter x 64mm long	
24	Qty: 4 units (2 units per school)	
	SCISSOR,CUTTING	
	Specification:	
	Material:Stainless steel	
	Total Length: 17cm (minimum)	
	Blade width at least 10 cm	
	Non corrosive	
	Packed with plastic pouch	
	Branded	
25	Qty: 6 units (3 units per school)	
	SCISSOR,THINNING	
	Specification:	
	Blade material: High carbon steel	
	Blade Length at least 6cm	
	With straight blade type	
26	Style: Right handed scissor	

	T	T
	Total Length at least 17cm	
	One side comb cutter	
	Non corrosive	
	Packed with plastic pouch	
	Branded	
	Qty: 6 units (3 units per school)	
	SCOOP	
	Specification: Material: Plastic	
	Capacity:1/2 cup (minimum)	
	Rounded edges with handle	
	Thickness: 1.5 mm (minimum)	
27	Qty: 4 units (2 units per school)	
	SPATULA	
	Specification:	
	Material:Plastic	
	Dimension: Over-all length of 7.5 cm long, x 1.5 cm	
	wide (minimum)	
	Application:Hair waxing removal	
	Packed with plastic pouch	
28	Qty: 6 units (3 units per school)	
	SPRAY BOTTLE	
	Specification:	
	Material: Transparent Plastic	
	Capacity: 300ml (minimum)	
	Trigger type Sprayer	
	Dimension: at least Diameter of Bottom is 7 cm and	
	the height is 17cm	
	Qty: 6 units (3 units per school)	
29		
	STEAMER, HAIR	
	Specification:	
	Power 450 watts (minimum)	
	Rating is 220 Volts/50-60Hz	
	Hood material: Polycarbonate	
	Hood has at least 30 cm diameter opening x 25 cm	
	deep	
	Timer setting is up to 60 minutes	
	With at least 32 ounce water reservoir	
	Adjustable height from 100 to 150cm	
	With at least 5 swivel caster	
	With User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	c. operating procedures,. Branded	
30	Qty: 4 units (2 units per school)	
	STOOL	
	Specification:	
	Material: Metal,	
	electroplated	
	Load capacity: 150kg	
31	Design: Swivel stool with backrest	

	With Hydraulic lift to adjust height freely.	
	With Thick sponge cushion.	
	With at least four caster wheels.	
	With Thick sponge cushion.	
	Swivel stool with backrest	
	No sharp edges	
	Branded	
	Qty:8 units (4 units per school)	
Cebu C in the c	s purpose, the Supplier shall issue Delivery Receipt. Notice that to disallow payment of the bill; an ertification shall constitute breach of the Contract, which are comply with all the above requirement.	nd any falsehood or misrepresentation h is a ground for termination thereof.
1		··
Name o	of Company/Bidder	

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City – HOUSEKEEPING NC II - LOT 6

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	BASKETS, LAUNDRY Specification:	
1	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges Qty: 30 units (5 units per school)	
2	BED, QUEEN	

	6 (6)	
	Specification:	
	Bed Set, Queen Size (60 x 75 inch) rectangular	
	1) Frame: Knock-down type, all steel, powder coated	
	including Head board,	
	Bare weight: 20 kg (minimum)	
	No wobble and noise	
	2) Comes with fabric covered foam 6 inches thick Foam	
	Density: 29 -33 kg/cu.m.	
	3) No sharp edges	
	Qty: 6 units (1 units per school)	
	BED, SINGLE	
	Specification:	
	Bed, Single	
	Size (W36 x L75 inch) rectangular	
	1) Frame: Knock-down type, all steel, powder coated	
	including Head board,	
	Bare weight: 13 kg (minimum)	
	No wobble and noise	
	2) Comes with fabric covered foam 6 inches thick Foam	
	Density: 29 -33 kg/cu.m.	
	3) No sharp edges	
3	Qty: 6 units (1 units per school)	
	Board, Ironing	
	Specification:	
	TYPE: FOLDABLE TYPE IRONING BOARD	
	BODY SHAPE : STANDARD	
	MATERIAL: 25 mm tubing approx., 0.8 mm thickness	
	BOARD SIZE: 32 INCHES (minimum)	
	BODY SIZE :120 cm x 30 cm x 5 cm	
	COLOR: ANY	
	COMES WITH BOX	
	NO SHARP EDGES	
4	Qty: 30 units (5 units per school)	
	Boots, Safety, Plastic	
	Specification:	
	Upper material: Elastic PVC	
	Sizes:	
	7 inches - 5pcs	
	8 inches - 5pcs	
	9 inches - 5pcs	
	10 inches -5pcs	
	11 inches - 5pcs	
	Height: 13 to 14 inches	
	Plain toe	
	Type of boots: Unisex rain boots with rugged tractor lug	
	outsole	
	Packed with carton box per size	
5	Qty: 60 units (10 units per school)	
_	CADDY, TOILET	
6	Specification:	
	-1	

	Carrying caddy for toilet cleaning supplies	
	Holds spray bottles and other cleaning supplies,	
	No. of Compartments: 3 (minimum)	
	Material :Plastic	
	Tray Depth: 11 cm (approx.)	
	Overall Dimension: 36 x 26 cm (approx.)	
	Smooth surface, no sharp edges	
	Qty: 12 units (2 units per school)	
	CARPET SWEEPER	
	Specification:	
	Carpet sweeper, cordless electric	
	Motorized single brush roll (removable)	
	Body Material : Hard plastic ,(ABS) or its equivalent, any	
	color	
	Equipped with Rechargeable Battery (16 minutes run	
	time on carpet), removable dirt box	
	Sweep Width: 8 inches (minimum)	
	Capacity (volume) : 0.35 Lit.(minimum)	
	Handle: Metal, Powder- Coated, With plastic/rubber	
	grip, Swivel Steering	
	Assembled Height: 44 inches (minimum)	
	Comes with Battery Charger 220/240VAC, 50/60Hz with	
	plug to adapt Type A outlet (or providing 3A minimum	
	1, 2	
	plug adapter is an option)	
	No sharp edges	
	Includes User's Manual which contains operation	
	procedure, name of parts, safety precautions, trouble	
7	shooting.	
	Qty: 12 units (2 units per school)	
	CART, FOR HOUSEKEEPING NC II	
	Specification: Housekeeping Cart trolley	
	Equipped with Three-shelves with steel/laminated	
	panels single door, top layer with divider, bag holder,	
	and 4 wheels	
	Cart Frame: steel, powder coated	
	Wheels: 2non-swivel 2 swivel, 6 inches diameter, non-	
	markings	
	Overall Dimensions: rectangular 90 x 48 x 1010 cm	
	(minimum)	
	Comes with accessory linen bag	
	Smooth surface, No sharp edges	
8	Qty: 6 units (1 units per school)	
	SIGN, CAUTION	
	Specification:	
	Shelving, open, knockdown type, adjustable shelves	
	Metal Powder Coated frame	
	Number of Shelves : 5	
	Overall Dimensions: 85 x 30 x 180 cm(minimum)	
	Sturdy connection, No wobble	
	Smooth surface, no sharp edges	
9	Qty: 30 units (5 units per school)	

	COFFEE MANYED	
	COFFEE MAKER	
	Specification:	
	Coffee Maker, electric	
	Material: metal, plastic, glass	
	Capacity: 6 cups (minimum)	
	Detachable Tank, with Water Level Indicator	
	Non-Stick Warming Plate: Removable and Washable	
	Filter	
	Non-Drip Valve : Lighted ON/OFF Switch	
	Power Supply: 220 V -240 V AC 50/60 Hz , 500W	
	minimum	
	Comes with a heat resistant glass pitcher	
	With a 1 meter (minimum) power cord, molded male	
	plug to adapt Type A outlet (or providing 5A minimum	
	plug adapter is an option)	
	Smooth surface, no sharp edges	
	With DTI-BPS certification, Brand and electrical ratings	
	clearly and permanently mark on the item Comes with	
	English manual that contains: users guide, list of parts,	
	maintenance guide,	
	safety guide.	
	1 year warranty parts and service	
	With Service centers located in major cities in the	
	Philippines.	
10	Qty: 12 units (2 units per school)	
	FAN, ELECTRIC	
	Specification:	
	Stand fan, electric	
	Material: Metal, plastic	
	Size/Diameter: 18 inches	
	Power rating: 70 watts (minimum), 220 / 240 VAC, 50 /	
	60 Hz, Single Phase	
	Rotation Angle: 90 degrees	
	Base: Stable, 16 inches diameter (approx.)	
	Removable metal guard on front and rear	
	3-speed settings	
	Comes with 1.5 meters power cord and with molded	
	male plug to adapt Type A outlet (or providing 3A	
	minimum plug adapter is an option)	
	Smooth surface, no sharp edges	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance Procedures	
	With DTI-BPS certification, Brand and electrical ratings	
	clearly and permanently mark on the item	
11	1 year warranty parts and service	
11	Qty: 18 units (3 units per school)	
Ì	Fire Extinguisher (with contents)	
12	Specification:	

	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium	
	Phosphate)	
	2.Portable type	
	3.Capacity: 5 - 6 kgs	
	4.Rechargeable Cylinder Metal	
	5. Working pressure of Cylinder : 400 psi	
	6.Brass Valve with Pressure Gage	
	7. With Rubberized Hose and Aluminum Nozzle Attached	
	8. With Squeeze lever to discharge and safety pin	
	10.Painted with Metal Primer and Red Enamel Paint	
	11.Includes with User's Guide in English that contains:	
	a. Operating procedure on how to use the equipment	
	b. Safety precaution when using the equipment	
	12.1 year warranty parts and service	
	13. The item must be branded and have good quality	
	Qty: 18 units (3 units per school)	
	FLAT IRON	
	Specification:	
	Clothes Flat iron, electric	
	Material: Metal /plasic body, Heat-Resistant Plastic	
	Handle, Aluminum sole	
	Overall Dimension : (L x W x H) 25 cm x 12 cm x 12 cm	
	(minimum)	
	Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts	
	(minimum)	
	Equipped with Light Indicator, variable temperature	
	control, Overheat Protection, Power Cord and plug to	
	adapt Type A outlet (or providing 10A plug adapter is an	
	option)	
	Smooth surface, no sharp edges,	
	Comes with English Manual that Contains: Users Guide,	
	List of Parts, Maintenance Guide,	
	Safety Guide.	
	The item must be branded, with DTI-BPS certification	
	1 year Warranty Parts and Service	
	With Service Centers Located in major Cities in the	
	Philippines.	
13	Qty: 30 units (5 units per school)	
15	HAIRDRYER	
	Specification:	
	Electric hairdryer, with concentrator nozzle	
	Two heat setting and 1 speed (minimum)	
	Rating: 220/240 VAC, 1200 W (minimum)	
	Body Length including nozzle: 20 cm	
	Folding handle design, with hanging ring	
	Smooth surface, no sharp edges	
	Branded, Brand name and electric rating permanently	
	mark on the item, with DTI-BPS certification	
	With user's manual written in English that contains	
	operating procedure, parts	
14	with description, safety procedure, and maintenance.	

	T	
	With Service centers located in major cities in the	
	Philippines.	
	1 year warranty(parts & service)	
	Qty: 12 units (2 units per school)	
	HOSE, WATER	
	Specification:	
	Water hose	
	Material: PVC fiber reinforced, three (3) layers;	
	Any color;	
	Hose Length: 50 feet;	
	Hose Diameter: 5/8 inches;	
	Pressure capacity: 200 pounds per square inch	
	(minimum);	
	Fitted with male and female brass couplers (NH, 11.5	
	TPI) for spray nozzle	
	No sharp edges	
15		
13	Qty: 12 units (2 units per school) Kettle, Electric	
	Specification:	
	Electric kettle cordless (with pouring spout), hinged lid, detachable from and can rotate on its corded base	
	Material: Round Stainless body, plastic handle, lid and	
	base	
	Capacity: 1.5 to 2 liter	
	Automatic Shut - Off, with power indicator light	
	Power rating: 220//240VAC, 50/60Hz, 1000 -1600 Watts	
	Base with a 50 cm (minimum) power cord, molded male	
	plug to adapt Type A outlet (or providing 10A plug	
	adapter is an option)	
	Smooth surface, no sharp edges;	
	DTI-BPS certified	
	Comes with English manual that contains: operation	
	procedure, maintenance and	
	safety guide.	
	The item must be branded, Brand name and electrical	
	ratings permanently mark on the item.	
16	Qty: 12 units (2 units per school)	
	LAUNDRY SORTER	
	Specification:	
	3 - bag Laundry Sorter, with wheels	
	Bag: Polyester, Rectangular shape, detachable from	
	frame with metal handle and hanging hook	
	Bag Dimensions : Rectangular 22 x 15 x 8 inch	
	(minimum)	
	Frame Material : Corrosion resistant Steel, sturdy no	
	wobble	
	Frame Overall Dimensions : Rectangular, 31 x 30 x15	
	inch (minimum)	
	With four casters, 2 inch diameter (minimum)	
	Smooth surface, no sharp edges	
17	Qty: 30 units (5 units per school)	
1/	City. 30 dilits (3 dilits per scilodi)	

	LIGHT, EMERGENCY	
	Specification:	
	Emergency light, 2 heads LED	
	Materials: metal, anti-rust coated	
	Duration Time (2 heads): 5 hours (minimum)	
	Automatically Light Up during Power Outage	
	Overcharge and Over- discharge Protection	
	Built - In AC Charger, power cord plug to adapt Type A	
	outlet (or providing 5A minimum plug adapter is an	
	option)	
	Battery Test Switch - External Safety Fuse	
	Head: White LED 1W (minimum) 3.5 " Dome Reflector	
	Power rating: 220 -240 VAC , 50/60 Hz	
	20-24 Hours Charge Time	
	Dimensions: Rectangular 27 x 7 x 27 cm (approx.)	
	Sooth surface, no sharp edges	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance Procedures	
	The item must be branded, Brand name and electrical	
	ratings permanently mark on the item.	
18	Qty: 18 units (3 units per school)	
	MIRROR	
	Specification:	
	Wall mirror with frame	
	Flat Glass mirror, 2 mm thick (minimum),	
	Clear with no distortion	
	Frame: Wood or Plastic commercial finish	
	Rectangular shape, 3600 sq.cm (minimum)	
	Includes mounting accessories	
	Smooth surface, no sharp edges	
19	Qty: 6 units (1 unit per school)	
	MOP	
	Specification:	
	Mop, handle and mop head set, refillable head	
	Handle: Aluminum or anti-rust coated steel, with	
	hard/stiff plastic mop head holder, clip type with	
	tightening knob	
	Overall Handle Dimension: 130 x 19 cm (minimum)	
	Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16	
	x 4 cm (minimum), White	
	Handle: Plated Steel Tube or Wood, Length : 40	
	(minimum),	
	No sharp edges	
20	Qty: 54 units (9 units per school)	
	·	
	POLISHER, FLOOR, ELECTRIC, WITH ACCESSORIES	
	Specification:	
24	Electric floor polisher with accessories	
21	Material: Stainless steel, Aluminum Alloy	

	Handle: Stainless tube, adjustable height 1 meter long	
	(approximate), With Dual Switch Lever	
	Size/Capacity :13 inch (minimum) diameter	
	Power Supply: 220/240 VAC, 50/60 Hz.	
	Power: 1/3 Hp (minimum)	
	Rotation Speed: 160 rpm (minimum)	
	Heavy duty (Royal) Power Cord Length: 12 meters	
	(minimum) with Type A plug (or providing 10A plug	
	adapter is an option)	
	With pair of Rubber Wheels,	
	Smooth surface, no sharp edges	
	Comes with pad holder, 2 pcs - polishing brush and 3 pcs	
	- floor polishing pads	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance	
	PROCEDURES	
	Branded, Brand name and electric rating permanently	
	mark on the item,	
	With 1 year Warranty Parts and Service	
	The offered brand of the item must be an international	
	brand with at least 5 years presence at the local market	
	and global presence in the USA, Europe or in Japan	
	market.	
	Qty:6 UNITS (1 unit per school)	
	SHELVING	
	Specification:	
	Shelving, open, knockdown type, adjustable shelves	
	Metal Powder Coated frame	
	Number of Shelves : 5	
	Overall Dimensions: 85 x 30 x 180 cm(minimum)	
	Sturdy connection, No wobble	
	Smooth surface, no sharp edges	
22	Qty:12 UNITS (2 unit per school)	
	SQUEEZER, MOP	
	Specification:	
	Mop bucket with squeezer/wringer and wheels	
	Hand lever to squeeze, made of metal, with hand grip	
	Material : Hard Plastic, (PS) Polystyrene or its equivalent	
	Capacity: 30 L (minimum)	
	Overall Dimension (excluding handle: (L x W x H) 40 x	
	27 x 57 cm (minimum)	
	Color : Yellow	
	With 3 inches non-marking rubber casters	
	"CAUTION" printed in black on both sides of the mop	
	bucket	
	Smooth surface, no sharp edges	
23	Qty:12 UNITS (2 unit per school)	
24	STEP LADDER	

	Specification:	
	Material: aluminum U channel	
	Capacity: 250 lbs (minimum)	
	Type: Flatform type	
	Number of step: 6 (including top step)	
	Reach height: 6 to 8 Feet(minimum)	
	Width: 15 inches minimum	
	Spread: 4 feet (minimum)	
	Twin steps with gripped treads to prevent slipping	
	Step braces on top and bottom step	
	Heavy duty aluminum foot bracket with slip-resistant	
	foot pad	
	With User's Manual in English which includes:	
	a. parts manual with labels,	
	b. assembly instructions,	
	Branded	
	Qty:12 UNITS (2 unit per school)	
	Vacuum Cleaner, Dry and Wet	
	Specification: Electric vacuum cleaner, wet and dry	
	function, sucks even screws, with 4 swivel caster wheels	
	Material : Hard Plastic, (ABS) or rust proof body	
	equivalent	
	Power Supply : 220/240VAC, 50/60Hz, 1000 Watts	
	(minimum)	
	Auto shut off	
	Tank Capacity : 20 Liters (minimum)	
	Equipped with complete accessories i.e., detachable	
	Vacuum Hose assembly (flexible non-kink), extension	
	tubes/wands, carpet (long square) brush nozzle, wet	
	and dry floor brush nozzle, crevice nozzle, hepa filter,	
	sponge filter/washable cloth bag.	
	Comes with 4 meters (minimum) heavy duty (royal)	
	power cord, molded male plug to adapt Type A outlet	
	(or providing 10A plug adapter is an option)	
	Smooth surface, no sharp edges	
	With user's manual written in English that contains	
	operating procedure, parts	
	with description, safety procedure, and maintenance.	
	The item must be branded, Brand name and electric	
	rating permanently mark on the item.	
	1 year warranty parts and service	
	With Service centers located in major cities in the	
	Philippines.	
	The offered brand of the item must be an international	
	brand with at	
	least 5 years presence at the local market and global presence in the USA,	
	•	
25	Europe or in Japan market.	
25	Qty:6 UNITS (1 unit per school)	
26	WASHER, Laundry	
26	Specification:	

	1. Front Load Electric Washer, laundry	
	2. Electronic control, digital indicator display,	
	transparent glass door	
	3. Body Material : steel, powder coated, Any Color	
	4. Dimensions (WxDxH): 590 mm (minimum) x 490 mm	
	(minimum) x 820 mm (minimum)	
	5. Drum Material : Stainless Steel	
	6. Capacity: 8 kg (minimum)	
	7. Spin Speed : 1200 rpm (minimum)	
	8. Power rating: 220 /240VAC, 50/60 Hz.	
	9. Comes with a 1 meter (minimum) heavy duty power	
	cord with male plug to adapt Type A outlet (or providing	
	20A plug adapter is an option)	
	10. Smooth surface, no sharp edges	
	11. With DTI-BPS certification, Brand and electrical	
	ratings clearly and permanently mark on the item 9.	
	Includes User's Manual in English which contains:	
	a. A Diagram of the Parts with their Names,	
	b. Operating Procedures on how to use the Equipment,	
	c. Safety Precautions when using the Equipment,	
	d. Basic Troubleshooting and Maintenance Procedures	
	12. The item must be branded, DTI-BPS certified, 1 year	
	warranty parts and service	
	13. With Service centers located in major cities in the	
	Philippines.	
	14. The offered brand of the item must be an	
	international brand with at least 5 years presence at the	
	local market and global presence in the USA, Europe or	
	in Japan market.	
	Qty:6 UNITS (1 unit per school)	
	WHITE BOARD	
	Specification:	
	White board, floor standing, rolling	
	Board: White Formica Laminated, plane will not	
	deform., Board Size: Rectangular 1800mm W x 1000 to	
	1200mm H,	
	Board Edges secured with Aluminum Clip Edging 17 mm	
	(minimum) with plastic corner caps	
	Comes with Metal Tray for Marker and Eraser	
	The stand and frame are constructed with Aluminum or	
	powder coated steel 25mm square tube (minimum),	
	sturdy, no wobble	
	With 4 lockable hard plastic caster wheels	
	Overall Height from floor: 210 to 214cm	
1		1

MANNER OF PAYMENT

27

Smooth surface, no sharp edges Qty:12 UNITS (2 unit per school)

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd

Cebu City Division the right to disallow payment of the bill; in the certification shall constitute breach of the Contract, whi	*
I hereby commit to comply with all the above requiremen	nts.
Name of Company/Bidder	
Signature over Printed Name of Bidder	Date

Technical Specifications

Supply and Delivery of Technical Vocational – Livelihood (TVL) Equipment Packages for Public Senior High School of Schools Division of Cebu City –

LOCAL GUIDING SERVICES NC II AND WELLNESS MASSAGE NC II - LOT 7

Item	Specification	Statement of Compliance
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
LOCAL	GUIDING SERVICES NC II	
1	First Aid kit Specification Type: Emergency case; Contents: First Aid Quick Reference Guide, 1pc; Sterize Gauge Swab(4 x4 x12 ply) 100 pcs/pack, 1 pack; Adhesive strips/Band -Aid, 50 pcs/pack, 2 packs; Gloves, disposable, medium size, 2 pairs; Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls; Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs; Safety pins, 1 1/4 inches, (12 pcs), 1 3/4 inches (12 pcs); Stainless steel bandage scissors, 2pcs; Betadine, 60ml, 2 -3 years expiration, 2 bottles; Dust mask, 2pcs; Hand towels or face towels, white color, 6 pcs; Gauze bandage, minimum 5cm x 4cm, 2 rolls; Antiseptic handwash/germicidal soap, 60 gms , 2pcs; Torniquet, 2 pcs; Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle; Burn cream ointment, 20g to 30g, 2- 3years expiration, 1 tube; Medical tweezers min. 8cm, plastic, 2pcs;	

	Plastic bags, resealable, minimum of 24pcs, 100mm x 180mm,	
	24pcs, 150mm x 230mm	
	Cotton balls , 50 balls in a sealed package, 2 packs	
	Hot and Cold pack, reuseable, 1 pack	
	Water resistant and sturdy case w/ handle that can	
	accommodate all the listed items.	
	Qty: 1 unit	
2	MEGAPHONE	
	Specification:	
	Battery operated (4 pcs - Size D battery)	
	With Built-in siren	
	Power output: 20-Watts (minimum)	
	Range: 700 meters (minimum)	
	With hand grip and carrying strap	
	Branded	
	With Users manual that contains the specification, list of parts,	
	instruction guide, troubleshooting, safety instruction.	
	Qty: 1 Unit	
2	WHISTLE	
3	Specifications:	
	Anodized Aluminum;Size: Length - 6.5cm x 3cm diameter; Handy and Lightweight; Loud whistle can be heard for far distance of	
	100 meters; With Key ring for attachment	
4	Qty: 1 unit	
4	WHITE BOARD	
	Specifications:	
	White board, floor standing, rolling Board: White Formica	
	Laminated, plane will not deform.Board Size: Rectangular	
	1800mm W x 1000 to 1200mm H, Board Edges secured with	
	Aluminum Clip Edging 17 mm (minimum) wih plastic corner	
	capsComes with Metal Tray for Marker and EraserThe stand and	
	frame are constructed with Aluminum or powder coated steel	
	25mm square tube (minimum), sturdy, no wobbleWith 4 lockable	
	hard plastic caster wheelsOverall Height from floor: 210 to	
	214cmSmooth surface, no sharp edges	
	Qty: 1 unit	
	NESS MASSAGE NC II	
5	DUMMY, ANATOMICAL	
	Specifications:	
	Half Life-Size Muscular Figure Measures 32" tall	
	(minimum).	
	2. This model features 27 removable parts that are	
	held on by metal screws, posts, and hooks.	
	3. It shows the muscular system with numbered parts	
	that comes with a corresponding key.	
	4. It has removable arms, a removable calvarium, and a	
	removable chest plate that hides the individual	
	numbered organs of the digestive system	
	5. Detachable muscles include: Deltoid, Brachioradialis	
	'	
	with extensor carpi radialis longus and brevis, Biceps	
	Brachii, Pronator teres with palmaris longus and flexor	
	carpi radialis, Sartorius Muscle, Rectus Femoris,	
	Extensor Digitorum Longus, Tensor Faciae Latae,	
	Gluteus Maximus, Biceps Femoris, Semitendinosus,	
	Gastrocnemius, Soleus.	
	6. Removable organs include: Brain (2parts), Lungs (2	
	parts), Heart (2 parts, Liver, Intestines, Stomach	
	7. Base is 13" x 9" (removable)	
	8. Weighs 12 lbs. (approximately)	
<u> </u>		

r		
	9. Plastic material	
	10. Non toxic material	
	11. Carton box packaging	
	Qty. 1 unit	
6	MASSAGE BED / TABLE	
	Specifications:	
	Materials: Hard wood with steel bracings, Hardwood Frame,	
	Marine Plywood Deck; Color: Black	
	Dimensions: W:75 cm x L:183 cm x H: (adjustable)	
	Height: adjustable from 24 in 33in.	
	Leg thickness - 35mm (minimum)	
	Cushion System: High density foam (7.5 cm / 2.95") minimum	
	with PU leather cover (1mm thick)	
	Finishing: Round Corner	
	Weight Capacity: 250 kg(minimum)	
	Gross Weight: 21 kg (Approximate)	
	2 end support bearer to strengthen the base and increase weight	
	capacity	
	Accessories - aluminum headrest (Adjustable) + face plug +	
	armrest + arm sling + carry case	
	Portable and Foldable	
7	Qty: 10 unit MASSAGE CHAIR	
7	Specifications:	
	1.Padded with 3" thick, high-density, small-cell foam	
	2. Size: 14"-diameter seat (minimum) but without back and arm	
	rest, with metal post and hard plastic star.	
	3. Pneumatic spring will effortlessly adjust the height from 18" to	
	24" with the pull of a lever	
	4. Five heavy-duty, smooth-rolling wheels	
	5. Load capacity: 265 lbs / 120 kg (maximum)	
	6. Smooth surface and no sharp edges	
	7. Any color with one color only for whole lot	
	Qty: 2 unit	
8	SPHYGMOMANOMETER Specifications:	
	Specifications:	
	Aneroid Type; (for adult use) Large cuff sizes: 33 to 42 cm arm diameters	
	Accuracy: ±3mm Hg;	
	Measurement range : 0mm Hg to 300mm Hg;	
	Smallest scale: 1mm HgIndex and range markings on the dial for	
	clear readings	
	Nylon cuff is durable and stain resistant with a Velcro closure	
	Inflation system is latex free and has an easy-release deflation	
	valve	
	Chrome-plated brass air release valve;	
	Set includes: 1 unit Sphygmomanometer;	
	1 zippered nylon carrying case	
	Smooth surface and edges, non toxic material	
0	Qty: 10 unit	
9	STETHOSCOPE Specifications:	
	Chest-piece Description: Stainless Steel Double Chest Piece	
	Color: Black	
	Tubing Description: Y-tube PVC	
	Uses extra soft replaceable and pivotable Ear Tips	
	The binaural is chromium-plated	
	Chest-piece diameter: 44 mm (minimum) and has non-chill rim	
	Overall Length: 29" /74 cm (minimum)	
	The stethoscope is latex-free	
	Comes with a pair of replacement Ear Tips, a replacement	

		Г
	Membrane, and a Name Plate	
	Smooth surface and no sharp edges	
1.0	Qty: 10 unit	
10	TALKING SPHYGMOMANOMETER	
	Specifications:	
	Type: arm type blood pressure monitor (talking english), Nylon cuff sizes: 33 to 42 cm arm dia.	
	LCD Digital Display: Systolic, diastolic, pulse rate with real voice,	
	loud and clear, announcing blood pressure automatically when	
	reading is detected and displayed simultaneously	
	Dimensions: 98mm*126mm*60mm (approximate)	
	Hard plastic casing, smooth surface and no sharp edges, non	
	toxic materials	
	Measurement range : 0mm Hg to 300mm Hg;	
	Smallest scale: 1mm Hg	
	Weight: 450g (approximate)	
	Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa)	
	Pressure accuracy: ±3mmHg(±0.4kPa)	
	Pulse measurement range: 40 ~199 beats /min	
	Voltage: 4*AAA alkaline batteries or power adapter	
	Certificate: CE ROHS	
	Intelligent automatic pressurization and decompression	
	Incorrect prompting function	
	Automatic shutdown: 1 min after last operation	
	Carton box packaging	
	Qty: 2 unit	
11	TALKING THERMOMETER	
	Specifications:	
	Case Material: Hard plastic	
	Sensing unit: Thermistor	
	Measurement method: Actual measurement	
	Measurement Range: 32 C - 42 C (89.6F-107.6F) Measurement Accuracy: ± 0.1C 32C-42.0C (± 0.2 F 89.6.9F-	
	107.6F)	
	Power Supply: 1.5V DC, LR41 Alkaline-Magnesium button battery	
	Real voice (loud and clear in english) announces temperature	
	automatically when reading is detected	
	Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree	
	increment	
	Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D) inches (not	
	including probe) / 51 (W) x 110 (H) x 30 (D) mms (not including	
	probe)	
	Choices in degrees Celsius or Fahrenheit	
	Talk button repeats last temperature reading	
	Last reading memory	
	Auto switch off	
	Accessories: Protective case, 5 probe covers, instruction sheet	
	Paddle shape with sensor on small end	
12	Qty: 2 unit	
12	THERMOMETER, DIGITAL Specifications:	
	Case Material: Hard plastic	
	Sensing unit: Thermistor	
	Measurement method: Actual measurement	
	Measurement Range: 32 C - 42 C (89.6F-107.6F)	
	Measurement Accuracy: ± 0.1C 32C-42.0C (± 0.2 F 89.6.9F-	
	107.6F)	
	Power Supply: 1.5V DC, 1 LR41 Alkaline-Magnesium button	
	battery when measured at a standard room temperature of 23	
	deg C (73.4 deg F) in a test tank held at constant temperature	
	Power consumption: 0.1mW	
	Low battery indication: Battery symbol displayed	
	Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree	

	increment	
	Memory: Last measuring reading	
	Beeper function: 1 beep when power on 3 beeps after	
	measurement completed	
	External Size (mm): 19.4(W) × 132.5 (L) × 10.0(D)	
	Accessories: Protective case, test battery, 5 probe covers,	
	instruction sheet	
	Paddle shape with sensor on small end	
	Qty: 10 unit	
13	WHITE BOARD	
	Specifications:	
	White board, floor standing, rolling	
	Board: White Formica Laminated, plane will not deform.	
	Board Size: Rectangular 1800mm W x 1000 to 1200mm H,	
	Board Edges secured with Aluminum Clip Edging 17 mm	
	(minimum) wih plastic corner caps	
	Comes with Metal Tray for Marker and Eraser	
	The stand and frame are constructed with Aluminum or powder	
	coated steel 25mm square tube (minimum), sturdy, no wobble	
	With 4 lockable hard plastic caster wheels	
	Overall Height from floor: 210 to 214cm	
	Smooth surface, no sharp edges	
	Qty: 2 unit	

MANNER OF PAYMENT

The Supplier shall bill DepEd Cebu City Division upon delivery of all requested goods/items. For this purpose, the Supplier shall issue Delivery Receipt. Non-compliance thereon gives DepEd Cebu City Division the right to disallow payment of the bill; and any falsehood or misrepresentation in the certification shall constitute breach of the Contract, which is a ground for termination thereof.

I hereby commit to comply with all the above requir	ements.
Name of Company/Bidder	
Signature over Printed Name of Bidder	Date

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (e.g. production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR; (new and revised/updated as per GPBB Resolution No. 15 s. 2021)

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid
 - a.copies of the corresponding notices of award and/or notices to proceed and/or contracts/purchase order; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
 - a. Must indicate a single contract, similar to the contract to be bid, in an amount equivalent to at least Fifty percent (50%) of the ABC to be bid pursuant to Section III, BDS Clause 5.4; or
 - b. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least Fifty percent (50%) in the case of Non-Expendable Supplies of the ABC for this Project; and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
 - c. Submit also the following inside this envelope:
 - c. 1 copy of the corresponding notice of award or notice to proceed/purchase order/ contract; and
 - c. 2 end user's acceptance or official receipt(s) or sales invoice issued for the contract.
 - (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and
 - ☐ (e) *Conformity with the Technical Specifications (Section VII), and ☐ (f) Conformity with the Schedule of Requirements (Section VI)

	(g) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>F</u>	inancial Documents
	(h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
	(i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (j) Original of duly signed and accomplished Financial Bid Form; (with signature on each and every page; and attached Written Authority); and
- (k) Original of duly signed and accomplished Price Schedule(s) (with signature on each and every page thereof).

Other documentary requirements under RA No. 9184 (as applicable)

- (1) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (m) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Sample Form or Template of the following documents is provided in Section VIII of this bidding documents, to wit:

- Bid Form;
- Bid Securing Declaration;
- Price Schedule for Goods offered from within the Philippines;
- Price Schedule for Goods offered from Abroad;
- Contract Agreement Form for the Procurement of Goods;
- Omnibus Sworn Statement
- Performance Securing Declaration;

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID

FORM	
Date:	
Project Identification No.:	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules.

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of								
of agent Currency Commission or gratuity								
	_							
	_							
if none, state "None") /	_							

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Price Schedule for Goods Offered from Within the Philippines [shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name	e of Bidder				Projec	Page	_of		
1	2	3	4	5	6	7	8	9	10
Item Description		Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
Name	e:								
	authorized								

Price Schedule for Goods Offered from Abroad

[shall be submitted with the Bid if bidder is offering goods from Abroad]

me of	Bidder			D No	Page of _					
1	2	3	4	5	6	7	8	9		
em]	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Pr deliverd DDP (col 4 x		
me: _										

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Contract Agreement Form for the Procurement of Goods (Revised)

(C	N	N	ľ	Π	2	Δ	. (C	Γ	Δ	C	R	2	F.	1	₹.	N	V	ſ	Н	'.]	١	Π	Γ

THIS AGREEMENT made the _____ day of _____ 20___ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures in specified currency]* (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the

<u>contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.</u>

- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for: for:

[Insert Procuring Entity] [Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES	
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I have	hereunto	set	my	hand	this	 day	of	,	20	at
	,	Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration (Revised)

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)	
CITY OF)	S.S.

PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
 - i. Procuring Entity has no claims filed against the contract awardee;
 - ii. It has no claims for labor and materials filed against the contractor; and
 - iii. Other terms of the contract; or
 - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]

Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Bank Guarantee Form for Advance Payment

To: [name and address of PROCURING ENTITY] [name of Contract] Gentlemen and/or Ladies: In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause Error! Reference source not found. of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words]. We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding famount of guarantee in figures and words]. We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification. This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date]. Yours truly, Signature and seal of the Guarantors [name of bank or financial institution] [address]

[date]

New and revised/updated Philgeps Certificate of Registration as per GPBB Resolution No. 15 s. 2021

Republic of the Philippines Department of Budget and Management PROCUREMENT SERVICE

CERTIFICATE OF PHILGEPS REGISTRATION (Platinum Membership)

THIS IS TO CERTIFY THAT

Valenzuela City, Metro Manila, NCR, Philippines

is registered in the **Philippine Government Electronic Procurement System (PhilGEPS)** on <u>21-Mar-2002</u> pursuant to Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act.

This further certifies that has submitted the required eligibility documents in the PhilGEPS Supplier Registry as listed in Annex A, which document is attached hereto and made an integral part hereof.


For the purpose of updating this Certificate, all Class "A" eligibility documents covered by Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184 supporting the veracity, authenticity and validity of this Certificate shall remain current and updated. The failure by the prospective Bidder to update this Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of its validity until such time that all of the expired Class "A" eligibility documents has been updated.

By submitting this Certificate, the Bidder certifies:

- the authenticity, genuineness, validity, and completeness of the copy of the original eligibility documents submitted:
- 2. the veracity of the statements and information contained therein;
- 3. that the Certificate is not a guaranty that the named registrant will be declared eligible without first being determined to be such for that particular bidding, nor is it an evidence that the Bidder has passed the post-qualification stage; and
- 4. that any finding of concealment, falsification, or misrepresentation of any of the eligibility documents submitted, or the contents thereof shall be a ground for disqualification from further participation in the hidding process, without prejudice to the imposition of appropriate administrative, civil and criminal penalty in accordance with the laws.

This Certificate is valid until 29-Jul-2022

Issued this 25th day of June 2021.
This is a system generated certificate. No signature is required.




Documentary Stamp Tax Paid Php 30.00 Certificate Reference No:

Amended Date as of January 22, 2022 11:47 AM

REMINDERS 1

- The PhilGEPS office shall not determine the eligibility of merchants. The PhilGEPS office's evaluation
 of the eligibility requirements shall be for the sole purpose of determining the approval or disapproval
 of the merchant's application for registration.
- A merchant's registration and membership in the GOP-OMR is neither contract-specific nor understood to be tantamount to a finding of eligibility. Neither shall the merchant's successful registration in the GOP-OMR be relied upon to claim eligibility for the purpose of participation in any public bidding.
- The determination of the eligibility of merchants, whether registered with the GOP-OMR or not, shall remain with the Bids and Awards Committee (BAC). The BAC's determination of validity of the eligibility requirements shall be conclusive to enable the merchant to participate in the public bidding process.



Refer to Section 4 of the Guidelines for the Use of the Government of the Philippines - Official Merchant's Registry

"Annex A"

List of Eligibility Documents

of

	Registration Date: 20-Oct-1995
SEC Certificate	SEC Certificate Number: ADDITION 4
	Expiration Date : 31-Dec-2022
	Permit Number: 00013542
Mayors Permit	Place of Issue: VALENZUELA CITY
	Issued By / Signatory:
	Issuance Date: 12-Jan-2022
	Expiration Date: 21-Jun-2022
	TCC Number:
Tax Clearance	Issued By / Signatory:
	Issuance date: 21-Jun-2021
	Date of Filing: 02-Jun-2021
	Current Asset
audited Financial Statement	Total Asset
	Current Liabilities
	Total Liabilities
	Name of Auditor :
	BIR RDO Code: 024
	Expiration Date : -
	Issued By / Signatory:
PCAB License	Issuance Date : -
	License Number :
	License First Issue Date : -
	Principal Classification :
	Category:

Certificate Reference No: 2022

Amended Date as of January 22, 2022 11:47 AM

Page 3 of 3

All envelopes shall:

- a) Contain the name of the Project/contract to be bid in Capital Letters;
- b) Bear the name and address of the Bidder in Capital Letters;
- c) Be addressed to the DepEd Cebu City-BAC;
- d) Bear the specific identification of this bidding process indicated in the IB; and
- e) Bear a warning "DO NOT OPEN BEFORE..." the date and time of the opening of bid as indicated in the IB Illustration of the Sealing and Markings are as follows

